

2005

Michigan
Corn Hybrids Compared

375 ~~10000~~ copies

Rec'd 12-09-05

*fr:
Bill Widecoml*

CELEBRATING

70's
*Years
of*

Corn Variety Testing

**MICHIGAN STATE
UNIVERSITY
EXTENSION**

Extension Bulletin E-431 December 2005

Table of Contents

70 Years	2	Grain Index	28
Introduction	3	Corn Silage	30
Weather	4	Silage	
Corn Grain	6	Agronomics	31
Zone 1 - Grain	8	Zone 1 - Silage	32
Zone 2 - Grain	12	Zone 2 - Silage	36
Zone 3 - Grain	18	Zone 4 - Silage	40
Zone 4 - Grain	22	Zone 5 - Silage	42
Zone 5 - Grain	24	Silage Quality	44
Grain Agronomics .	25	Silage Index	48
Glyphosate Grain ..	26	Company Index	49

1936 - 2005

Seventy Years of Corn Variety Testing

This year Corn variety testing in MSU's Crop and Soil Science Department is celebrating its seventieth season of continued hybrid testing. MSU first started testing hybrid vigor against the open pollinated varieties of the day in 1935 with continuous multi-year trials starting in 1936. The trials were started by A. R. Marston, and continued by J. W. Thayer and E. E. Down into the 1940's. In 1948, Dr. Elmer Rossmann joined the MSU faculty and directed the Corn Hybrid Trials for the next 42 years ending in 1989. After several years of interim leadership the trials have been headed by Dr. Kurt Thelen since 1999.

Currently the trials reach across 14 Michigan counties with 18 different locations plus, new in 2005, a silage location in NW Ohio. These locations include 13 grain trials, 10 silage trials, and 3 Glyphosate trials. Over the seventy years, the trials have traveled through 51 different Michigan counties and have included many different studies that have helped to shape corn production practices used in Michigan today. Over the seventy years we have looked at and compared yields for population, row spacing, planting date, lodging by harvest date, moistures by harvest date, seed treatments, and irrigated vs. non irrigated plots. We have compared hybrids with different traits such as Waxy, Hi Amelose, Hy Lysine, Bt, RR, IT, IR, ICI, IMR, CRW and LL hybrids etc. against their

conventional germplasm lines to determine their value. We were one of the first states to compare silage yields starting in 1935 and now are one of the few states conducting silage trials that evaluate corn silage hybrids for yield and quality.

We have evolved from hand planted and hand harvested hill plots, in the 30's and 40's, to machine planted single row plots harvested by mechanical picker shellers through the 50's, 60's, 70's and 80's. We implemented 2 row plots in the 90's using a made-for-research corn sheller for harvest. Today we plant four row plots harvesting the center two rows with some of the most advanced plot research equipment available. (Note equipment changes in the pictures here and inside the back cover). There have been 942 separate county grain trials and 315 county silage trials conducted over the 70 years.

We appreciate the support of the farmers in Michigan and their use of the trial information. We also want to thank all the many seed companies (past and present) that support the trials through their participation. Without the trust and support of both of these groups we could not have reached such a milestone.



Originally trials were hand planted in hill plots at 12,000 - 14,000 plants per acre.



Hand planting was continually used at some locations up through 1988. This picture was taken on the Bob Bevier Farm, Washtenaw County in 1966.



Today trials are mechanically planted at populations up to and exceeding 30,000 plants per acre.



In 1990 this 4 row vacuum planter was purchased for the trials. It has been updated in 1994, 2001 and 2003 to keep it current with new technology.



2005

Michigan Corn Performance Trials

K. Thelen, K. Dysinger and W. Widdicombe,
Department of Crop and Soil Science
Michigan State University

Introduction

The Michigan State University Department of Crop and Soil Sciences conducts hybrid corn trials each year in cooperation with MSU Extension, seed corn companies, and farmers.

Entries

Seed companies are invited to enter hybrids in the trials. A fee is charged to cover expenses. Separate indexes for grain and silage present a list of all hybrids entered in the 2005 trials (pg. 28 and 48, respectively). Thirteen grain and nine silage locations were planted. A total of 371 hybrids from 37 seed companies (39 brand names) make up the 569 entries. This translates to 1,663 separate county entries. Company names used in association with hybrid numbers refer to the brand. The numbers are the companies' designations. Numbers in parentheses refer to the tables in which each hybrid appears. Hybrids that have a seed-applied insecticide that may enhance yield are listed in the table column TRT. Treatment codes are listed in the table on page 23.

How to Use This Bulletin

Tables list hybrids alphabetically. Tables contain yield results for each location and zone averages. Complete one-, two-, and three-year yield results are listed in tables for each zone where data is available. One-year single-site results are less reliable than multi year and multi location averages and should be interpreted with more caution. Confidence in corn performance data increases as the number of years and the number of testing locations increase. Results are also listed on our Web site:

<http://www.css.msu.edu/varietytrials/>

The results shown are the average of four replications grown in close proximity to one another. Two or more plots of the same hybrid in the same field may produce somewhat different results because of uncontrolled variability in the soil and other environmental factors. Replication and randomization of the entries are two methods used to reduce this variation. Because these methods do not eliminate all variables, the magnitude of difference necessary for statistical significance has been calculated for yield, moisture content, and test weight. The value

calculated as the least significant difference (LSD) is the amount that an individual hybrid would have to differ from another hybrid in the same test to be considered significantly different from that hybrid. The CV, or coefficient of variability, is indicative of a trial's precision. Trials with low levels of error variation have lower CV values.

Hybrids that are not significantly different from the highest yielding hybrid are marked with an asterisk (*) in each table (highest yielding hybrid is marked with (**)). Other agronomic information relative to each trial is given in tables B and C. Fertilizer amounts are shown as total pounds per acre of nitrogen, P₂O₅ and K₂O applied during the season.

Growing Conditions in 2005

All trials in Zones 1 & 2 were planted the last week of April, except for Saginaw which was planted on May 5th. Delta and Alger Counties were planted on May 6th. The remaining sites in Zones 3 & 4 were planted between May 9th & 11th. The exceptions were in Montcalm County with the glyphosate trial planted on April 26th and the conventional trial planted May 17th. Silage harvest began August 29th and ended on September 19th. Grain harvest was completed between September 30th and October 21st.

Excellent field conditions in late April allowed for the planting of nine trials in April. Cool weather and soil conditions delayed planting in Northern Lower Michigan for a week. Planting resumed on May 5th & 6th. Conditions were suitable to plant the Upper Peninsula (UP) trials at that time. By May 9th field conditions allowed planting to continue at the remaining sites.

With good sub soil moisture the crop got off to a good start through May and June. The crop was under stress during July and early August due to a shortage of rainfall and higher than normal temperatures. Though spotty, some timely rainfalls in mid-August provided the needed moisture that accounted for a better than expected crop. Due to the high temperatures, premature crop dry down resulted in a one to two week earlier silage harvest. Grain harvest, although also early, saw much of the crop harvested at sub 20% moistures.

Good harvest weather made for timely harvest with most of the Michigan crop being taken in October allowing for timely fall tillage.

2005

Growing Season Weather Summary

*Jeff Andresen, Extension Agricultural Meteorologist
Department of Geography
Michigan State University*

Weatherwise, the 2005 growing season was generally characterized as much warmer than normal, and depending on location, by precipitation totals ranging from much below normal to near normal. Fortunately, the preceding winter was wetter than normal over most sections, with as much as 200% of normal precipitation recorded in some spots between December and mid-March. The wetter than normal trend led to 'Very Moist' or 'Unusually Moist' Palmer Drought Index values and to soil profiles at or near field capacity over most of the state by March, which would prove to be a critical factor in determining crop yields later in the season. Following colder than normal temperatures during much of March, an upper air ridging pattern developed across the Upper Midwest during the last week of the month and persisted for much of the first half of April. This resulted in a warm and dry pattern which favored spring tillage activities and even to some early planting. Upper air troughing and a return of below normal temperatures returned by late April, but given drier than normal conditions, planting continued at a rapid pace into early May.

The upper air troughing pattern mentioned above continued off and on for much of the month of May, resulting in many sunny, cool, and windy days across the state. The cool temperatures delayed germination and early establishment of crops in many areas. Late spring frosts/freezes injured some early planted crops statewide during the 3rd - 6th and in some northern sections of the state on the 15th. During the first week of June, a major change in the upper air pattern across North America occurred, with the persistent troughing feature over eastern sections of the continent replaced by a broad ridge. This resulted in an extended period of above normal temperatures across the Upper Midwest and to rapid crop growth and development.

Among the most important aspects of the season's weather was the general lack of precipitation in some sections of the state from early April through mid-July, and again during August and September. This dryness was part of a larger, regional-scale drought centered in Illinois, Missouri, and Wisconsin. Rainfall totals across Michigan from April through the end of June ranged from less than 3 inches in some western sections of Lower Michigan to more than 7 inches in the east central Lower Peninsula (normal precipitation for this period is generally on the order of 8.0-8.5 inches). By the end of June, the Palmer Drought Index had fallen dramatically from the surplus levels of late winter, with all but the east central Lower Peninsula categorized as under 'Moderate' or 'Severe' drought conditions. A stationary front lingering across the region along with ample Gulf of Mexico-origin low-level moisture and several upper air disturbances brought

what might truly be termed, 'million dollar rains' in the form of almost daily showers and thunderstorms from the 17th-22nd of July. Two to four inches of rain fell across most of the state, reducing or ending dryness and crop stress just as the crop began entering the critical pollination development stage. Upper air ridging and drier than normal weather returned by early August and persisted through much of the remainder of the growing season. Following warmer and drier than normal conditions in August and September, the first killing freeze of the fall occurred later than normal in most sections of the state, from the 7th-10th of October in the north, and by the last week of October in the south.

A second and equally important weather impact during the season was the period of prolonged warmer than normal temperatures that persisted with only brief interruptions from early June through October. Mean temperatures for these months generally ranged from 2-4 degrees F. above normal, leading to rapid crop development and to a relatively early crop maturation. The early maturation and warm, dry September and October led to rapid grain drydown and to significant savings for growers in terms of improved grain quality and reduced drying costs.

Overall for the 5-month May-September period, precipitation totals ranged from much below normal levels in northern sections of the state to near normal levels in a few locations mainly in central sections of the Lower Peninsula. Mean temperatures for the period were above normal over most areas, reflecting abnormally warmth from June through September. Not surprisingly, seasonal growing degree day accumulations were well above normal statewide, with totals generally ranging 10-20% greater than the climatological normals. In a historical context, the 2005 growing season would generally rank among the warmest 10% on record.

Finally, it is worth noting that crop performance under the warmer and drier than normal conditions was strongly impacted by soil type. Plant available water in the top 5-feet of the soil profile at field capacity across Michigan varies widely from less than 3 inches in coarse, sandy soils to more than 8 inches in some heavy clays. Given a general lack of precipitation during much of the growing season, crop water needs were supplied at least in part by water stored in the soil profile following the wetter than normal winter. Without the full soil moisture profile at the beginning of the season, it is likely that crop yields would have been much more adversely impacted by the warm, dry conditions.

TABLE A. GROWING SEASON SUMMARY - TEMPERATURE, PRECIPITATION AND GROWING-DEGREE-DAY ACCUMULATIONS

		COUNTY		MAY			JUNE			JULY			AUGUST			SEPTEMBER			SEASON	
		OBS	NORM	DEV	OBS	NORM	DEV	OBS	NORM	DEV	OBS	NORM	DEV	OBS	NORM	DEV	OBS	NORM	DEV	
Zone 1	MONROE (Lenawee)	TEMP	55.6	58.3	-2.7	73.6	67.8	5.8	74.8	71.7	3.1	73.8	69.9	3.9	67.7	62.6	5.1	69.1	66.1	3.0
		PPT	1.39	3.04	-1.65	1.90	3.30	-1.40	5.18	3.73	1.45	1.47	3.20	-1.73	2.37	2.62	-0.25	12.31	15.89	-3.58
		GDD	298	353	-55	678	542	136	752	658	94	721	616	105	541	432	109	2990	2601	389
Zone 1	ST. JOSEPH (Branch & Cass)	TEMP	56.1	59.2	-3.1	73.7	68.4	5.3	75.1	71.9	3.2	73.3	70.1	3.2	68.4	63.3	5.1	69.3	66.6	2.7
		PPT	2.39	3.12	-0.73	2.40	3.95	-1.55	6.27	3.79	2.48	1.62	3.16	-1.54	4.35	3.01	1.34	17.03	17.03	0.00
		GDD	318	381	-63	666	564	102	735	670	65	699	628	71	535	454	81	2953	2697	256
Zone 2	WOOD (Bowling Green, OH)	TEMP	56.0	60.1	-4.1	74.3	69.8	4.5	75.2	73.4	1.8	73.4	70.9	2.5	67.3	64.1	3.2	69.2	67.7	1.6
		PPT	1.67	3.58	-1.91	1.24	3.56	-2.32	7.15	3.57	3.58	1.76	3.36	-1.60	2.82	2.63	0.19	14.64	16.70	-2.06
		GDD	312	360	-48	701	551	150	768	682	86	733	628	105	538	430	108	3052	2651	401
Zone 2	KENT	TEMP	54.7	57.4	-2.7	71.8	67.1	4.7	72.8	71.2	1.6	72.0	69.5	2.5	66.5	61.9	4.6	67.6	65.4	2.1
		PPT	2.04	2.86	-0.82	6.65	3.68	2.97	3.97	2.95	1.02	1.24	3.14	-1.90	3.64	3.24	0.40	17.54	15.87	1.67
		GDD	265	335	-70	685	530	155	719	654	65	698	610	88	522	412	110	2889	2541	348
Zone 2	INGHAM	TEMP	54.7	57.5	-2.8	71.7	67.0	4.7	72.8	70.7	2.1	72.6	69.0	3.6	66.7	62.0	4.7	67.7	65.2	2.5
		PPT	1.72	2.73	-1.01	4.85	3.54	1.31	5.67	3.02	2.65	0.67	3.12	-2.45	2.61	2.50	0.11	15.52	14.91	0.61
		GDD	512	338	174	667	530	137	718	640	78	716	598	118	535	418	117	3148	2524	624
Zone 2	SAGINAW	TEMP	53.7	58.6	-4.9	71.7	68.2	3.5	71.1	72.1	-1.0	70.0	70.2	-0.2	65.9	62.9	3.0	66.5	66.4	0.1
		PPT	2.14	2.49	-0.35	1.83	3.09	-1.26	4.03	2.83	1.20	1.24	3.29	-2.05	5.12	2.76	2.36	14.36	14.46	-0.10
		GDD	241	367	-126	646	555	91	676	670	6	636	623	13	501	438	63	2700	2653	47
Zone 3	HURON	TEMP	52.9	55.2	-2.3	71.0	64.9	6.1	72.0	69.3	2.7	72.7	67.8	4.9	65.0	61.0	4.0	66.7	63.6	3.1
		PPT	1.92	2.58	-0.66	3.96	2.88	1.08	3.16	2.93	0.23	1.61	3.01	-1.40	5.49	2.67	2.82	16.14	14.07	2.07
		GDD	227	298	-71	614	479	135	689	602	87	691	569	122	476	387	89	2697	2335	362
Zone 3	MONTCALM	TEMP	53.4	57.7	-4.3	71.7	67.1	4.6	72.0	71.0	1.0	70.9	69.3	1.6	65.4	61.6	3.8	66.7	65.3	1.3
		PPT	2.33	2.88	-0.55	5.38	3.43	1.95	4.13	2.50	1.63	0.78	3.84	-3.06	2.48	3.12	-0.64	15.10	15.77	-0.67
		GDD	241	351	-110	633	536	97	625	646	-21	593	603	-10	456	414	42	2548	2550	-2
Zone 3	MASON	TEMP	55.4	54.4	1.0	72.5	63.6	8.9	72.3	68.5	3.8	69.6	67.2	2.4	64.4	60.2	4.2	66.8	62.8	4.1
		PPT	2.50	2.48	0.02	1.56	2.93	-1.37	4.64	2.18	2.46	3.21	3.79	-0.58	2.64	3.25	-0.61	14.55	14.63	-0.08
		GDD	218	273	-55	593	450	143	593	587	6	582	552	30	484	365	119	2470	2227	243
Zone 4	ALPENA	TEMP	49.5	52.0	-2.5	66.8	61.7	5.1	68.7	66.6	2.1	66.5	64.9	1.6	61.4	57.2	4.2	62.6	60.5	2.1
		PPT	0.90	2.78	-1.88	3.69	3.12	0.57	2.70	3.11	-0.41	4.91	3.23	1.68	1.44	3.08	-1.64	13.64	15.32	-1.68
		GDD	215	251	-36	549	413	136	610	534	76	528	496	32	428	317	111	2330	2011	319
Zone 4	GRAND TRAVERSE	TEMP	52.0	53.5	-1.5	70.7	63.7	7.0	71.0	68.8	2.2	70.2	67.3	2.9	65.0	59.3	5.7	65.8	62.5	3.3
		PPT	2.14	2.48	-0.34	1.10	3.15	-2.05	2.06	2.88	-0.82	3.73	2.93	0.80	2.75	3.60	-0.85	11.78	15.04	-3.26
		GDD	223	273	-50	632	454	178	675	587	88	635	552	83	489	348	141	2654	2214	440
Zone 4	MENOMINEE (Delta)	TEMP	51.0	53.6	-2.6	67.1	62.7	4.4	68.9	67.4	1.5	68.4	65.5	2.9	61.0	57.0	4.0	63.3	61.2	2.0
		PPT	1.65	3.57	-1.92	2.21	3.72	-1.51	1.63	3.63	-2.00	2.71	3.86	-1.15	2.16	3.60	-1.44	10.36	18.38	-8.02
		GDD	241	285	-44	544	438	106	556	559	-3	570	513	57	431	319	112	2342	2114	228
Zone 5	ALGER (Chatham)	TEMP	47.4	52.6	-5.2	63.3	62.3	1.0	65.6	65.7	-0.1	66.2	65.2	1.0	59.3	57.7	1.6	60.4	60.7	-0.3
		PPT	2.01	2.85	-0.84	1.63	3.06	-1.43	3.88	3.57	0.31	2.22	3.08	-0.86	4.86	3.69	1.17	14.60	16.25	-1.65
		GDD	197	263	-66	471	419	52	511	499	12	502	492	10	379	311	68	2060	1984	76

TEMP = Mean temperature (°F)

PPT = Precipitation (inches)

GDD = Growing Degree Day calculated at base 50°F, with an 86°F cutoff

OBS = Totals observed in 2005

NORM = Normals calculated over 30 year period (1950-1980)

DEV = Deviation of observed from normal

Table courtesy of MSU Agricultural Weather Office (517-355-0231)

2005

Grain Performance Trials

Introduction

Thirteen locations (see map) containing 29 grain trials were planted. The grain index (pg.28) contains a list of all hybrids planted in the 2005 grain trials.

County grain results are reported in the following tables:

Tables 1E and 1L.

Zone 1 - Branch, Cass, and Lenawee

Tables 2E and 2L.

Zone 2 - Ingham, Kent, and Saginaw

Tables 3E and 3L.

Zone 3 - Huron, Mason, and Montcalm

Table 4.

Zone 4 - Alpena, Grand Traverse, and Delta
(Late)

Table 5.

Zone 5 - Alger and Delta (Early)

Tables 6E and 6L Glyphosate Resistant.

Zone 2 - Saginaw and Zone 3 - Huron and
Montcalm

Hybrids are reported in alphabetical order in each of the tables.

Methods

Three trial locations were planted in each of four maturity zones. Zone 5 had two locations. These zones are based on available growing degree-day units established from long-term weather records. Hybrids entered in a zone were tested in each of the three designated locations. Entries for Zones 1, 2 and 3 are divided into two maturity groups (early and late) on the basis of maturity ratings provided by the seed companies. (In Zones 4 and 5, all hybrids were tested in one group.)

Four-row plots were used at all grain locations. The two center rows were harvested for yield. Plots were 22 feet long with 30-inch row spacing.

Experimental design, data acquisition, analysis of variance and data summarization were facilitated in part by AGROBASE Generation 11™ (Agronomix Software, Inc., Winnipeg, Canada). The experiment layout is a four-replication, lattice design. Hybrid performance is reported as the adjusted mean averaged together from four replicated plots.

Variety trials were conducted on farmers' fields. All hybrids in a location were managed the same, with the same fertilizers, population, date of planting and other management practices. In the field, hybrids were identified

only by a plot number to assure unbiased comparisons. Trials in Branch, Cass, Montcalm and Mason counties were irrigated.

Stand counts were recorded in June. Plots with stand counts higher than the desired population were thinned at this time. Average trial population plus the desired population rates are listed in the Agronomic tables, Table B (grain page 29) and Table C (silage page 31). Lodging measurements were made at harvest. All plants broken below the ear and/or leaning more than 45 degrees were counted. Plots were harvested mechanically. Moisture content and field weight were measured by a GrainGage™, a HarvestMaster System™ mounted on the plot combine. Grain yield is reported at a standard 15.5 percent moisture. Grain test weight is reported at harvest moisture. Automated test weight equipment loses some accuracy as harvest moistures increase. Test weight values should be used to determine relative rank and not as a precise weight.

Replicated grain samples were collected from one location in each zone (Branch, Ingham, Montcalm, Grand Traverse, and Delta E) and were tested for protein, starch and oil content using near infrared reflectance (NIR) quality analysis. The results are presented in each table.

The tables report the following information about the hybrids tested:

1. Moisture content at harvest (%H₂O).
2. Yield (in bushels per acre) of shelled corn corrected to 15.5 percent moisture (Bu/A)
3. Test weight at harvest moisture (Twt).
4. Percent of stalk lodging (plants broken below the ear and/or 45 degrees off vertical at harvest) (%SL).
5. Percent stand of target population (%Std).
6. Percent protein (Prot), percent oil (Oil) and percent starch (%Strch) content are reported at 15.5 percent grain moisture.

How to Choose a Hybrid

Adaptation

The map on next page shows the locations of the grain trials and divides Michigan into four generalized maturity zones. Local variations in weather, soil type and fertility, time of planting and other conditions all affect adaptation. Corn hybrids are often adapted to more than one zone.

In selecting a hybrid, there is no real substitute for observing individual characteristics while plants are growing. The best time to compare plants is usually in late August or early September as they approach maturity. Each year, demonstration plantings of each hybrid are planted at a limited number of test locations. In 2005, hybrids were identified at four locations for public viewing with two featuring a scheduled field tour. Examining plant and ear characteristics can help you select hybrids suitable for your production system. (Yield results are not taken from the demonstration plot.)

Planting Rate

The number of seeds sown per acre in Michigan has increased steadily over the past several years. In general, modern corn hybrids can withstand the stress of higher plant populations better than earlier hybrids. However, increased planting rates are not a guarantee of increased yield. Check with your seed dealer for information on which hybrids perform better at higher populations when grown on your soil type.

Maturity


Early-maturing hybrids are generally lower in moisture content than later-maturing hybrids at harvest. Differences among hybrids in rate of dry down in the field also affect moisture content at harvest.

It generally requires two days for grain moisture to fall 1 percent. Corn is considered physiologically mature when a black layer of cells forms at the base of the kernel. This black layer is an indication of the end of active growth processes. At this time, kernel moisture will be between 32 and 35 percent.

Early-maturing hybrids also create a better opportunity for reaching full maturity and good field dry down when planting is delayed due to wet weather as experienced in 2003 and 2004. Due to the warmer summer in 2005 maturity differences in hybrids were not as great as normal.

For Grain

When you are selecting a hybrid, yield should not be the only consideration. A hybrid with lower moisture but above average yield will often have higher net returns than a top-yielding hybrid with higher moisture. A one point increase in moisture requires about 2 more bushels in yield to break even. It is often better to choose earlier hybrids



2005 Grain Trial Locations

(below average moisture content) than later hybrids for grain. Data in the tables show that good yields do not necessarily depend on later maturity.

Seven Advantages of Early-Maturing Hybrids:

1. They usually mature before killing frost.
2. Adapted early hybrids can generally yield as much as late hybrids in most areas of Michigan.
3. Early hybrids with lower moisture content at harvest reduce drying time and market discounts for high grain moisture.
4. Grain test weights are generally higher, resulting in reduced market discounts.
5. Mature dry corn makes a superior feed grain when used in swine or poultry rations.
6. Harvest can take place earlier in the fall, when weather conditions are most favorable. Early harvest may reduce corn losses resulting from broken stalks and dropped ears.
7. Fall tillage of corn stubble can be completed on land not subject to erosion.

TABLE 1E.

BRANCH, CASS & LENAWEE COUNTY GRAIN TRIALS - EARLY (107 Day and Earlier)

ZONE 1

BRAND / HYBRID	RM	TRT	EARLY TRIAL AVERAGE						% QUALITY						CASS - EARLY						LENAWEE - EARLY					
			%H2O	Bu/A	Twt	%SL	%Sd	Prot	Oil	Starch	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd	
AGRIGOLD A6391CL	106	P250	19.4	216.7	57.1	2.1	100	7.2	3.9	59.4	17.4	207.0	57.5	3.5	100	21.9	229.4 *	55.5	1.5	100	19.0	213.7	58.3	1.3	100	
AGRIGOLD A6395	107	P250	20.7	226.4 **	55.6	3.0	99	6.8	4.2	59.4	18.8	206.8	55.7	5.5	98	23.1	238.6 **	54.0	0.5	99	20.3	233.8 **	57.0	2.9	100	
BAYSIDE 2103	103	P250	18.7	196.8	57.3	1.9	97	7.4	3.5	60.2	17.0	184.7	57.2	4.0	92	20.1	211.5	56.3	1.5	99	18.9	194.3	58.3	0.3	100	
BAYSIDE 4105	105	P250	18.8	209.5	55.5	1.1	95	8.1	3.6	59.1	18.0	203.7	54.9	1.7	93	20.5	217.9	54.7	0.5	95	17.8	206.9	56.8	1.0	98	
BECK 4986	105	P250	18.6	210.2	55.5	0.7	94	7.8	3.4	59.5	18.0	212.4 *	55.2	1.1	91	20.6	220.2	54.5	0.0	95	17.2	198.0	56.9	1.0	97	
BIO GENE BG1077	107	P250	20.1	205.4	55.8	2.2	98	5.9	3.7	61.7	17.5	195.0	56.5	4.2	99	22.6	214.2	54.0	0.5	95	20.2	207.1	57.0	2.0	100	
BROWN 6723Wx	105	C125	20.6	204.8	56.9	1.1	97	7.0	3.9	58.8	17.9	184.7	58.2	2.1	97	23.4	224.1 *	55.1	0.9	98	20.6	205.5	57.5	0.3	98	
DAIRYLAND STEALTH-1705	105	P250	18.3	207.0	55.2	1.3	98	7.6	3.7	59.7	17.1	203.9	55.0	2.3	97	20.2	218.4	54.3	0.1	100	17.7	198.6	56.4	1.4	97	
DAIRYLAND STEALTH-5007	103	P250	19.3	220.2 *	54.9	0.6	100	7.8	3.7	59.1	18.3	232.1 **	54.8	0.0	100	21.3	221.7	54.5	0.4	99	18.3	206.8	55.5	1.3	100	
DAIRYLAND STEALTH-5204	104	P250	18.1	221.5 *	58.3	0.5	97	7.1	3.9	59.8	16.6	221.6 *	58.1	1.0	98	20.2	231.3 *	57.2	0.2	100	17.5	211.5	59.6	0.4	94	
DAIRYLAND STEALTH-5503	105	P250	19.2	211.7	57.7	0.6	98	7.2	3.5	60.6	17.7	208.9 *	58.1	1.0	95	21.1	224.8 *	56.2	0.7	100	18.7	201.3	58.9	0.0	100	
DEKALB DKC52-47 (RR2YYGCB)	102	P250	16.8	211.5	57.6	1.7	99	7.8	4.0	59.0	15.5	208.4 *	57.0	3.9	99	18.6	215.0	56.7	0.5	99	16.3	211.2	59.0	0.7	100	
DEKALB DKC54-51 (YGCB)	104	P250	17.3	209.5	59.3	0.6	100	7.9	4.0	58.9	16.1	206.2	59.2	0.7	100	19.4	224.1 *	58.5	0.4	100	16.3	198.2	56.2	0.7	99	
DEKALB DKC55-82 (RR2)	105	P250	17.7	209.7	58.6	2.0	99	7.9	4.2	58.6	16.4	198.2	58.6	3.7	98	19.7	225.0 *	58.1	0.1	100	17.1	205.9	59.2	2.3	100	
DEKALB DKC57-30	107	P250	17.9	204.2	58.3	2.9	96	8.1	4.4	58.7	16.0	191.9	57.7	5.3	91	21.0	218.4	57.2	0.4	99	16.8	202.4	60.0	3.0	97	
DEKALB DKC57-84 (YGCB)	107	P250	18.9	217.5	58.1	1.0	100	8.0	4.4	58.6	16.6	218.4 *	58.4	1.6	100	21.4	228.0 *	57.0	0.4	100	18.7	206.0	59.0	1.0	100	
DYNAGRO 55N37	103	P250	18.8	212.7	58.3	1.4	100	6.6	3.3	62.0	17.2	205.3	58.6	2.3	100	21.4	217.0	56.6	1.2	99	17.8	215.9	59.7	0.7	100	
DYNAGRO CX05806	106	P250	19.6	156.8	56.8	0.4	69	8.4	4.2	57.8	18.4	153.3	57.3	0.6	68	21.3	140.5	55.5	0.2	56	19.0	176.5	57.5	0.4	84	
GARST 8676IT	105	C250	19.0	222.9 *	56.8	1.1	100	7.2	3.3	61.2	17.2	213.6 *	57.3	1.6	99	21.1	233.6 *	55.8	0.9	100	18.6	221.4 *	57.3	0.7	100	
GARST 8689IT	104	C250	18.6	212.2	57.0	1.0	97	7.7	4.1	58.8	18.0	204.2	57.0	1.7	94	19.7	211.3	56.5	0.5	99	18.0	221.2 *	57.5	0.7	100	
GOLDEN HARVEST H-8473	107	C250	19.7	204.3	57.0	0.8	100	7.4	4.1	59.3	17.9	195.5	57.4	0.3	100	22.5	217.8	55.1	1.1	100	18.6	199.7	58.5	1.0	100	
GRIES X598	98	P250	17.7	188.0	59.7	0.6	98	7.7	3.8	60.1	17.1	182.6	59.4	1.0	98	19.0	198.3	58.7	0.8	98	17.1	183.0	61.0	0.0	97	
GRIES X5102	102	P250	19.1	215.0	57.3	1.0	100	7.3	3.6	59.9	17.5	219.6 *	57.4	1.6	100	21.0	222.5 *	56.2	0.4	100	18.7	202.9	58.2	1.0	100	
HYLAND SEEDS HL2676	102	P250	20.4	208.7	56.2	1.6	97	7.9	4.0	59.7	19.0	198.3	56.0	1.7	92	23.6	211.6	54.4	2.0	99	18.6	216.3	58.2	1.0	100	
HYLAND SEEDS HLB344	103	P250	19.8	206.4	57.1	0.6	92	7.3	4.0	59.6	18.6	203.7	57.4	0.4	86	22.9	208.5	55.5	1.0	90	18.0	207.1	58.5	0.4	100	
JUNG 6545YGB	105	P250	18.6	209.6	57.8	0.5	98	7.2	3.9	59.3	16.2	198.4	57.8	0.7	95	20.5	215.1	56.9	0.9	99	19.0	215.2	58.7	0.0	100	
NK Brand N50-P5	102	C250	17.3	211.0	57.4	1.8	100	7.1	3.8	59.6	16.2	216.6 *	57.6	3.2	100	19.0	206.2	56.0	0.8	100	16.6	210.3	58.7	0.7	100	
NK Brand N51-Z7	104	C250	17.9	184.3	54.5	1.1	92	6.0	3.9	61.2	16.4	177.5	55.6	0.7	87	19.6	187.5	54.5	0.9	88	17.6	187.9	53.4	1.6	100	
NK Brand N61-V4	107	C250	21.4	207.2	55.4	0.7	100	7.8	4.5	58.5	18.5	203.9	56.7	1.3	100	23.6	214.2	54.0	0.6	99	22.1	205.4	55.6	0.1	100	
PARTNERS BRAND 546	104	C125	18.7	209.9	55.3	0.8	94	8.1	3.7	59.0	18.0	207.2	55.0	0.4	88	20.8	217.3	54.1	0.7	98	17.3	205.2	56.9	1.4	96	
PIONEER 34DT2	107	P250	18.5	217.9	58.8	0.7	98	7.1	3.5	59.8	17.2	223.1 *	58.0	1.0	97	20.0	222.3 *	58.4	0.5	96	18.3	208.3	60.1	0.7	100	
PIONEER 35A30	104	P250	19.3	215.2	58.9	2.6	99	7.7	3.8	59.3	18.1	212.9 *	59.1	5.9	98	21.2	222.6 *	58.0	0.2	100	18.6	210.1	59.6	1.7	100	
PIONEER 35Y33	107	P250	20.0	212.7	60.9	1.2	94	8.1	3.8	58.9	18.7	204.9	61.4	1.8	88	21.8	228.2 *	59.7	1.5	97	19.5	204.9	61.6	0.4	97	
PIONEER 36W66	108.5	P250	21.3	56.6	1.1	100	7.0	3.7	60.4	17.5	206.2	56.5	2.3	100	20.3	233.0 *	55.2	0.7	100	17.7	201.9	58.1	0.4	100		
RENK RK632YYGCB	100	P250	18.8	193.7	56.4	0.6	93	6.8	3.6	60.6	16.9	181.9	56.3	0.7	90	19.5	193.0	55.3	1.2	94	18.6	206.1	57.5	0.0	96	
RENK RK652LLYGCB	104	P250	17.3	197.6	59.5	1.4	96	7.8	4.4	58.7	16.3	192.1	58.9	1.1	91	19.2	206.4	59.1	0.9	100	16.5	194.4	60.5	2.3	99	
RENK RK772YYGCB	104	P250	17.7	216.1	56.5	1.8	99	8.0	4.6	57.4	16.3	220.0 *	56.2	3.5	100	19.9	221.7	55.2	0.3	97	16.8	206.5	58.2	1.6	100	
RUPP XR1612	103	P250	18.3	204.8	55.7	1.9	94	7.8	3.3	60.1	17.3	204.9	55.4	2.8	91	20.2	202.2	54.6	1.6	92	17.3	207.2	57.1	1.3	98	
RUPP XR1708	106	P250	20.2	203.8	56.0	2.0	99	7.5	3.8	59.0	17.5	191.1	56.9	3.3	99	22.8	215.3	54.6	1.0	97	20.3	204.9	56.4	1.7	100	
RUPP XR8624	102	P250	18.8	213.6	57.6	0.6	99	7.2	3.3	60.0	17.1	210.0 *	57.5	1.0	98	20.5	217.9	56.6	0.7	100	18.9	213.0	58.7	0.0	100	
SEED CONSULTANTS SC10B36	103	C250	18.1	221.8 *	58.3	0.3	97	7.2	3.8	59.7	16.7	226.2 *	57.4	0.7	95	19.8	222.4 *	58.1	0.0	100	17.9	216.7	59.3	0.1	95	
SEED CONSULTANTS SC10H25	102	C250	18.1	207.9	56.1	2.0	98	7.2	3.6	60.6	17.1	210.5	55.8	1.4	95	20.3	215.4	54.7	0.9	99	16.9	206.7	57.7	1.7	100	
STEYER 1030	103	P250	18.7	196.1	58.2	1.1	93	6.4	3.4	62.0	17.6	192.4	58.5	1.5	88	20.7	193.6	56.5	1.2	91	17.9	202.2	59.7	0.7	100	
TRELAY 7012	105	P250	20.1	201.4	56.1	1.5	92	7.8	4.2	59.6	17.9	189.1	56.8	2.4	93	23.5	199.5	53.7	1.1	85	19.0	215.7	57.7	2.0	100	
TRELAY T-2475CB	100	P250	18.5	207.3	57.5	2.2	100	8.0	3.9	58.8	15.7	189.1	57.7	3.2	100	21.2	222.2	55.8	3.0	100	18.6	210.6	58.9	0.4	100	
TRELAY T-2744CB	102	P250	19.3	212.1	57.5	0.5	97	6.8	3.3	61.2	17.3	212.3 *	58.0	0.7	93	21.2	217.0	56.3	0.7	98	19.4	207.0	58.3	0.0	99	
TRELAY T-2850CB	105	P250	19.4	224.1 *	57.8	3.0	99	7.5	4.0	58.3	17.4	209.9 *	58.1	3.9	98	22.0	235									

Brand / Hybrid		Rm	%H2O	Bu/A	Twt	%SL	%Sd	Prot	Oil	Strch	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd
/IGORO Ex434002		103 P250	18.3	222.2 *	58.1	0.9	99	7.0	3.8	60.0	16.8	222.3 *	57.8	1.3	97	21.0	233.1 *	56.3	0.8	100	17.0	211.2	60.1	0.7	99
/IGORO V43YR52		103 C250	19.7	214.0	57.6	0.4	96	7.4	3.5	60.1	18.3	206.1	57.8	0.7	92	21.2	228.5 *	56.5	0.2	98	19.6	207.3	58.4	0.4	97
/IGORO V46P42		106 C250	19.1	202.6	58.2	1.2	93	7.1	3.4	61.3	17.9	198.0	58.1	2.3	85	21.4	202.1	56.5	1.2	93	17.9	207.8	60.0	0.0	100
/IGORO V46Y41		106 C250	18.9	204.7	58.3	0.5	98	6.6	3.5	61.5	17.2	199.9	58.7	0.7	95	21.2	199.6	56.7	0.6	99	18.2	214.6	59.4	0.1	100
WELLMAN W6106		106 P250	18.4	218.3	57.3	1.2	100	6.6	3.9	60.1	16.8	207.0	57.6	3.2	100	20.4	237.7 *	56.3	0.4	100	17.9	210.2	57.9	0.1	100
AVERAGE			18.9	208.0	57.2	1.3	97	7.4	3.8	59.7	17.3	202.3	57.3	2.1	95	21.0	215.4	56.0	0.8	97	18.3	206.4	58.4	1.0	99
HIGHEST			21.6	226.4	60.9	3.3	100	8.4	4.6	62.0	19.3	232.1	61.4	7.8	100	23.6	238.6	59.7	3.0	100	22.1	233.8	61.6	4.8	100
LOWEST			16.8	156.8	54.5	0.3	69	5.9	3.3	57.4	15.2	153.3	54.8	0.0	68	18.6	140.5	53.7	0.0	56	16.1	176.5	53.4	0.0	84
V (%)			3.5	4.8	1.3	114	4	4.6	6.5	1.2	3.0	4.4	0.7	82	5	3.6	5.4	1.3	172	4	3.3	4.5	1.5	131	2
SD (0.5%)			0.5	6.8	0.5	1.0	2	0.4	0.3	0.8	0.7	24.6	0.6	4.8	6	1.1	16.3	1.0	1.8	5	0.8	13.1	2.5	1.8	3

3 Year Averages										LENWEE - EARLY																
BRAND / HYBRID					EARLY TRIAL AVERAGE					% QUALITY					BRANCH - EARLY					CASS - EARLY						
RM	%H2O	BUJA	Twt	%SL	%H2O	BUJA	Twt	%SL	%H2O	BUJA	Twt	%SL	%H2O	BUJA	Twt	%SL	%H2O	BUJA	Twt	%SL	%H2O	BUJA	Twt	%SL		
GRIGOLD A6391CL	106	21.3	204.6	2.4	98	7.1	3.7	59.8	20.1	194.9	55.5	3.1	100	21.8	202.7*	54.5	2.4	95	21.9	216.3*	53.9	1.6	99			
FEKALB DK57-84 (YGC8)	107	21.7	217.0 **	55.8	1.0	99	7.7	4.2	59.4	20.5	223.8 *	56.7	1.0	99	22.0	209.1 **	55.9	1.5	100	22.7	218.2 **	54.8	0.6	98		
UNG 6545Y GCB	105	19.7	202.0	56.0	0.9	98	7.4	3.7	59.7	19.0	194.2	56.2	0.9	98	18.9	196.4	56.3	1.6	97	21.2	215.4 *	55.6	0.2	100		
K Brand N50-P5	102	19.9	203.4	55.5	1.3	100	7.4	4.0	59.2	19.0	210.7	56.4	1.9	100	19.7	182.7	55.4	1.5	99	21.2	216.8 *	54.6	0.3	100		
RENK RK772Y GCB	104	19.1	202.8	55.2	1.5	99	7.6	4.5	58.3	17.8	196.9	55.2	2.6	100	19.2	205.6 *	55.1	1.2	98	20.2	206.0	55.2	0.3	100		
UPP XR1708	106	21.4	199.9	54.3	2.1	97	7.2	3.7	59.7	19.6	196.0	55.4	2.3	100	22.0	195.2	54.3	2.2	94	22.6	208.7	53.2	1.8	97		
AVERAGE					20.5	55.2	1.5	99	7.4	3.9	59.3	19.3	202.7	55.9	2.0	99	20.6	198.6	55.2	1.7	97	21.6	213.5	54.6	0.9	99
HIGHEST	21.7	217.0	56.0	2.4	100	7.7	4.5	59.8	20.5	223.8	56.7	3.1	100	22.0	209.1	56.3	2.4	100	22.7	218.2	55.6	1.8	100			
LOWEST	19.1	199.9	54.3	0.9	97	7.1	3.7	58.3	17.8	194.2	55.2	0.9	98	18.9	182.7	54.3	1.2	94	20.2	206.0	53.2	0.2	97			
NV (%)	4.7	5.8	1.4	135	3	4.9	5.9	1.1	5.0	5.7	1.1	117	3	3.9	6.0	1.3	144	4	5.0	5.6	1.6	144	3			
SD (0.05%)	0.1	1.6	0.2	0.7	1	0.2	0.2	0.5	0.6	0.6	0.1	15	2	0.5	8.1	0.5	1.1	2	0.7	7.7	0.6	0.9	2			

- 9

TABLE 1L.

BRANCH, CASS & LENAWEE COUNTY GRAIN TRIALS - LATE (108 Day and Later)

ZONE 1

BRAND/HYBRID	RM	TRT	LATE TRIAL AVERAGE			% QUALITY			BRANCH-LATE			CASS-LATE			LENAWEE-LATE										
			%H2O	Bu/A	Twt	%SL	%Sd	Prot	Oil	Starch	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt							
AGRICOLD A6454	110	P250	20.1	211.0	57.2	2.0	100	7.7	3.9	59.1	19.2	209.3	56.8	4.1	100	21.7	223.3	55.8	0.3	100	19.4	200.4	58.9	1.6	100
ASGROW RX668RR2/YGCB	107	P250	19.4	224.0	56.8	0.8	100	7.2	3.6	59.7	18.1	224.0*	56.9	0.3	100	22.0	233.2*	55.3	1.8	100	18.2	214.9	58.2	0.3	100
ASGROW RX715RR2	111	P250	20.5	223.5	57.0	1.1	100	8.5	4.2	58.2	19.3	224.3*	56.9	1.9	100	22.7	237.4*	55.6	0.9	100	19.5	208.7	58.4	0.6	100
BECK 5222	108	P250	20.3	222.0	56.8	1.4	100	7.4	4.0	58.9	19.1	244.1	56.8	1.6	100	22.0	232.2*	55.5	1.3	100	19.7	219.8*	58.2	1.3	99
BIO GENE BG1087LL	108	P250	20.9	215.7	54.8	0.2	100	6.4	3.8	60.9	18.5	244.2	55.5	0.3	100	21.4	217.1	54.3	0.3	100	22.8	215.7	54.5	0.0	100
BIO GENE BG1119	109	P250	20.8	129.2	55.9	0.4	54	7.8	3.6	59.6	19.0	141.9	56.1	0.7	44	23.1	71.5	54.7	0.1	37	20.4	174.2	56.9	0.4	81
CORN BELT C599HX1.1	109	P250	22.5	230.5*	55.3	0.0	96	7.3	4.2	59.0	21.3	221.5*	55.1	0.1	92	24.6	243.2*	53.9	0.0	100	21.6	226.9*	56.8	0.0	97
DAIRYLAND STEALTH-1709	109	P250	19.4	208.5	56.9	4.2	100	7.8	4.4	59.0	18.3	198.9	56.8	6.7	100	21.2	222.6	56.0	2.8	100	18.7	203.0	58.0	3.2	99
DAIRYLAND STEALTH-5611	111	P250	20.9	228.4*	56.0	0.7	96	7.4	4.0	59.5	19.3	225.1*	56.1	1.1	91	23.5	227.7*	54.3	0.8	96	20.0	230.5*	57.5	0.3	100
DEKALB DKC58-80 (RR2/YGCB)	108	P250	19.6	210.6	56.5	1.0	94	7.9	4.1	57.8	18.2	207.6	56.5	0.7	84	21.9	215.8	54.9	0.7	99	18.8	208.4	58.1	1.6	100
DEKALB DKC61-45 (RR2/YGCB)	111	P250	20.2	232.6**	57.5	0.3	100	8.1	3.5	59.8	18.5	234.4**	58.0	0.7	99	22.5	238.5*	55.4	0.0	100	19.7	225.0*	59.0	0.3	100
DEKALB DKC61-50	111	P250	20.1	217.0	56.9	1.8	100	7.3	4.1	58.8	18.7	217.2	56.8	1.7	100	22.0	226.9	55.4	1.1	100	19.5	206.8	58.5	2.6	100
DEKALB DKC61-72 (RR2)	111	P250	21.1	218.4	55.8	3.0	99	8.8	4.1	58.2	19.1	218.3	56.2	3.9	97	23.0	227.7*	54.9	1.9	100	21.3	209.3	56.3	3.2	100
DYNAGRO 56N17	108	P250	20.4	203.0	57.3	1.6	98	7.8	4.5	57.8	18.3	187.9	57.8	1.7	95	23.3	210.1	55.1	1.2	100	19.6	210.9	59.1	2.0	100
DYNAGRO 57B47	111	P250	20.8	227.5*	56.3	0.7	92	7.5	4.2	58.9	19.0	209.5	56.8	1.4	86	22.6	246.2*	55.0	0.3	96	20.7	226.9*	57.2	0.3	96
GARST 8445	111	C250	21.7	205.5	57.7	1.8	99	7.6	3.8	59.0	20.6	196.6	58.1	3.5	96	23.6	217.5	56.4	0.8	100	20.8	202.4	58.7	1.0	99
GARST 8545YG1	112	C250	22.1	221.7	54.8	1.0	98	7.7	3.9	58.5	20.1	222.3*	55.3	1.4	96	24.4	225.5	53.3	0.4	100	21.7	217.2*	55.7	1.3	99
GOLDEN HARVEST H-8920	111	C250	21.2	209.9	56.7	1.0	93	8.2	3.9	58.6	19.9	207.1	56.9	1.4	89	22.4	220.4	55.7	0.1	90	21.3	202.1	57.6	1.6	100
GOLDEN HARVEST H-9166	113	C250	21.5	206.4	57.8	2.1	99	7.3	3.7	59.3	20.6	213.4	57.8	3.3	97	23.0	207.3	56.9	1.0	100	20.8	198.6	58.6	1.9	100
HIGH CYCLE HC7B716	110	P250	21.3	230.6*	54.6	1.0	100	6.5	3.8	60.7	20.3	232.2*	54.2	1.9	100	22.8	230.4*	53.0	0.5	99	20.7	238.3**	56.5	0.6	100
HIGH CYCLE HC8B524	114	P250	22.5	215.5	55.2	0.3	100	6.7	3.8	59.9	19.0	203.9	56.4	0.0	100	24.9	232.7*	53.8	0	100	23.6	209.9	55.4	1.0	100
JUNG 6710RRYYGCB	112	P250	22.2	209.2	55.9	1.0	99	6.9	3.8	60.4	20.2	212.3	56.5	1.6	98	24.5	212.2	54.2	1.1	99	21.9	203.1	56.9	0.3	100
LEGACY EX310	112	C125XT	21.4	201.1	57.6	3.1	100	7.6	3.8	58.7	20.2	202.1	58.2	7.4	100	22.8	213.1	56.9	1.6	100	21.2	188.0	57.8	0.3	100
LEGACY EX425	108	C125XT	19.8	210.0	56.4	1.3	99	7.1	3.8	59.6	17.7	193.3	57.1	1.4	97	21.8	226.1	55.4	1.0	100	20.0	210.5	56.8	1.6	100
LEGACY EX475	109	C125XT	20.1	195.3	57.1	1.0	99	7.8	4.3	59.9	18.2	193.9	57.3	1.7	100	22.6	209.3	55.4	0.1	99	19.4	192.8	58.6	1.3	99
MYCOGEN D673	109	C125	20.8	210.4	55.0	0.4	98	8.0	4.0	59.5	18.5	209.5	55.6	0.6	99	23.0	225.6	53.3	0.6	96	20.8	196.1	56.1	0.0	99
NK Brand N65-C5	108	C250	20.4	229.4*	56.3	0.5	100	7.2	4.0	59.5	19.4	233.1*	56.2	0.7	100	22.0	233.6*	54.4	0.5	100	19.0	221.4*	58.3	0.3	100
NK Brand N69-P9	109	C250	21.5	209.7	57.9	1.6	99	7.6	3.8	58.7	20.4	203.1	58.4	2.6	100	22.8	228.9*	56.6	0.8	97	21.3	197.1	58.6	1.3	100
NK Brand N71-Z3	110	C250	21.5	201.1	56.2	2.0	99	7.1	4.1	60.0	18.9	190.6	57.1	4.9	97	24.1	205.6	54.7	0.0	100	21.4	207.2	56.8	1.0	100
PARTNERS BRAND 578	108	C125	20.9	219.8	55.2	1.1	100	6.8	3.6	60.2	19.0	217.7	55.4	1.6	100	21.6	227.9*	54.7	0.6	99	22.1	213.9	55.6	1.0	100
PARTNERS BRAND 584YGCB	108	C125	21.4	201.2	54.5	1.0	100	6.6	4.3	60.2	17.8	193.0	55.4	0.3	100	23.9	209.3	53.1	2.0	100	22.4	201.4	55.0	0.7	100
PIONEER 33N09	114	P250	22.5	213.9	59.2	3.7	99	7.8	3.5	60.0	21.2	216.3	59.3	5.5	99	24.4	218.6	57.8	2.1	99	22.0	206.8	60.5	3.5	100
PIONEER 34A16	110	P250	20.0	221.3	58.0	0.7	99	7.5	4.3	58.9	18.9	224.7*	57.4	0.7	99	22.2	214.9	56.7	1.2	99	19.0	224.3*	60.0	0.3	100
PIONEER 34P88	20.8	P250	208.5	56.7	1.2	88	8.5	4.1	59.1	20.2	205.5	57.2	1.2	82	23.1	207.0	55.5	1.2	83	21.0	212.9	57.4	1.3	100	
RENK RK854YGCB	112	P250	19.5	213.1	57.5	0.5	98	7.5	3.6	60.2	17.9	216.4	57.3	0.7	94	21.0	210.3	56.6	0.5	100	19.6	212.7	58.6	0.3	100
RENK RK877YGCB	112	P250	20.8	218.5	56.5	0.5	94	7.9	4.3	57.9	19.4	222.6*	56.6	0.7	91	22.6	218.8	55.1	0.4	91	20.3	214.0	57.8	0.3	99
RUPP XR745	108	P250	20.0	225.6*	56.8	1.5	98	7.6	4.4	58.4	18.7	210.7	57.4	2.6	100	21.8	238.4*	55.3	1.3	93	19.6	227.6*	57.8	0.6	100
RUPP XR784	108	P250	20.6	207.2	56.9	1.3	96	8.0	4.2	58.3	18.9	201.3	57.4	2.8	95	23.1	218.4	54.8	0.9	98	19.9	201.9	58.4	0.3	95
RUPP XR1810	110	P250	21.4	202.2	57.7	2.6	100	7.6	4.0	58.5	20.5	206.5	58.1	3.8	100	22.6	207.6	56.8	2.6	100	21.1	192.5	58.3	1.3	100
RUPP XR8544	108	P250	20.6	222.0	56.1	1.6	96	7.1	4.0	59.3	18.8	199.0	56.5	2.7	93	23.1	243.2*	54.2	0.5	97	19.7	222.7*	57.7	1.6	99
SEED CONSULTANTS SC10B94	109	C250	21.2	230.0*	55.6	1.0	99	7.3	4.2	58.8	19.5	216.0	55.7	2.7	93	21.4	224.4	55.8	0.7	99	19.1	215.6	58.3	1.6	100
SEED CONSULTANTS SC10B96	109	C250	21.1	222.5	54.5	0.1	100	6.0	3.8	59.9	18.6	231.2*	55.2	0.4	100	21.4	215.5	54.2	0.1	100	23.2	220.8*	54.0	0.8	98
STEYER 1104	110	P250	21.1	203.5	57.2	1.1	91	7.9	3.7	59.1	19.0	194.9	57.7	1.8	86	23.2	214.3	55.6	0.7	91	21.0	212.2	58.3	0.3	96
TRELAY 8501	108	P250	18.5	209.1	58.1	1.4	100	7.1	3.5	60.5	16.1	200.1	58.0	2.3	100	20.8	224.4	57.2	0.6	100	18.6	202.9	59.2	1.3	100
TRISLER T-5240CB	109	P250	21.5	225.9*	55.7	0.6	97	6.9	3.9	59.4	18.4	207.2	56.6	0.6	97	24.0	237.9*	54.0	0.7	97	22.2	232.7*	56.4	0.4	98
VIGORO V5050	110	C250	19.9	217.1	57.0	1.6	99	7.6	4.4	58.6	19.2	211.4	57.0	2.6	99	21.4	224.4	55.8	0.7	99	19.1	215.6	58.3	1.6	100
VIGORO V50D37	20.0	C250	194.4	56.5	1.9	88	7.7	3.6	59.6	19.6	211.5	56.4	1.8	91	21.5	168.4	55.1	0.7	74	18.8	203.2	58.0	3.2	100	
VIGORO V50Y51	20.7	C250	229.1*	56.4	0.3	99																			

BRAND / HYBRID	RM	TRT	%H2O	Bu/A	Twt	%SL	%Sd	Prot	Oil	Starch	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd
AVERAGE			20.8	213.0	56.5	1.3	97	7.4	3.9	59.3	19.1	209.0	56.8	1.9	95	22.7	219.2	55.1	0.8	96	20.5	210.8	57.6	1.1	99
HIGHEST			22.5	232.6	59.2	4.2	100	8.8	4.5	61.6	21.3	234.4	59.3	7.4	100	24.9	248.0	57.8	2.8	100	23.6	238.3	60.5	3.5	100
LOWEST			18.5	129.2	54.5	0.0	54	6.1	3.5	57.8	16.1	141.9	54.2	0.0	44	20.8	71.5	53.0	0.0	37	18.3	174.2	54.0	0.0	81
CV (%)			4.3	5.7	1.2	1.1	4	4.8	6.4	1.3	3.3	5.2	0.9	81	5	3.5	6.8	1.1	165	4	3.9	3.8	1.2	115	2
LSD (.05%)			0.6	8.2	0.5	1.0	3	0.4	0.3	0.9	0.9	15.1	0.7	2.2	7	1.1	20.9	0.8	1.9	5	1.1	22.4	1.0	1.8	5

2 Year Averages

BRAND / HYBRID	RM	LATE TRIAL AVERAGE						% QUALITY						BRANCH - LATE						CASS - LATE						LENAWEE - LATE					
		%H2O	Bu/A	Twt	%SL	%Sd	Prot	Oil	Starch	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd		
BIO GENE BG1119	109	22.1	168.6	54.5	1.5	75	7.4	3.4	60.9	21.4	171.6	54.5	2.0	71	21.5	143.1	55.4	2.0	64	23.3	191.2	53.8	0.7	89							
DAIRYLAND STEALTH-5611	111	21.6	218.2 **	55.0	1.0	98	7.3	3.9	60.0	21.0	209.7 *	54.7	1.1	96	21.5	217.6 *	55.1	1.2	98	22.4	227.3 **	55.1	0.6	99							
DEKA LB DKC58-80 (RR2/YGCB)	108	21.1	210.9	55.9	0.9	97	7.7	4.0	58.5	21.1	201.8	55.5	1.2	92	20.7	217.9 **	55.9	0.5	99	21.5	213.1	56.2	1.0	99							
DEKA LB DKC61-50	111	22.1	206.4	55.7	1.6	100	7.1	4.0	59.7	21.3	204.0	56.0	1.9	100	21.4	214.3 *	56.2	1.2	99	23.5	200.9	54.9	1.6	100							
PIONEER 33N09	114	24.3	215.3 *	57.7	2.9	98	7.8	3.2	60.5	24.0	218.5 **	57.3	3.6	99	24.4	217.1 *	58.0	2.1	97	24.4	210.4	57.9	2.9	97							
RENK RK877YGCB	112	21.8	208.4	55.3	1.3	96	7.6	4.1	58.9	21.4	207.4	55.4	1.0	95	20.9	207.8 *	55.7	1.9	95	23.0	210.1	54.9	1.1	99							
RUPP XR810	110	23.1	201.8	56.3	1.7	100	7.3	3.9	59.0	23.5	201.5	56.0	2.5	100	22.3	213.9 *	57.1	1.8	97	23.7	190.1	55.8	0.7	100							
VIGORO V5050	110	20.9	212.9 *	55.8	2.3	98	7.6	4.3	59.0	20.5	205.8	55.6	1.8	99	20.2	214.1 *	56.1	3.6	97	21.8	218.8 *	55.6	1.5	100							
VIGORO V50D37	110	21.8	197.7	54.8	2.1	92	7.2	3.4	60.9	22.5	207.3	54.4	1.8	94	21.0	190.6	55.4	1.6	83	22.0	195.3	54.7	2.8	98							
AVERAGE		22.1	204.5	55.7	1.7	95	7.4	3.8	59.7	21.9	203.1	55.5	1.9	94	21.5	204.0	56.1	1.8	92	22.8	206.4	55.4	1.4	98							
HIGHEST		24.3	218.2	57.7	2.9	100	7.8	4.3	60.9	24.0	218.5	57.3	3.6	100	24.4	217.9	58.0	3.6	99	24.4	227.3	57.9	2.9	100							
LOWEST		20.9	168.6	54.5	0.9	75	7.1	3.2	58.5	20.5	171.6	54.4	1.0	71	20.2	143.1	55.1	0.5	64	21.5	190.1	53.8	0.6	89							
CV (%)		5.2	6.2	1.5	107	3	4.9	6.1	1.2	5.4	5.9	1.3	76	4	3.4	6.0	1.0	147	3	5.7	6.4	1.9	114	2							
LSD (.05%)		0.5	6.3	0.4	0.7	2	0.3	0.2	0.6	0.9	10.2	0.6	1.2	3	0.6	10.7	0.5	1.3	3	1.0	11.1	0.9	1.1	2							

3 Year Averages

BRAND / HYBRID	RM	LATE TRIAL AVERAGE						% QUALITY						BRANCH - LATE						CASS - LATE						LENAWEE - LATE					
		%H2O	Bu/A	Twt	%SL	%Sd	Prot	Oil	Starch	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd		
BIO GENE BG1119	109	22.9	180.9 **	53.3	2.2	83	7.3	3.4	60.7	21.9	187.2 **	53.8	3.1	81	22.9	155.9 **	53.8	2.3	75	23.8	199.8 **	52.4	1.1	92							
CV (%)		4.9	6.4	1.4	109	3	4.6	5.9	1.2	4.8	5.4	1.1	72	3	4.2	7.3	1.3	143	4	5.1	5.9	1.7	129	3							
LSD (.05%)		0.4	5.3	0.3	0.6	1	0.2	0.2	0.5	0.6	7.6	0.4	1.0	2	0.6	10.7	0.5	1.1	2	0.7	8.3	0.7	1.0	2							

BRAND / HYBRID	RM	EARLY TRIAL AVERAGE						% QUALITY						BRANCH - LATE						CASS - LATE						LENAWEE - LATE					
		%H2O	Bu/A	Twt	%SL	%Sd	Prot	Oil	Starch	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd		
BAYSIDE 1700	100	20.2	203.7	56.7	0.6	99	8.2	3.8	59.6	18.8	202.8 *	57.3	0.6	99	19.5	201.2	57.5	0.3	99	22.4	207.0	55.3	1.0	98							
BAYSIDE 1795	95	18.4	201.2	56.9	1.5	98	8.1	3.9	59.9	16.8	189.4	57.1	2.5	98	18.6	203.7	57.3	0.9	96	19.8	210.4	56.2	1.1	99							
BAYSIDE Super 93	93	18.3	200.8	56.5	1.8	99	7.4	3.8	60.7	17.0	191.1	56.8	2.6	99	18.2	204.1 *	57.1	1.5	100	19.6	207.1	55.6	1.5	99							
BROWN 5636	98	21.4	203.9	55.1	0.8	90	7.8	3.5	60.2	19.7	195.7	55.5	1.5	92	20.8	199.5	56.0	0.3	93	21.6	212.8	53.8	0.5	92							
DAIRYLAND STEALTH-1588	98	18.7	206.5	56.6	1.2	96	8.2	3.8	59.7	17.4	203.5 *	56.9	1.0	98	18.8	205.1 *	56.7	0.9	94	19.9	210.8	56.2	1.5	96							
DAIRYLAND STEALTH-5497	98	18.2	203.4	57.1	1.4	97	7.4	4.4	58.7	17.1	196.8	57.6	2.6	99	17.7	195.4	57.8	1.0	92	20.0	217.9 *	56.0	0.7	98							
DEKA LB DKC47-10 (RR2/YGCB)	97	18.1	199.9	58.4	3.0	99	7.3	4.2	59.4	17.5	200.1	58.7	1.7	100	16.9	190.2	58.9	5.5	99	19.9	209.5	57.4	1.8	98							
HYLAND SEEDS HL2388	90	17.8	197.2	57.1	2.8	98	7.5	4.5	58.7	17.0	195.0	57.3	3.3	100	17.7	189.5	57.6	2.9	99	18.6	207.0	56.4	2.3	96							
HYLAND SEEDS HL2507	98	19.3	199.1	55.9	1.1	97	8.8	4.3	58.1	17.9	200.0	56.0	0.7	97	19.3	189.6	56.5	1.0	97	20.7	207.6	55.3	1.5	95							
HYLAND SEEDS HL292	98	19.6	208.0	56.3	0.4	95	8.7	4.1	58.8	17.7	204.6 *	57.0	0.8	97	19.8	203.2	56.5	0.2	93	21.2	216.1 *	55.4	0.3	94							
NK Brand N45-A6	100	18.6	214.3 **	55.5	1.6	98	7.5	4.6	58.0	17.4	209.3 **	55.5	1.3	100	18.3	211.4 **	56.3	0.7	97	20.2	222.1 **	54.7	2.9	98							
RENK RK487YGCB	96	18.2	205.1	56.9	2.2	97	4.5	6.0	8.8	17.3	202.2 *	57.2	4.5	97	17.9	200.5	57.4	1.0	97	19.5	212.7	56.2	0.9	97							
TRELAY 4200	95	18.8	203.7	56.7	1.4	96	8.0	3.8	60.1	17.4	195.9	57.4	1.8	99	18.7	203.9 *	56.8	1.0	94	20.4	211.1	55.8	1.4	97							
AVERAGE		18.9	203.6	56.6	1.5	97	7.9	4.1	59.4	17.6	199.3	57.0	1.9	98	18.6	199.8	57.1	1.3	96	20.4	211.7	55.7	1.3	97							
HIGHEST		21.4	214.3	58.4	3.0	99	8.8	4.6	60.8	19.7	209.3	58.7	4.5	100	20.8	211.4	58.9	5.0	100	23.6	227.1	57.4	2.9	99							
LOWEST		17.8	197.2	55.1	0.4</td																										

TABLE 2E.

INGHAM, KENT & SAGINAW COUNTY GRAIN TRIALS - EARLY (100 Day and Earlier)

ZONE 2

BRAND / HYBRID	RM	TRT	EARLY TRIAL AVERAGE			% QUALITY			INGHAM - EARLY			KENT - EARLY			SAGINAW - EARLY										
			%H2O	Bu/A	Twt	%SL	%Sd	Prot	Oil	Starch	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt							
AGRIGOLD A6225BtRR	100	P250	17.4	202.5	60.1	0.4	93	7.8	4.0	59.3	16.2	180.5	59.5	0.8	96	17.1	182.9	61.6	0.3	91	18.8	244.0 *	59.3	0.0	92
AGRIGOLD A6305Bt	100	P250	18.0	198.6	58.4	0.4	100	8.5	4.1	58.8	14.9	166.6	58.2	0.7	100	17.6	198.7 *	59.4	0.0	100	21.5	230.6	57.5	0.4	99
BAYSIDE 1700	100	P250	17.9	191.6	59.3	0.7	99	8.2	3.8	59.4	16.1	167.2	58.9	1.4	98	16.8	185.4	60.7	0.3	100	20.8	222.1	58.3	0.5	100
BAYSIDE 1795	95	P250	15.4	182.2	58.7	2.0	99	8.4	3.9	59.5	13.4	148.6	57.6	3.4	98	15.7	184.4	59.7	1.4	98	17.2	213.6	58.9	1.3	100
BAYSIDE 4095YGCB	95	C125	16.8	204.3	60.4	1.0	99	7.8	4.8	57.7	15.0	175.8	59.6	1.0	99	16.9	198.8 *	62.2	1.6	99	18.6	238.3	59.3	0.3	100
BAYSIDE 4100	100	P250	17.6	205.4	58.5	7.1	98	7.5	3.7	61.1	15.5	174.8	59.1	13.4	99	17.0	204.7 *	59.5	5.5	99	20.4	236.7	57.0	2.5	96
BAYSIDE NorthGro NG5072RR	93	P250	15.5	191.9	58.1	3.4	99	7.7	4.2	60.2	14.1	165.0	57.5	4.6	98	15.5	190.0	59.0	2.6	99	16.9	220.6	57.7	3.0	100
BAYSIDE NorthGro NG5518RR	95	P250	15.9	188.5	58.9	1.2	95	8.5	3.8	59.7	13.7	152.1	58.1	0.8	93	15.6	187.1	60.3	0.7	96	18.5	226.2	58.3	2.2	96
BAYSIDE Super 93	93	P250	15.6	192.4	58.5	2.6	99	7.8	4.0	60.2	13.9	160.7	57.8	5.2	98	15.8	193.3	59.1	1.0	100	17.2	213.6	57.8	1.6	100
BROWN 5636	98	C125	18.5	209.5	57.9	1.3	98	7.6	3.7	60.0	16.8	174.1	57.6	2.9	99	17.7	210.8 *	59.4	0.0	96	21.1	243.6 *	56.6	1.1	98
CORN BELT C435YGCB	95	P250	15.7	197.0	58.9	0.7	98	8.3	5.0	57.1	14.2	169.3	58.1	1.1	99	16.2	189.5	60.1	1.0	95	16.8	232.3	58.5	0.0	100
CROPLAN 314RRBt	92	C250	15.7	192.3	60.2	1.6	99	7.7	4.3	58.3	14.6	168.8	59.7	2.0	100	15.8	187.4	60.9	1.3	98	16.8	220.7	59.9	1.4	98
CROPLAN 364RRBt	95	C250	16.1	197.0	58.5	5.3	100	8.0	4.2	58.5	14.7	169.1	58.6	11.2	100	16.1	194.3 *	58.8	2.6	100	17.6	227.6	58.2	2.2	99
CROPLAN 412HXLL	100	C250	18.9	215.2 *	57.0	1.7	100	7.6	4.1	60.2	17.0	193.3 *	57.3	2.9	100	17.8	209.3 *	58.7	1.6	100	22.0	243.1 *	55.0	0.7	99
CROPLAN 421RRBt	100	C250	17.0	221.3 **	60.2	0.3	99	8.2	4.2	58.7	14.9	186.4 *	59.8	0.6	100	17.1	219.0 **	61.4	0.3	99	19.1	258.5 *	59.4	0.0	99
DAIRYLAND STEALTH-1503	100	P250	19.0	174.6	57.4	1.4	80	8.0	3.8	59.7	15.9	160.9	57.9	1.8	90	18.6	147.3	59.0	1.3	68	22.5	215.5	55.3	1.2	82
DAIRYLAND STEALTH-1598	98	P250	15.8	192.7	58.8	1.4	99	7.9	3.9	60.1	14.0	160.6	57.9	2.1	100	15.9	195.5 *	59.5	0.3	98	17.4	221.9	59.0	1.9	98
DAIRYLAND STEALTH-5497	98	P250	15.9	196.0	58.9	0.9	96	8.0	4.7	57.6	14.3	172.7	58.6	1.7	100	16.2	185.1	59.9	1.1	87	17.1	230.2	58.3	0.0	100
DEKALB DKC42-95 (RR2/YGCB)	92	P250	16.0	199.7	59.5	0.8	99	7.9	4.0	58.8	15.2	190.4 *	59.4	0.7	100	16.2	181.4	60.2	0.4	99	16.7	227.4	58.9	1.4	99
DEKALB DKC47-10 (RR2/YGCB)	97	P250	15.7	190.1	60.0	2.8	99	7.6	4.5	58.7	14.7	173.3	59.6	0.7	100	15.8	183.2	60.5	4.8	99	16.5	213.9	59.8	2.9	100
DEKALB DKC48-52 (RR2)	98	P250	17.0	202.0	58.2	2.1	99	7.5	4.3	59.3	16.1	186.4 *	57.8	3.1	98	16.7	195.9 *	58.8	2.2	100	18.1	223.7	57.9	1.0	99
DEKALB DKC48-60	98	P250	16.2	196.0	59.9	2.7	90	7.7	4.6	59.7	15.4	193.1 *	60.1	4.5	95	16.1	210.1 *	59.8	2.9	86	17.1	215.6	59.6	0.8	89
DEKALB DKC50-20 (RR2/YGCB)	100	P250	16.8	213.2	59.0	0.7	100	7.6	4.1	59.7	14.7	183.6 *	59.1	1.0	100	16.9	210.1 *	59.8	1.0	100	18.7	245.9 *	58.2	0.0	100
DYNAGRO 53F09	95	P250	16.3	193.3	58.6	1.2	98	7.4	4.5	58.9	14.9	174.5	58.4	2.0	99	16.5	181.8	59.3	0.4	95	17.4	223.7	58.0	1.2	99
DYNAGRO 54K11	96	P250	16.0	190.1	59.1	1.4	99	7.8	3.5	60.3	14.2	166.5	58.5	1.7	100	15.8	185.8	60.2	0.7	100	18.0	218.0	58.6	1.7	97
DYNAGRO 54K61	97	P250	15.6	195.4	58.1	2.7	93	8.3	4.1	58.9	14.7	177.8	57.8	4.1	96	15.6	185.6	59.0	2.2	89	16.4	222.8	57.6	1.8	96
DYNAGRO 54P72	99	P250	16.8	205.9	57.9	1.1	100	9.2	4.4	58.0	15.7	178.2	57.4	2.0	100	15.7	195.7 *	59.6	0.9	100	19.0	243.8 *	56.8	0.4	100
GARST 8880YG1	95	C250	15.8	199.7	59.0	5.5	99	7.6	4.9	58.4	14.2	175.9	58.8	13.8	100	15.7	197.5 *	60.0	1.6	98	17.5	225.6	58.2	1.1	100
GARST 8881RR	95	C250	15.8	192.9	59.0	3.0	98	7.7	4.6	58.2	14.6	173.6	58.7	4.8	99	15.7	188.6	59.6	2.6	98	17.0	216.6	58.8	1.7	98
GOLDEN HARVEST H-6907RR	95	C250	15.7	191.9	59.1	3.1	99	7.9	4.7	58.2	14.5	174.6	58.8	4.6	100	15.8	185.1	59.7	2.3	98	16.7	216.1	58.9	2.3	98
GOLDEN HARVEST H-7007Bt	95	C250	15.8	200.5	58.9	4.9	97	7.4	4.5	58.8	14.4	182.6	58.7	10.7	99	16.0	196.2 *	59.8	3.3	98	17.0	222.6	58.2	0.6	95
GOLDEN HARVEST H-7299Bt/RR	98	P250	16.3	191.5	59.9	0.7	99	8.2	3.6	60.3	14.7	165.7	58.6	1.1	100	16.3	192.8	61.9	1.0	98	17.9	215.9	59.1	0.0	98
GRIES X590	90	P250	20.6	207.1	57.4	2.2	99	8.1	4.1	58.9	18.6	179.9	57.8	2.3	99	18.2	196.2 *	59.9	0.6	99	25.1	245.1 *	54.5	3.6	100
HIGH CYCLE HC5B353	100	P250	18.4	213.6	58.6	0.8	100	8.2	4.1	58.6	15.2	164.0	57.5	1.1	100	17.6	216.8 *	62.1	0.6	99	22.5	259.9 **	56.1	0.6	100
HIGH CYCLE HC7560YGB	100	P250	18.1	219.1 *	57.3	1.2	100	7.9	4.5	57.9	16.3	198.9 **	57.2	2.9	100	18.1	207.4 *	58.4	0.3	99	19.8	251.1 *	56.4	0.3	100
HYLAND SEEDS HL2368	90	P250	15.7	192.6	58.9	4.5	98	15.0	4.5	59.1	14.7	182.1	58.2	4.6	100	15.6	185.0	60.1	5.7	100	16.4	210.8	58.3	3.1	95
HYLAND SEEDS HL2507	98	P250	16.3	185.8	58.4	1.0	95	9.4	4.5	57.6	14.7	157.5	57.7	0.4	95	16.3	171.2	59.2	1.0	94	17.9	228.6	58.3	1.6	95
HYLAND SEEDS HL-B282	92	P250	15.2	190.6	58.7	2.9	99	7.8	4.6	57.9	13.2	160.0	57.9	1.4	100	15.6	189.5	61.4	1.0	96	17.6	224.7	58.4	2.2	98
HYLAND SEEDS HL-B292	98	P250	17.1	202.8	58.5	0.2	95	9.1	4.1	58.5	14.8	172.1	58.4	0.5	96	17.9	188.6	59.1	0.0	93	18.5	247.7 *	58.1	0.1	96
HYLAND SEEDS HL-R234	90	P250	15.3	186.8	59.3	3.1	99	7.4	4.4	58.7	14.0	162.5	58.6	4.6	99	15.7	191.3	60.6	2.9	99	16.3	206.7	58.8	1.9	98
HYLAND SEEDS HL-R257	99	P250	17.1	195.7	58.4	1.5	97	9.0	4.6	57.8	15.8	174.1	57.8	1.0	97	16.1	182.5	59.8	1.0	99	19.5	230.5	57.5	2.4	96
HYLAND SEEDS HL-JUXXIN	90	P250	16.4	191.1	58.8	2.6	98	7.8	3.8	59.7	15.8	178.6	58.2	4.1	98	16.5	178.7	59.7	1.6	98	16.8	216.1	58.4	2.0	97
HYLAND SEEDS LAXXTOT Bt	94	P250	16.5	195.4	59.9	1.2	98	8.0	5.0	57.1	15.1	172.1	59.3	2.7	100	16.7	189.5	61.4	1.0	96	17.6	224.7	59.1	0.0	98
JUNG 6422RRYGB	99	P250	16.8	208.3	58.6	1.8	99	8.5	4.4	58.1	14.6	173.0	58.7	3.6	100	16.6	204.8 *	59.2	1.9	100	19.3	247.0 *	57.8	0.0	98
LEGACY 36M94	100	C125X1	18.5	205.7	59.7	0.1	98	8.3	3.9	59.0	17.6	185.9 *	59.3	0.1	97	18.2	187.0	60.6	0.0	98	19.8	244.3 *	59.1	0.3	100
MAIZELEAF ML45Y95	95	P250	16.3	195.2	58.4	0.4	98	8.1	4.3	59.0	14.2	164.7	58.0	1.3	100	16.4	188.8	59.5	0.0	98	18.3	232.0	57.6	0.0	95
NK Brand N36-R6	96	C250	16.6	199.8	56.7	0.8	99	8.1	4.4	58.1	15.1	175.1	56.5	1.											

BRAND / HYBRID	RM	TRT	%H2O	BU/A	Twt	%SL	%Sd	Prot	Oil	Starch	%H2O	BU/A	Twt	%SL	%Sd	%H2O	BU/A	Twt	%SL	%Sd	%H2O	BU/A	Twt	%SL	%Sd
PARTNERS BRAND 479RRYGC B	98	C125	19.0	205.2	57.8	0.8	99	7.9	3.6	59.9	16.0	172.3	57.6	1.1	100	17.8	199.8*	59.8	0.0	98	23.2	243.6*	56.0	1.3	98
PIONEER 37D25	97	P250	16.3	197.0	59.1	3.9	97	8.2	3.9	58.0	14.3	168.5	59.0	5.2	100	16.4	188.6	59.7	3.8	94	18.3	233.8	58.5	2.7	98
PIONEER 37FT3	99	P250	17.0	210.2	58.6	2.8	98	7.8	4.0	58.9	15.1	186.6*	58.7	3.9	100	16.8	198.5*	59.2	2.3	96	19.0	245.4*	57.9	2.1	100
PIONEER 38H64	99	P250	17.3	200.1	58.0	1.7	99	7.5	4.0	59.4	15.8	176.6	57.9	4.5	99	17.3	197.3*	58.9	0.3	100	18.9	226.3	57.1	0.3	98
RENK RK482LLYGC B	95	16.0	184.4	60.1	0.3	98	8.0	4.5	58.9	14.7	168.8	59.9	0.5	97	16.3	179.5	61.1	0.3	100	17.0	205.0	59.4	0.0	98	
RENK RK488RR	95	15.8	188.1	59.1	2.3	94	7.6	4.7	58.2	15.0	177.7	59.2	3.7	97	15.9	171.8	59.2	1.7	90	16.4	214.9	59.0	1.6	94	
RENK RK488YGC B	96	15.9	198.4	58.9	3.6	96	7.6	4.7	58.7	14.8	181.3	58.6	8.5	96	16.2	195.8*	59.5	0.7	97	16.7	218.2	58.5	1.5	95	
RENK RK632YGC B	100	17.0	208.2	58.4	1.3	98	8.0	4.2	58.9	14.6	176.9	58.4	3.0	98	16.8	205.3*	59.4	0.6	98	19.5	242.4*	57.5	0.4	97	
RENK RK636RRYGC B	102	19.0	202.8	56.8	0.3	97	8.4	4.3	59.0	16.7	177.2	56.5	0.3	99	18.5	200.4*	58.3	0.3	96	21.7	230.7	55.5	0.3	97	
STEYER 2050	97	P250	15.7	192.4	58.3	1.9	98	7.7	4.2	59.6	14.4	165.7	57.5	2.7	97	15.4	189.3	59.5	1.3	98	17.3	222.2	57.8	1.8	99
TRELAY 4200	95	P250	15.9	190.5	59.0	2.2	98	8.4	4.0	59.6	14.2	165.6	58.0	3.7	100	15.9	189.6	60.1	1.3	98	17.5	216.2	59.0	1.5	97
UNITY SEEDS 6100	100	15.7	179.8	58.4	3.0	99	8.4	4.3	58.8	14.3	149.5	57.3	5.6	100	15.6	177.3	59.8	0.9	98	17.3	212.7	58.1	2.6	100	
VIGORO V35R66	95	P250	17.2	175.0	58.4	0.7	86	8.2	5.0	57.7	14.8	169.5	58.3	1.6	99	16.4	150.8	59.2	0.1	61	20.5	204.7	57.6	0.3	98
AVERAGE																									
HIGHEST																									
LOWEST																									
CV (%)																									
LSD (.05%)																									

BRAND / HYBRID	RM	TRT	%H2O	BU/A	Twt	%SL	%Sd	Prot	Oil	Starch	%H2O	BU/A	Twt	%SL	%Sd	%H2O	BU/A	Twt	%SL	%Sd	%H2O	BU/A	Twt	%SL	%Sd
BAYSIDE 1700	100	19.7	207.0	57.6	0.5	100	8.0	3.7	59.9	18.4	201.9	58.0	0.7	99	17.9	201.9	58.8	0.2	99	22.9	217.2	55.9	0.6	100	
BAYSIDE 1795	95	17.8	203.1	57.5	1.5	99	7.8	3.9	60.1	16.1	186.5	57.4	2.2	99	17.1	203.5	58.5	1.1	99	20.4	219.5	56.7	1.2	100	
BAYSIDE NorthGro NG5072RR	93	17.7	202.1	57.1	1.9	100	7.3	4.0	60.8	16.6	193.8	57.6	2.5	99	16.3	195.3	57.9	1.4	100	20.2	217.1	55.9	1.7	100	
BAYSIDE NorthGro NG5518RR	95	18.6	205.0	57.0	0.8	97	8.1	3.6	60.0	16.8	181.6	57.1	0.6	97	17.2	207.6	58.2	0.7	98	21.7	225.8	55.9	1.1	98	
BAYSIDE Super 93	93	17.9	201.6	57.0	1.6	100	7.2	3.9	60.9	16.7	187.2	57.1	2.6	99	16.8	200.2	58.2	0.9	100	20.2	217.4	55.7	1.2	100	
BROWN 5636	98	20.5	221.5	56.1	0.9	99	7.4	3.5	60.5	19.4	211.4*	56.1	1.8	99	18.6	220.4	57.7	0.3	98	23.5	232.9	54.7	0.6	99	
CORN BELT C435YGC B	95	17.4	208.0	57.8	0.8	99	7.8	4.7	58.4	16.4	196.3	57.7	0.7	100	16.0	195.4	59.0	1.7	97	19.7	232.4	56.7	0.0	101	
DAIRYLAND STEA/TH-1503	100	20.8	206.9	56.0	0.9	90	7.5	3.5	60.6	18.8	202.9	56.6	1.1	95	19.0	189.9	57.5	0.7	84	24.5	227.7	53.9	0.8	91	
DAIRYLAND STEA/TH-1598	98	18.2	210.9	57.3	0.9	99	8.0	3.9	59.9	17.1	198.6	57.5	1.0	100	16.9	210.4	58.0	0.5	99	20.7	223.8	56.3	1.1	99	
DAIRYLAND STEA/TH-5497	98	17.5	206.5	57.9	0.7	98	7.3	4.5	58.7	16.7	196.5	58.2	1.0	100	16.1	194.8	59.1	0.8	93	19.8	228.2	56.6	0.2	100	
DEKALB DHC47-10 (RR2/YGC B)	97	17.6	201.1	58.7	3.4	100	7.1	4.3	59.7	16.8	199.0	58.8	0.9	100	15.7	186.9	59.8	7.6	99	20.4	217.5	57.6	1.6	100	
DEKALB DHC48-52 (RR2)	98	18.3	214.7	57.2	1.4	99	6.9	4.1	60.2	17.6	211.2*	57.5	1.9	98	16.5	202.7	58.1	1.5	100	20.9	230.2	55.9	0.8	100	
DEKALB DHC50-20 (RR2/YGC B)	100	18.7	222.1	58.1	0.9	100	7.2	4.1	60.1	17.2	211.0*	58.9	0.5	100	17.2	214.2	59.1	2.1	100	21.8	241.2	56.3	0.0	100	
DYNAGRO 54K11	96	18.4	210.2	57.2	0.9	99	7.8	3.5	60.3	16.9	198.6	57.3	1.0	99	17.2	203.1	58.0	0.6	100	21.0	228.8	56.3	1.2	98	
GARST 8881RR	95	17.5	206.0	58.1	1.7	99	7.5	4.6	58.5	16.6	199.0	58.5	2.7	100	16.3	198.4	58.9	1.4	99	19.4	220.5	57.0	0.8	99	
GOLDEN HARVEST H-6907RR	95	17.2	204.8	58.1	1.7	99	7.5	4.6	58.7	16.4	199.1	58.0	2.3	100	16.0	196.8	59.0	1.6	99	19.2	218.5	57.4	1.2	99	
GOLDEN HARVEST H-7007BT	95	17.4	209.5	57.9	3.1	99	7.1	4.5	59.3	16.5	203.8	58.1	5.6	99	16.1	198.3	58.8	3.4	99	19.5	226.4	56.6	0.3	97	
HIGH CYCLE HC5B353	100	20.3	235.2**	56.8	0.7	100	7.7	4.0	59.5	18.4	218.2**	56.7	0.6	100	17.8	204.0	57.3	0.9	100	22.4	246.0	54.9	0.2	100	
HYLAND SEEDS HL2368	90	17.2	202.3	57.8	2.4	99	7.2	4.5	59.3	16.7	200.0	57.9	2.6	100	16.2	188.8	58.8	3.0	100	18.7	218.2	56.6	1.7	97	
HYLAND SEEDS HL2507	98	18.8	202.8	56.5	0.9	96	8.6	4.4	58.3	17.0	194.6	56.9	0.4	96	17.6	186.9	57.3	1.1	97	21.9	227.0	55.4	1.2	96	
HYLAND SEEDS HL B282	92	17.5	205.3	57.4	1.8	98	7.5	4.6	58.5	16.0	191.1	57.5	0.7	98	16.6	198.7	58.3	3.7	99	19.9	226.0	56.4	1.1	98	
HYLAND SEEDS HL B292	98	19.5	212.3	56.6	0.1	94	8.4	4.1	59.3	17.4	202.9	57.4	0.4	96	18.5	200.9	57.2	0.0	95	22.6	233.0	55.3	0.0	93	
NK Brand N36-R6	96	19.1	213.0	54.8	0.9	100	7.9	4.1	59.2	17.7	202.1	55.4	0.9	100	17.4	199.8	55.8	1.2	100	22.1	237.0	53.3	0.6	99	
NK Brand N45-A6	100	18.3	223.1	56.2	0.8	99	7.3	4.6	58.1	16.9	211.7*	56.3	1.0	100	16.6	214.1	57.5	0.8	98	21.4	243.6	54.7	0.5	100	

TABLE 2E - Continued from page 13

INGHAM, KENT & SAGINAW COUNTY GRAIN TRIALS - EARLY (100 Day and Earlier)

ZONE 2

BRAND / HYBRID	RM	EARLY TRIAL AVERAGE				% QUALITY				INGHAM - EARLY				SAGINAW - EARLY										
		%H2O	Bu/A	Twt	%SL %Sd	Prot	Oil	Starch	%H2O	Bu/A	Twt	%SL %Sd	%H2O	Bu/A	Twt	%SL %Sd								
RENK RK452LLYGCB	95	17.8	199.6	58.7	0.2	99	7.4	4.1	60.0	17.2	196.7	58.7	0.2	99	16.1	187.2	60.3	0.4	100	20.1	214.9	57.1	0.0	99
RENK RK488YRR	95	17.5	206.4	58.2	1.3	97	7.4	4.7	58.0	16.8	203.9	58.6	2.0	98	16.3	189.9	58.6	1.2	95	19.4	225.4	57.4	0.0	97
RENK RK488YGCB	96	17.5	207.6	57.7	2.3	98	7.3	4.6	59.0	16.7	202.2	58.0	4.4	97	16.3	199.2	58.4	1.4	98	19.3	221.4	56.1	1.1	97
RENK RK632YGCB	100	19.2	221.0	57.1	1.0	99	7.5	4.2	59.4	17.5	211.0 *	57.5	1.7	99	17.8	219.0	58.3	1.2	99	22.3	233.0	55.5	0.2	99
STEYER 2050	97	18.0	199.3	56.8	1.3	95	7.7	4.0	60.1	16.7	183.2	57.1	1.7	94	16.8	199.1	58.0	1.0	96	20.4	210.5	55.3	1.1	97
TRELAY 4200	95	18.3	210.1	57.4	1.4	99	7.8	3.8	60.3	16.7	198.3	57.8	2.0	100	17.1	206.6	58.1	1.1	99	21.0	225.4	56.2	1.1	99
AVERAGE		18.4	209.7	57.3	1.3	98	7.6	4.2	59.5	17.1	200.5	57.5	1.6	99	17.0	201.5	58.3	1.4	98	21.0	227.1	56.0	0.8	98
HIGHEST		20.8	235.2	58.7	3.4	100	8.6	4.7	60.9	19.4	218.2	58.9	5.6	100	19.0	232.6	60.3	7.6	100	24.5	254.8	57.6	1.7	101
LOWEST		17.2	199.3	54.8	0.1	90	6.9	3.5	58.1	16.0	181.6	55.4	0.2	94	15.7	186.9	55.8	0.0	84	18.7	210.5	53.3	0.0	91
CV (%)		4.2	5.2	1.3	128	2	5.2	5.8	1.3	4.6	5.5	1.1	107	2	3.9	5.0	1.4	150	2	3.3	4.3	1.2	114	3
LSD (.05%)		0.4	5.1	0.4	0.9	1	0.3	0.2	0.6	0.6	8.7	0.5	1.9	1	0.5	8.2	0.7	1.7	2	0.6	8.1	0.6	0.9	2

- 3 Year Averages Continued on page 11.

TABLE 2L.

INGHAM, KENT & SAGINAW COUNTY GRAIN TRIALS - LATE (101 Day and Later)

ZONE 2

BRAND / HYBRID	RM	LATE TRIAL AVERAGE				% QUALITY				INGHAM - LATE				KENT - LATE				SAGINAW - LATE						
		%H2O	Bu/A	Twt	%SL %Sd	Prot	Oil	Starch	%H2O	Bu/A	Twt	%SL %Sd	%H2O	Bu/A	Twt	%SL %Sd	%H2O	Bu/A	Twt	%SL %Sd				
AGRIGOLD A6333	104 P250	20.1	210.1	55.7	1.6	98	7.8	4.2	58.1	17.9	189.1 *	55.8	1.8	98	18.9	189.5	57.9	1.7	97	23.6	251.6	53.5	1.3	100
AGRIGOLD A6341CL	104 P250	20.9	209.4	54.9	1.0	99	7.4	3.9	58.9	18.0	193.7 *	55.6	1.1	100	20.1	193.8	56.6	1.9	98	24.7	240.6	52.4	0.0	100
BAYSIDE 2103	103 P250	18.5	203.8	57.8	1.9	96	7.8	3.6	59.7	15.5	189.0 *	58.1	4.7	99	18.3	190.0	59.1	0.7	92	21.8	232.3	56.1	0.3	98
BAYSIDE 4105	105 P250	19.7	202.4	54.8	0.7	95	8.9	3.9	58.7	16.3	177.5	55.4	0.8	96	19.0	196.2	56.3	0.4	90	23.8	233.4	52.8	1.0	98
BAYSIDE NorthGro NG5570RR	101 P250	17.6	200.3	59.3	1.1	97	7.9	3.2	60.1	15.2	185.0 *	59.7	1.3	98	17.6	190.5	60.0	0.0	90	20.0	225.3	58.1	0.0	98
BAYSIDE Super 105	105 P250	19.4	207.8	56.0	2.9	95	7.9	3.8	59.7	17.3	171.0	55.4	3.5	97	18.7	211.3	58.1	2.5	91	22.1	241.2	54.5	2.7	97
CORN BELT C543	104 P250	20.6	208.4	57.3	0.4	99	8.0	3.7	59.4	16.5	183.1	58.0	0.0	100	18.8	201.7	59.2	1.0	98	26.4	240.4	54.7	0.3	100
CROPLAN 491Bt	102 C250	18.1	208.9	59.6	1.7	100	8.5	4.4	57.9	15.6	180.5	59.9	4.3	100	18.4	204.3	61.1	0.7	99	20.3	241.8	57.9	0.0	100
CROPLAN 503RR2/Bt	104 C250	20.8	205.0	57.8	0.5	92	8.3	3.9	59.5	19.4	188.1 *	57.7	0.8	93	19.0	196.5	60.5	0.7	93	23.9	230.5	55.2	0.0	90
CROPLAN 576Bt	106 C250	21.7	227.9 **	55.1	0.0	98	7.6	4.4	59.1	17.7	195.2 *	56.3	0.1	100	21.3	231.9 **	56.9	0.0	98	26.1	256.6 *	52.1	0.0	97
DAHLCO DS4013Bt	108 C250	20.2	199.9	59.8	2.9	100	8.6	4.6	58.4	16.5	163.8	60.3	2.0	100	19.3	194.6	61.8	3.9	100	24.9	241.4	57.4	2.9	100
DAHLCO DS4051Bt	103 P250	16.8	200.5	57.9	0.6	99	8.1	4.9	56.6	15.4	178.9	57.2	0.1	100	16.4	196.4	59.0	1.0	98	18.6	226.1	57.4	0.7	99
DAIRYLAND STEALTH-1606RR	106 P250	19.6	201.9	56.0	1.4	98	7.8	3.8	59.0	16.0	174.9	55.4	0.5	99	18.0	189.1	61.1	0.3	96	21.1	238.5	58.0	0.7	100
DAIRYLAND STEALTH-17105	105 P250	15.1	201.3	55.1	1.3	90	8.0	3.6	59.7	15.9	181.0	55.4	0.5	99	18.8	186.4	57.1	0.7	95	24.4	237.0	53.0	1.3	99
DEKALB DHC52-23 (RR2/YGCB)	104 P250	18.9	214.5	58.4	2.1	99	8.1	4.3	59.2	15.4	193.2 *	58.8	5.1	100	17.1	210.4	59.1	1.0	99	19.3	250.6	57.2	0.3	99
DEKALB DHC52-47 (RR2/YGCB)	102 P250	17.8	210.7	58.1	0.2	100	7.8	4.2	59.2	15.2	190.7 *	58.4	0.1	100	18.0	209.2	59.4	1.8	94	19.0	233.3	57.4	0.7	99
DEKALB DHC54-51 (YGB)	104 P250	18.6	217.6	58.8	1.1	100	8.5	4.1	58.0	16.1	195.4 *	59.3	2.5	100	19.4	211.2	59.5	0.0	100	20.4	246.2	57.5	0.7	100
DYNAGRO 55P41	102 P250	18.7	202.3	56.5	0.6	99	8.2	4.4	58.2	16.2	168.8	56.2	1.4	100	18.4	211.5	58.1	0.3	98	21.6	226.6	55.3	0.0	100
DYNAGRO CX05103	104 C250	19.7	204.5	57.4	1.1	99	7.1	3.7	60.6	16.8	183.6	58.1	0.0	98	18.5	195.2	59.1	1.6	99	23.8	234.7	55.0	1.6	99
GARST 8580RR	101 P250	19.2	199.3	57.7	0.5	100	8.1	3.8	59.3	17.4	187.8 *	57.6	2.6	100	20.7	211.1	58.5	0.7	93	22.5	238.3	56.4	0.0	99
GARST 8661Y	105 C250	20.1	193.0	58.4	0.7	99	8.3	3.8	61.1	18.7	167.3	58.2	1.2	99	19.3	185.2	60.3	1.0	99	22.4	226.6	56.8	0.0	100
GARST 8689IT	107 P250	22.3	223.8 *	53.6	1.5	100	7.9	4.1	58.3	18.4	199.0 **	54.2	3.5	100	20.6	217.1 *	55.6	0.7	100	27.9	255.3 *	51.0	0.3	100
GOLDEN HARVEST H-8920	111 C250	23.7	214.8	56.8	2.4	99	7.7	3.9	59.1	19.9	193.4 *	57.8	2.7	100	23.3	197.3	58.0	2.0	96	27.9	237.7	54.4	0.3	97
GREAT LAKES 5110BtRR	101 P250	212.4	57.5	1.1	97	8.1	3.8	59.3	17.4	187.8 *	57.6	2.6	100	20.7	211.1	58.5	0.7	93	26.2	262.4 **	52.5	0.0	100	
GREAT LAKES 5377BtRR	103 P250	20.1	197.0	58.4	0.7	99	7.2	3.6	61.1	18.7	167.3	58.2	1.2	99	19.3	185.2	60.3	1.0	99	23.0	243.5	56.1	0.0	100
GREAT LAKES 5711Bt	107 P250	22.2	223.8 *	53.6	1.5	100	7.9	4.1	58.3	18.4	199.0 **	54.2	3.5	100	20.6	217.1 *	55.6	0.7	100	27.9	255.3 *	51.0	0.3	100
GREAT LAKES 5922	109 P250	22.3	216.3	55.1	0.5	97	8.1	4.0	58.7	19.1	183.3	56.1	0.2	98	21.6	203.3	56.7	1.4	93	26.2	262.4 **	52.5	0.0	100
GREAT LAKES 5961BtRR	105 P250	212.8	57.8	0.3	100	7.5	3.6	60.1	18.7	167.3	58.1	1.1	99	21.0	203.7	58.9	0.0	100	23.0	243.4	55.8	0.3	98	
HIGH CYCLE HC5B739	104 P250	19.8	198.6	58.3	0.8	96	7.2	3.4	61.0	17.5	177.6	58.8	1.5	100	18.9	183.7	60.3	0.7	90	23.0	234.4	55.8	0.3	98
HIGH CYCLE HC5P825	103 P250	20.5	200.8	57.6	0.1	95	8.3	4.0	59.6	18.5	178.1	57.8	0.3	95	20.1	184.6	57.8	0.3	91	22.9	239.7	55.8	0.0	99

2005	BRAND / HYBRID	LATE TRIAL AVERAGE						% QUALITY						INGHAM - LATE						KENT - LATE						SAGINAW - LATE					
		%H2O	Bu/A	Twt	%SL	%Sd	Prot	Oil	Strch	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd		
JUNG 6545Y/GCB	105 P250	20.2	214.6	56.9	0.2	99	8.2	3.9	59.0	16.9	194.6 *	57.6	0.7	100	18.8	198.4	59.0	0.0	99	24.9	250.9	54.0	0.0	99	213.8	213.8	55.6	0.2	98		
LEGACY 35B75	104 C125X1	19.6	210.4	56.6	0.1	94	7.2	3.8	60.3	16.6	190.6 *	57.6	0.3	98	20.0	204.2	57.6	0.0	87	22.1	236.5	54.7	0.0	96	225.7	225.7	52.3	1.9	98		
MAIZELEAF ML46GQ2	102 P250	19.5	209.5	56.5	0.9	98	7.6	4.0	59.7	16.4	195.9 *	57.1	1.8	99	20.2	194.7	57.4	0.7	96	21.9	238.0	55.0	0.3	99	235.2	235.2	55.5	0.2	100		
MYCOGEN 26555	103 C125	19.6	212.3	57.5	0.1	100	8.1	4.3	58.7	15.9	181.0	57.9	0.1	100	19.0	208.4	59.3	0.3	100	20.4	247.5	55.4	0.0	100	236.7	236.7	55.5	0.2	100		
MYCOGEN 26626	105 C125	20.3	206.1	57.6	0.7	99	8.2	3.6	59.4	17.0	187.2 *	57.9	0.4	100	20.7	201.3	58.7	1.3	98	23.1	229.9	56.1	0.3	99	231.5	231.5	55.5	0.0	94		
NK Brand N41-R9	98	18.5	182.9	58.4	0.7	100	8.8	4.6	56.2	16.2	154.5	57.7	0.8	100	19.4	183.3	59.5	0.3	100	19.8	210.8	56.0	1.0	100	235.0	235.0	56.1	0.0	100		
NK Brand N50-P5	102 C250	18.0	199.0	57.4	1.1	100	8.3	4.2	58.0	15.1	178.7	56.8	0.4	100	18.1	183.2	59.4	2.9	100	20.7	235.0	56.1	0.0	100	235.2	235.2	54.9	1.0	99		
NK Brand N51-Z7	104 C250	19.8	196.7	55.9	0.6	99	7.0	4.1	60.0	17.1	175.4	55.9	0.2	100	20.6	179.4	56.9	0.7	98	21.7	235.2	54.9	1.0	99	235.2	235.2	54.9	1.0	100		
NK Brand N58-L8	106 C250	19.4	205.6	57.3	1.1	93	7.6	3.7	60.4	16.8	183.8	57.6	2.1	93	18.5	201.5	58.8	1.1	92	22.9	231.5	55.5	0.0	94	231.5	231.5	55.5	0.0	94		
PARTNERS BRAND 525HX1	102 C125	18.8	211.8	55.9	0.6	100	8.1	3.5	59.9	16.0	180.2	56.5	0.8	99	18.7	217.0 *	57.6	0.7	100	21.7	238.2	53.7	0.3	99	233.2	233.2	59.2	1.3	98		
PARTNERS BRAND 528Y/GCB	102 C125	19.7	207.4	57.7	0.4	99	8.4	3.8	59.5	16.3	181.6	58.9	0.8	100	19.6	205.8	58.8	0.0	99	23.3	234.9	55.5	0.3	98	231.4	231.4	55.2	2.0	99		
PARTNERS BRAND 531	103 C125	18.8	193.9	57.5	2.5	99	7.7	3.6	60.2	15.5	168.7	58.2	2.3	100	17.9	181.6	59.0	3.3	98	22.9	231.4	55.2	2.0	99	235.4	235.4	55.4	0.0	100		
PARTNERS BRAND 537Y/GCB	103 C125	18.9	208.6	57.6	0.6	100	8.3	4.1	59.1	14.7	167.6	57.8	1.1	100	18.1	200.8	59.6	0.7	100	23.9	257.4 *	55.4	0.0	100	249.3	249.3	55.9	0.0	100		
PARTNERS BRAND 566	106 C125	19.0	194.8	59.4	0.7	100	8.3	4.2	58.4	17.0	177.2	59.6	0.9	100	18.2	181.7	61.1	0.3	100	21.8	225.4	57.6	1.0	100	248.7	248.7	56.4	1.9	99		
PARTNERS BRAND EX138	103 C125	19.3	187.7	60.8	2.9	92	8.6	4.0	58.8	16.4	164.3	60.9	5.0	97	19.4	165.5	62.4	2.4	82	22.0	233.2	59.2	1.3	98	233.7	233.7	55.6	0.7	97		
PARTNERS BRAND EX180Bt	108 P250	24.3	211.6	55.1	0.7	99	7.5	3.8	59.7	19.5	194.0 *	56.7	1.4	100	24.3	188.8	56.3	0.0	99	29.2	252.0	52.3	0.7	98	249.3	249.3	55.9	0.0	100		
PIONEER 34D72	107 P250	19.1	210.8	58.0	0.2	99	7.7	3.5	59.2	15.8	175.5	58.4	0.5	100	18.5	207.6	59.6	0.0	98	23.1	240.1	55.9	0.3	99	240.1	240.1	55.9	0.3	99		
PIONEER 35A30	104 P250	19.4	206.8	58.7	2.6	100	7.6	3.4	60.6	15.4	180.6	59.7	3.9	100	19.4	191.1	60.0	2.0	100	23.3	248.7	56.4	1.9	99	237.9	237.9	58.9	1.1	91		
PIONEER 35Y33	107 P250	20.9	213.5	60.9	1.3	95	8.5	3.9	59.2	18.9	192.7 *	61.5	0.9	98	20.9	210.0	62.3	2.0	95	23.0	231.7	55.6	0.7	97	231.7	231.7	55.6	0.7	97		
PIONEER 36W66	102 P250	18.3	209.6	57.3	1.1	99	7.7	4.2	58.8	15.2	189.1 *	58.1	1.4	100	18.4	208.0	58.1	1.3	98	21.3	231.7	55.6	0.7	97	229.3	229.3	54.8	0.4	96		
RENIK RK652LLYGCB	104 P250	19.4	204.8	56.7	0.6	94	7.2	3.7	60.2	17.0	188.0 *	57.4	0.3	97	19.5	197.2	57.9	1.1	87	21.8	229.3	54.8	0.4	96	219.0	219.0	57.4	0.3	96		
RENIK RK6844	105 P250	18.3	189.0	59.0	0.4	93	8.4	4.0	58.9	14.7	167.2	59.5	0.4	98	18.4	180.7	60.0	0.4	85	21.9	240.1	55.9	0.3	99	240.1	240.1	55.9	0.3	99		
RENIK RK772Y/GCB	104 P250	17.8	209.8	57.0	0.9	100	8.2	4.7	57.7	15.9	185.6 *	56.8	1.3	100	17.7	203.6	58.2	1.0	100	19.9	240.1	55.9	0.3	99	233.7	233.7	55.8	1.0	100		
RUPP XR1609	101 P250	19.3	197.2	57.9	1.2	100	7.5	3.6	61.3	16.3	165.5	58.2	1.6	100	18.4	192.5	59.7	1.0	99	23.1	240.3	55.6	1.9	100	240.3	240.3	55.6	1.9	100		
RUPP XR1612	103 P250	20.0	200.8	54.7	2.0	91	8.1	3.6	59.5	17.1	183.7	54.9	3.2	94	18.5	189.3	56.9	1.4	91	24.3	229.3	52.2	1.4	89	240.1	240.1	55.0	2.6	99		
RUPP XR8624	102 P250	19.5	212.7	57.6	1.0	100	7.6	3.8	60.0	16.8	192.8 *	57.7	1.5	100	19.1	205.5	59.3	0.3	100	22.5	239.7	55.7	1.3	100	235.3	235.3	55.1	1.0	99		
TRELAY T012	105 P250	21.1	197.0	55.8	2.0	96	8.2	4.2	59.5	16.9	182.0	57.3	3.0	100	17.3	173.7	57.1	2.1	89	25.1	240.1	55.9	0.3	99	240.1	240.1	55.9	0.3	99		
TRELAY SP651	102 P250	18.5	197.3	57.0	2.1	100	8.6	4.3	57.9	14.2	163.8	57.0	1.5	100	18.1	187.8	58.3	2.9	99	23.3	240.3	55.6	1.9	100	237.9	237.9	55.8	0.7	99		
VIGORO V434002	103 C250	18.7	211.3	58.0	0.5	97	8.0	4.1	58.7	15.3	178.5	58.1	0.5	100	17.9	198.0	60.1	2.9	94	23.0	257.4 *	55.8	0.7	99	229.8	229.8	56.7	1.3	100		
VIGORO V4160	101 P250	18.4	205.1	57.4	4.2	100	7.6	3.4	60.7	15.0	180.0	58.3	8.1	100	17.2	195.2	58.9	1.9	100	22.9	240.1	55.0	2.6	99	235.7	235.7	55.8	0.0	98		
VIGORO V41H61	101 P250	19.4	209.8	57.3	2.2	100	7.9	3.4	60.3	15.5	183.2	58.4	6.6	100	19.5	198.6	58.4	0.0	100	23.2	247.7	55.0	0.0	100	239.6	239.6	56.8	0.3	100		
VIGORO V43Y31	103 C250	19.4	209.7	58.7	0.3	98	8.4	4.2	58.7	17.0	190.0 *	59.1	0.0	100	18.5	199.6	60.1	0.7	95	22.7	239.6	56.8	0.3	100	235.2	235.2	55.6	3.6	100		
VIGORO V43YR52	103 C250	19.3	201.2	57.6	1.3	96	7.9	3.5	59.6	15.9	173.5	57.8	3.2	99	19.4	188.3	59.1	0.4	91	22.7	241.7	55.8	0.4	97	235.2	235.2	55.8	0.4	97		
VIGORO V4530	105 C250	18.2	193.2	58.5	1.8	96	7.4	3.5	60.9	16.0	171.4	58.7	2.2	100	16.9	178.4	60.2	1.8	88	21.6	229.8	56.7	1.3	100	235.2	235.2	55.8	0.4	97		
VIGORO V46Y41	106 C250	19.3	200.9	58.2	0.5	98	7.2	3.8	60.5	16.7	179.4	58.5	0.8	100	18.5	187.7	60.3	0.7	97	22.7	235.7	55.8	0.0	98	235.7	235.7	55.8	0.0	98		
AVERAGE		19.5	206.0	57.3	1.1	98	7.9	3.9	59.3	16.6	182.2	57.7	1.7	99	19.1	196.2	58.9	1.0	96	22.9	239.5	55.4	0.7	98	233.8	233.8	55.6	0.2	98		
HIGHEST		24.3	227.9	60.9	4.2	100	8.9	4.9	61.3	19.9	190.0	61.5	8.1	100	24.3	231.9	62.4	3.9	100	29.2	262.4	59.2	3.6	100	235.2	235.2	55.6	1.9	98		
LOWEST		16.8	182.9	53.6	0.0	91	7.0	3.2	56.2	14.2	154.5	52.0	0.0	93	16.4	165.5	55.6	0.0	82	18.6	210.8	51.0	0.0	89	229.1	229.1	55.3	1.9	98		
CV (%)		6.1	6.0	1.7	1.4	3	5.0	6.6	1.4	7.0	5.9	2.4	118	2	6.5	7.2	1.3	130	4	3.4	3.0	1.0	156	2	227.3	227.3	53.6	0.0	100		
LSD (.05%)		0.8	8.3	0.7	1.0	2	0.5	0.3	1.0	1.6	15.1	1.9	2.7	6	1.8	19.7	1.0	3.8	5	1.1	10.0	0.8	3.1	6	24.2	24.2	56.2	1.6	99		

TABLE 21 - Continued from page 15.

INGHAM, KENT & SAGINAW COUNTY GRAIN TRIALS - LATE (101 Day and Later)

ZONE 2

2 Year Averages		LATE TRIAL AVERAGE						% QUALITY						INGHAM - LATE						KENT - LATE						SAGINAW - LATE					
BRAND / HYBRID	RM	%H2O	Bu/A	Twt	%SL	%Sd	Prot	Oil	Strch	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd		
GARST 8590RR	105	22.3	213.3	55.1	0.6	99	7.1	3.7	61.0	20.6	213.1	55.7	0.1	99	20.4	212.3 *	56.7	1.0	100	26.0	214.4	52.9	0.8	100	22.3	213.3	55.7	0.0	100		
HIGH CYCLE HC5B739	105	21.9	220.1 *	55.5	0.3	100	7.2	3.5	60.6	19.9	215.1 *	56.2	0.8	99	20.5	217.0 *	56.5	0.0	100	25.4	228.3	53.7	0.0	100	22.3	213.3	55.7	0.0	100		
JUNG 6545YGCB	105	22.1	217.8	55.2	0.2	100	7.5	3.7	60.1	20.3	211.5	55.6	0.7	100	19.6	211.4 *	57.1	0.0	100	26.4	230.6 *	53.1	0.0	100	22.3	213.3	55.7	0.0	100		
MYCOGEN 2G626	105	22.3	214.3	55.3	0.4	100	8.0	3.8	59.7	20.2	211.5	56.1	0.4	100	20.7	210.9 *	56.1	0.8	99	26.0	220.6	53.8	0.2	99	22.3	213.3	55.7	0.0	100		
NK Brand N50-P5	102	20.3	209.8	55.4	0.8	100	7.8	4.1	58.9	18.8	208.7	55.3	0.4	100	18.5	199.1	57.2	2.0	100	23.7	221.8	53.7	0.0	100	22.3	213.3	55.7	0.0	100		
NK Brand N51-Z7	104	21.7	214.1	54.5	0.9	99	6.6	4.0	61.1	20.0	212.0	54.9	0.1	100	20.3	194.6	55.3	2.0	99	24.8	235.6 *	53.2	0.5	98	22.3	213.3	55.7	0.0	100		
PARTNERS BRAND 525HX1	102	21.2	219.2	54.0	0.7	100	7.4	3.6	60.9	19.6	210.5	54.5	0.8	100	19.2	217.3 *	55.3	0.9	100	24.7	229.7	52.1	0.3	100	22.3	213.3	55.7	0.0	100		
PARTNERS BRAND 528YGCB	102	21.9	215.7	55.5	0.4	99	8.1	3.8	59.8	20.1	209.3	56.3	0.4	100	20.1	215.6 *	56.4	0.4	99	25.7	222.0	53.7	0.3	99	22.3	213.3	55.7	0.0	100		
RENK RK62LLY/GCB	104	21.1	212.8	55.2	0.5	97	6.8	3.5	60.9	19.8	211.0	55.9	0.3	99	19.6	205.6	55.9	0.9	94	23.9	222.0	53.7	0.2	98	22.3	213.3	55.7	0.0	100		
RENK RK772YGCB	104	19.8	213.2	55.6	1.5	100	7.7	4.7	58.4	18.0	212.6	56.4	0.7	100	18.1	201.3	56.1	3.4	100	23.2	225.7	54.1	0.3	100	22.3	213.3	55.7	0.0	100		
RUPP XR1609	101	21.8	212.5	55.4	1.1	97	7.3	3.6	61.4	20.0	217.7	55.8	0.8	100	20.0	206.2	56.9	1.7	91	25.6	229.7	53.6	0.7	100	22.3	213.3	55.7	0.0	100		
TRELAY 7012	105	23.4	213.8	53.9	1.3	98	7.5	4.3	60.4	21.4	209.5	54.9	1.5	100	22.1	200.0	55.0	1.6	95	26.6	231.8 *	52.0	0.7	99	22.3	213.3	55.7	0.0	100		
VIGORO V43Y31	103	21.2	215.1	56.7	1.3	99	7.9	4.2	59.4	19.6	218.8 *	57.3	0.2	99	19.5	200.4	58.0	3.5	97	24.6	226.1	54.7	0.2	100	22.3	213.3	55.7	0.0	100		
VIGORO V45Z0	105	21.5	211.7	55.4	1.1	98	7.1	3.5	61.2	20.1	207.7	55.9	1.3	100	19.3	201.4	56.8	1.1	94	25.2	226.0	53.4	0.8	100	22.3	213.3	55.7	0.0	100		
VIGORO V46Y41	106	22.2	211.7	55.3	0.2	99	7.2	3.7	60.7	20.2	203.7	55.9	0.4	100	20.5	203.9	56.6	0.3	99	25.9	227.5	53.4	0.0	99	22.3	213.3	55.7	0.0	100		
AVERAGE		21.4	214.8	55.3	0.8	99	7.4	3.8	60.1	19.7	210.1	55.9	0.7	99	19.8	207.6	56.5	1.3	98	24.8	226.8	53.7	0.4	99	22.3	213.3	55.7	0.0	100		
HIGHEST		23.4	225.3	57.1	1.9	100	8.1	4.7	61.4	21.4	223.0	57.9	2.1	100	22.1	219.4	58.1	3.5	100	26.6	237.9	55.6	1.9	100	22.3	213.3	55.7	0.0	100		
LOWEST		19.5	209.1	53.5	0.2	96	6.6	3.2	58.4	18.0	197.5	53.6	0.0	96	18.1	194.6	54.5	0.0	91	22.1	213.8	52.0	0.0	98	22.3	213.3	55.7	0.0	100		
CV (%)		5.4	5.9	1.6	1.59	3	5.6	6.0	1.3	6.1	6.1	2.1	1.13	3	6.1	6.7	1.4	195	4	3.4	4.1	1.1	150	2							
LSD (05%)		0.5	5.9	0.4	0.8	2	0.4	0.2	0.6	0.9	9.8	1.0	1.3	3	1.0	11.1	0.7	1.8	3	0.7	8.0	0.5	0.7	2							
3 Year Averages		LATE TRIAL AVERAGE						% QUALITY						INGHAM - LATE						KENT - LATE						SAGINAW - LATE					
BRAND / HYBRID	RM	%H2O	Bu/A	Twt	%SL	%Sd	Prot	Oil	Strch	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd		
BAYSIDE Super 105	105	22.8	213.8 *	53.0	1.5	95	7.6	3.9	59.7	20.5	210.0 *	53.7	1.7	97	22.7	219.5 **	53.8	1.2	94	25.1	211.8	51.4	1.6	95	22.3	213.3	55.7	0.0	100		
GARST 8590RR	105	22.7	209.2	54.3	1.4	98	7.5	3.9	60.4	21.1	206.4	55.1	2.5	99	21.9	212.9 *	55.4	0.8	97	25.2	208.2	52.5	0.9	99	22.3	213.3	55.7	0.0	100		
JUNG 6545YGCB	105	22.4	215.0 **	54.9	0.3	99	7.7	3.7	60.1	20.4	211.0 *	55.6	0.4	100	21.8	214.0 *	55.8	0.0	99	25.1	220.0 *	53.5	0.4	99	22.3	213.3	55.7	0.0	100		
NK Brand N50-P5	102	21.0	208.1	54.5	1.5	100	7.9	4.3	58.9	19.0	209.5 *	54.7	1.6	100	21.1	203.0	55.3	1.3	100	22.7	211.8	53.5	1.6	100	22.3	213.3	55.7	0.0	100		
NK Brand N51-Z7	104	22.0	213.6 *	54.0	0.9	99	6.9	4.0	60.9	20.8	212.5 *	54.1	0.8	100	21.7	203.9	54.7	1.6	99	23.7	224.5 **	53.3	0.3	98	22.3	213.3	55.7	0.0	100		
RENK RK772YGCB	104	20.4	214.7 *	54.9	1.2	99	7.9	4.6	58.4	18.8	216.3 **	55.8	0.4	100	19.9	208.7	55.1	2.3	98	22.4	219.0 *	53.9	0.9	100	22.3	213.3	55.7	0.0	100		
TRELAY 7012	105	23.5	213.7 *	53.4	1.4	98	7.7	4.3	60.0	21.3	215.6 *	54.4	1.3	100	23.4	206.5	54.0	1.5	95	25.7	218.8 *	51.9	1.5	99	22.3	213.3	55.7	0.0	100		
VIGORO V43Y31	103	21.2	209.2	56.2	1.3	98	8.1	4.2	59.2	19.9	213.4 *	56.9	0.2	99	20.4	203.5	57.2	2.5	97	23.4	210.8	54.7	1.2	99	22.3	213.3	55.7	0.0	100		
VIGORO V45Z0	105	22.6	208.2	54.4	1.0	97	7.2	3.6	61.1	20.4	210.4 *	55.2	1.1	100	22.0	199.9	55.2	0.7	94	25.4	214.4	52.9	1.1	98	22.3	213.3	55.7	0.0	100		
AVERAGE		22.1	211.7	54.4	1.2	98	7.6	4.1	59.8	20.2	211.7	55.0	1.1	99	21.7	208.0	55.2	1.3	97	24.3	215.5	53.1	1.1	98	22.3	213.3	55.7	0.0	100		
HIGHEST		23.5	215.0	56.2	1.5	100	8.1	4.6	61.1	21.3	216.3	56.9	2.5	100	23.4	219.5	57.2	2.5	100	25.7	224.5	54.7	1.6	100	22.3	213.3	55.7	0.0	100		
LOWEST		20.4	208.1	53.0	0.3	95	6.9	3.6	58.4	18.8	206.4	53.7	0.2	97	19.9	199.9	53.8	0.0	94	22.4	208.2	51.4	0.3	95	22.3	213.3	55.7	0.0	100		
CV (%)		6.0	5.8	1.7	1.62	3	5.9	6.2	1.3	6.1	6.3	2.0	1.30	4	6.3	6.2	1.4	179	4	4.3	4.2	1.3	191	2							
LSD (05%)		0.5	4.7	0.4	0.7	1	0.3	0.2	0.5	0.8	0.4	0.8	1.2	2	0.8	0.4	0.5	1.3	3	0.7	6.6	0.5	0.9	2							

1966 - 2005 Forty Years of Commitment

This year we would like to honor Bill, Ron, & Ed McCrea of Wil-le Farms of Bad Axe, Michigan. They have for the past 40 years (1966-2005) hosted our Huron County Corn Plot in the State Trials. Both grain and silage yields have been taken for the forty years. Smaller trials comparing plant population, row spacing and other new technologies have also been conducted over the years. In the early years (1966 – 1989) their location was also used as a testing site for many of the experimental varieties being developed by Dr. Elmer Rossman at MSU for use in Michigan.

Cooperation from farmers is vital to the success of the State Corn Trials and MSU wants to thank Wil-le Farms for their continued support. Forty years of cooperation is a testament to their commitment to Michigan Agriculture and its future.



Pictured from left to right are Bill McCrea and sons Ed (standing) and Ron McCrea.



The first year of variety trials on Wil-le Farms the McCrea's planted corn for use in their dairy operation. Today, they are a beef-feeding operation raising 1500 + acres of corn silage with additional acres of shelled corn, soybeans and sugar beets.



TABLE 3E.

HURON, MASON & MONTCALM COUNTY GRAIN TRIALS - EARLY (95 Day and Earlier)

ZONE 3

2005	BRAND / HYBRID	EARLY TRIAL AVERAGE						% QUALITY						HURON - EARLY						MASON - EARLY						MONTCALM - EARLY								
		RM			TRT			%H2O	Buia	Twt	%Sd	Prot	Oil	Strch	%H2O	Buia	Twt	%Sd	Prot	Buia	Twt	%Sd	Prot	Buia	Twt	%Sd	Prot	Buia	Twt	%Sd				
		95	P250	18.1	215.1	59.2	2.0	99	8.0	4.4	58.0	15.6	180.9	59.8	5.6	99	18.2	227.2*	59.1	0.3	98	20.6	237.2*	58.7	0.0	99								
BAYSIDE 1795		95	C125	18.1	215.1	59.2	2.0	99	8.0	4.4	58.0	15.6	180.9	59.8	5.6	99	18.5	218.8*	57.1	1.1	97	21.4	222.2	56.4	2.5	92								
BAYSIDE 4095YGCB		95	P250	18.3	202.9	57.3	3.3	96	7.9	4.1	59.9	15.0	167.6	58.4	6.2	99	19.2	210.0	57.6	0.4	86	22.1	210.3	56.2	1.9	85								
BAYSIDE NorthGro NG5072RR		93	P250	19.0	197.9	57.5	2.2	89	8.9	3.5	59.1	15.7	173.5	58.7	4.2	96	19.0	223.3*	56.7	0.0	98	21.0	222.9	56.5	1.3	98								
BAYSIDE NorthGro NG5518RR		95	P250	18.6	207.7	57.3	2.7	98	7.9	3.7	59.7	15.8	176.9	58.6	6.9	97	19.0	223.3*	56.7	0.0	98	21.0	222.9	56.5	1.3	98								
BAYSIDE Super 93		93	P250	17.9	210.1	58.6	1.8	80	7.6	4.1	59.0	15.3	179.3	59.3	3.5	87	18.0	204.9	58.8	1.4	76	20.3	210.1	57.7	0.4	77								
BROWN 3000YGCB		90	C125	17.9	211.4	59.4	3.6	98	7.7	4.2	58.5	15.9	189.0	59.8	9.8	99	18.0	211.1	59.2	0.0	99	19.8	234.1*	59.1	1.0	99								
CROPLAN 314RRBt		92	C250	17.2	201.9	59.1	1.5	92	7.6	4.0	58.8	15.5	184.0	59.5	4.1	98	16.9	196.9	58.7	0.4	87	19.3	224.7	59.1	0.0	90								
CROPLAN 334Bt		92	C250	18.8	216.6*	57.6	4.3	99	7.8	4.4	58.7	16.2	187.9	58.8	10.7	100	18.9	234.5*	57.4	0.4	99	21.2	227.4	56.7	1.7	97								
CROPLAN 364RRBt		95	C250	17.6	210.1	58.5	3.2	90	7.3	4.1	59.0	15.5	179.1	58.9	8.9	88	17.6	217.9*	58.3	0.4	89	19.8	233.3*	58.4	0.4	92								
DAHLCO DS3920Bt		91	P250	16.4	172.3	59.2	7.6	98	8.6	4.4	57.5	15.2	165.7	59.9	6.2	99	16.3	148.5	58.5	14.6	96	17.8	202.6	59.3	2.0	98								
DEKALB DKC37-14 (RR2)		87	P250	17.9	201.8	58.4	2.3	90	7.7	4.7	58.3	15.7	176.9	59.3	5.8	96	18.0	211.4	58.4	0.8	86	20.0	217.1	57.6	0.4	90								
DEKALB DKC40-05		90	P250	16.9	216.4*	58.3	1.9	98	7.1	4.3	59.5	14.7	194.4*	58.9	3.7	100	17.4	215.0	58.0	0.7	95	18.7	239.8*	57.9	1.3	99								
DEKALB DKC42-95 (RR2)YGCb		92	P250	18.1	221.0*	58.4	3.8	99	7.5	3.7	59.2	15.6	186.6	59.8	9.9	98	18.0	227.6*	57.9	0.4	100	20.5	248.9**	57.5	1.0	100								
DYNAGRO 53F09		95	P250	18.5	205.4	57.4	2.2	88	7.5	4.6	58.9	15.5	196.0*	58.9	5.8	100	18.9	211.6	57.2	0.8	83	21.0	208.5	56.1	0.0	82								
DYNAGRO 53F49		92	P250	18.6	190.5	58.2	1.5	83	7.6	3.9	58.6	16.4	171.9	59.2	3.0	95	18.4	196.9	57.7	0.4	78	21.0	202.8	57.6	1.2	75								
DYNAGRO 53F98		95	P250	17.9	201.8	58.4	2.3	90	7.7	4.7	58.3	15.7	176.9	59.3	5.8	96	18.0	211.4	58.4	0.8	86	20.0	217.1	57.6	0.4	90								
DYNAGRO 53F30		92	P250	17.8	211.4	59.0	3.6	96	7.8	4.0	58.6	15.5	193.1*	60.1	5.6	99	18.0	215.7	58.3	0.4	98	19.9	225.3*	58.7	0.7	93								
GARST 8880YG1		95	C250	18.1	224.2**	58.0	4.0	99	7.7	4.7	58.1	15.7	191.0*	59.5	11.2	98	18.0	235.7**	57.9	0.0	100	20.5	245.9*	56.5	0.7	100								
GARST 8821YG1/RR		90	C250	18.3	208.3	59.2	3.1	96	7.9	4.2	58.5	16.1	180.2	59.1	6.0	99	18.6	212.8	58.6	0.7	95	20.2	232.0*	59.0	2.1	93								
GARST 8822YG1/G1		91	C250	17.5	216.2*	59.0	2.4	98	7.4	4.0	59.2	15.3	187.3	59.9	5.5	99	17.4	219.8*	58.6	0.8	98	19.7	241.5*	58.4	1.0	99								
GOLDEN HARVEST H-6565RR		90	C250	17.0	196.6	59.7	2.3	97	7.8	3.4	60.1	14.9	178.7	59.8	4.6	100	17.9	205.8	59.9	0.7	94	18.2	205.2	59.5	1.7	97								
GOLDEN HARVEST H-6907RR		95	C250	18.2	213.3	58.1	2.2	99	7.5	4.5	59.0	15.8	181.6	59.2	5.2	100	18.7	218.0*	57.6	0.4	99	20.1	240.2*	57.5	1.0	99								
GOLDEN HARVEST H-7007Bt		95	C250	17.8	218.1*	58.0	3.4	95	7.5	4.5	58.6	15.3	195.2*	58.9	7.7	98	17.8	225.0*	57.8	0.4	93	20.4	234.1*	57.4	2.1	95								
GREAT LAKES 4206RR		92	P250	17.4	162.2	59.9	1.8	77	9.7	4.4	56.9	15.4	168.8	60.1	1.5	93	17.6	158.7	60.1	0.5	65	19.2	159.2	59.5	3.4	74								
GREAT LAKES 4415B1RR		94	P250	18.4	216.4*	58.9	0.2	90	7.8	4.4	59.0	15.2	189.1	59.9	0.5	99	19.1	231.4*	58.3	0.0	87	21.0	228.6	58.5	0.0	84								
GREAT LAKES 4521RR		95	P250	18.4	200.5	57.9	1.6	89	8.1	4.5	58.1	15.9	186.5	59.0	3.6	98	18.7	204.8	57.7	0.4	89	20.6	210.1	57.0	0.8	80								
GRIES X590		90	P250	22.0	205.8	55.5	7.4	95	8.6	3.8	57.9	19.1	175.5	57.6	18.3	99	21.9	213.2	55.7	0.7	89	25.1	228.8	53.3	3.3	98								
HIGH CYCLE HC4G721		96	P250	18.3	186.3	59.2	2.1	82	8.2	3.8	58.6	15.7	181.8	59.9	5.3	93	18.6	171.6	59.2	1.0	73	20.7	205.5	58.6	0.0	81								
HYLAND SEEDS HL2288		85	P250	16.1	186.1	58.6	5.8	98	7.3	4.6	58.8	14.7	155.5	58.2	9.6	99	16.5	189.7	58.5	6.6	98	17.2	213.2	59.0	1.3	99								
HYLAND SEEDS HL2368		90	P250	17.8	216.5*	57.8	2.1	96	7.8	4.5	58.5	15.2	189.0	58.7	5.0	97	18.6	225.3*	57.4	0.7	96	19.7	235.2*	57.3	0.7	95								
HYLAND SEEDS HL2664		85	P250	18.6	163.6	61.0	5.6	89	8.8	4.5	58.5	16.7	146.8	61.4	4.0	94	19.7	171.2	60.5	11.2	89	19.4	173.7	61.2	1.5	83								
HYLAND SEEDS HL2719		86	P250	16.2	183.5	59.0	1.9	85	7.8	4.4	58.8	14.5	166.4	59.0	3.1	95	16.6	190.2	58.8	2.1	82	17.6	193.9	59.3	0.4	78								
HYLAND SEEDS HL228		84	P250	16.1	178.8	58.9	2.4	98	7.6	4.4	58.8	14.9	155.4	59.8	2.6	99	16.8	180.9	57.9	4.7	98	16.5	200.1	58.6	0.0	98								
HYLAND SEEDS HLR234		90	P250	17.8	210.6	58.4	2.9	95	7.8	4.6	58.3	15.4	186.8	59.1	5.4	98	18.1	215.0	58.1	1.9	91	19.8	230.1	57.9	1.3	96								
JUNG 6432YGCb		95	P250	17.6	201.1	58.4	4.4	92	8.2	3.7	60.0	15.7	184.5	58.3	10.2	98	18.0	200.3	58.2	0.4	90	19.2	218.5	58.7	2.5	90								
LEGACY 37L84		94	C125X	18.1	189.2	57.6	2.7	85	7.7	4.4	58.8	15.2	170.6	58.9	5.2	94	18.7	189.2	56.8	1.6	80	20.3	207.9	57.0	1.2	81								
MAIZELEAF ML42/90		90	P250	17.9	197.3	58.9	1.1	94	7.8	3.6	59.0	15.7	176.8	59.2	2.9	98	18.0	206.0	58.7	0.4	98	20.0	209.0	58.9	0.0	85								
PARTNERS BRAND 410RRYGPPlus		92	C250	17.9	211.9	58.7	1.8	95	8.3	4.4	57.4	15.4	186.3	60.6	5.4	95	18.3	215.1	57.7	0.0	96	19.9	234.4*	57.8	0.0	94								
NK Brand N3030Bt		93	C250	18.5	208.1	58.4	9.3	96	8.6	4.5	58.5	16.8	202.9**	59.3	23.9	99	18.5	206.8	58.2	1.2	92	20.3	214.5	57.8	2.9	96								
NK Brand N35-27		94	P250	18.2	183.8	58.2	3.0	94	8.8	4.2	58.3	16.9	162.0	59.0	7.4	100	19.9	196.1	58.2	1.1	97	21.8	193.4	57.5	0.4	87								
NK Brand N34-F1		94	C260	18.7	224.2**	56.5	3																											

BRAND / HYBRID	RM	TRT	%H2O	BuA	Twt	%SL	Prot	Oil	Strch	%H2O	BuA	Twt	%SL	%Sd	%H2O	BuA	Twt	%SL	%Sd	%H2O	BuA	Twt	%SL	%Sd	
			%H2O	BuA	Twt	%SL	Prot	Oil	Strch	%H2O	BuA	Twt	%SL	%Sd	%H2O	BuA	Twt	%SL	%Sd	%H2O	BuA	Twt	%SL	%Sd	
RENK RK488RR	95	18.0	212.9	58.4	1.3	92	7.7	4.4	58.8	15.5	187.7	59.7	2.9	95	18.5	220.3 *	57.7	0.4	92	20.0	230.6	57.7	0.7	90	
VIGORO V3160	91	P250	18.0	189.5	58.6	3.0	94	8.5	3.5	59.0	15.3	159.2	60.0	5.9	100	19.3	214.2	58.0	0.7	92	19.5	195.2	57.9	2.5	91
VIGORO V32YR62	92	17.8	206.6	59.5	4.1	94	7.7	4.2	56.0	15.6	180.8	60.2	6.8	97	17.8	213.9	59.3	1.9	92	20.1	225.0	59.1	3.5	93	
VIGORO V35R66	93	P250	18.3	196.1	57.6	2.4	87	7.8	4.5	58.3	15.6	190.8 *	58.6	5.4	98	18.6	201.3	57.5	1.3	83	20.8	196.3	56.7	0.4	81
AVERAGE																									
HIGHEST																									
LOWEST																									
CV (%)	3.5	6.2	1.4	128	5	4.1	6.7	1.1	3.4	5.4	1.9	77	3	4.1	6.9	1.2	282	7	2.3	5.7	0.8	162	5	91	
LSD (.05%)	0.4	8.3	0.6	2.7	3	0.4	0.3	0.7	0.7	13.4	1.6	6.9	4	1.0	19.8	1.9	11.8	8	0.7	17.5	0.6	6.9	6	63	
2 Year Averages																									
EARLY TRIAL AVERAGE																									
BRAND / HYBRID	RM		%H2O	BuA	Twt	%SL	Prot	Oil	Strch	%H2O	BuA	Twt	%SL	%Sd	%H2O	BuA	Twt	%SL	%Sd	%H2O	BuA	Twt	%SL	%Sd	
BAYSIDE 1795	95	22.2	184.7	54.7	2.7	98	8.5	3.7	59.3	20.8	152.7	54.3	4.8	100	24.3	194.8	53.7	0.1	98	21.7	206.5	56.2	3.0	97	
BAYSIDE NorthGro NG5072RR	93	21.7	190.7	54.7	2.3	98	8.0	3.9	60.0	20.6	158.3	54.4	3.9	99	23.5	202.0 *	53.4	0.9	98	21.0	211.8	56.2	2.2	96	
BAYSIDE Super 93	93	21.8	193.5	54.3	2.4	99	8.3	3.8	59.4	20.2	160.4	54.6	5.4	99	24.0	205.7 *	52.8	0.5	99	21.2	214.4	55.7	1.3	99	
DEKALB DKC40-05	90	19.0	189.5	56.4	2.6	99	7.2	4.3	59.2	18.1	162.9	56.2	3.4	100	20.1	186.2	55.5	1.7	98	18.8	219.4	57.4	2.8	99	
DEKALB DKC42-95 (RR2/YGCB)	92	21.1	199.6	55.7	2.8	97	7.6	3.8	59.1	20.5	170.6	55.6	6.4	99	22.7	205.6 *	54.5	1.0	100	20.1	222.5 *	57.2	1.0	93	
DYNAGRO 53F49	92	21.1	188.3	55.9	2.3	91	7.4	3.9	58.7	20.0	169.9	55.8	4.5	97	22.8	186.8	54.5	0.6	89	20.4	208.3	57.5	1.8	88	
DYNAGRO 53F98	95	20.8	192.2	55.6	2.3	95	7.5	4.4	58.4	20.4	166.3	55.1	5.1	98	22.0	194.6	54.5	0.9	93	20.0	215.8	57.1	1.0	95	
DYNAGRO 53P30	92	20.9	199.6	56.6	2.6	98	7.7	4.0	58.6	20.7	179.0 *	56.3	4.5	99	22.0	199.0	55.3	0.8	99	19.9	220.9	58.3	2.5	96	
GARST 8880YG1	95	21.0	206.4 **	55.1	3.2	100	7.7	4.6	57.9	20.5	177.0 *	55.0	7.3	99	22.0	211.0 **	54.2	0.6	100	20.4	231.3 *	56.1	1.8	100	
GARST 8822YG1	91	20.6	202.3 *	56.4	2.5	99	7.4	4.0	58.9	20.2	173.8 *	55.9	6.2	99	21.7	203.0 *	55.4	0.7	99	19.8	230.0 *	58.0	0.7	99	
GOLDEN HARVEST H-5665RR	90	20.0	188.2	57.5	1.8	98	8.0	3.4	59.5	18.7	171.1	56.9	3.1	100	22.1	192.2	56.6	0.9	97	19.1	201.3	58.9	1.5	98	
GOLDEN HARVEST H-6907RR	95	21.0	199.0	55.6	2.2	100	7.6	4.4	58.6	20.5	171.8 *	55.1	4.1	100	22.6	200.5	54.4	0.8	100	20.0	224.6 *	57.3	1.8	100	
GOLDEN HARVEST H-7007BT	95	20.6	203.8 *	55.4	3.7	98	7.6	4.5	58.2	19.8	179.1 **	54.8	7.2	99	22.1	207.1 *	54.3	0.6	97	20.1	225.3 *	57.2	3.3	97	
GREAT LAKES 4521RR	95	21.0	192.7	55.4	2.0	94	8.0	4.5	57.8	20.2	174.0 *	55.2	3.5	99	22.7	195.0	54.3	1.2	95	20.3	209.2	56.8	1.2	90	
HYLAND SEEDS HL2368	90	21.1	198.8	55.1	1.8	98	7.7	4.5	58.1	20.5	173.1 *	54.4	3.2	98	22.9	204.5 *	53.9	1.0	98	19.8	218.8	57.1	1.3	97	
JUNG 6432YGCB	95	21.0	200.9	55.1	2.7	99	7.4	4.3	58.9	20.4	170.3	54.3	6.0	99	22.1	201.1	54.5	0.8	99	20.4	231.4 **	56.4	1.1	99	
LEGACY 37LB4	94	20.9	189.1	55.1	2.7	93	7.7	4.3	58.6	19.8	167.5	54.7	4.7	97	22.6	187.9	53.9	1.0	90	20.3	212.0	56.6	2.6	90	
NK Brand N3030BT	93	21.0	185.9	56.2	7.0	97	8.3	4.3	58.7	19.9	173.1 *	56.4	15.1	100	22.6	187.8	55.0	1.6	95	20.5	197.0	57.3	4.3	96	
NK Brand N35-B8	95	21.2	194.5	55.4	4.1	96	7.8	4.4	57.7	19.9	168.2	56.4	6.6	97	23.3	193.5	53.2	1.5	95	20.4	221.8	56.5	4.1	96	
PIONEER 38W22	92	20.9	178.9	58.5	6.0	98	8.6	3.8	57.8	19.7	159.8	58.2	4.0	100	23.0	184.9	57.5	1.6	96	20.0	192.0	59.7	12.3	98	
RENK RK48RRYGC	92	21.2	195.8	56.9	2.2	98	7.7	4.1	58.7	20.6	174.0 *	56.3	5.0	99	22.7	194.1	55.7	0.7	96	20.3	219.3	58.7	0.8	98	
RENK RK438YGC	92	20.8	190.9	56.2	2.6	93	7.6	4.0	58.7	20.0	170.4	55.6	4.6	99	22.4	187.9	55.3	1.0	89	20.0	214.4	57.8	2.2	90	
RENK RK488RR	95	20.8	198.4	55.8	2.0	96	7.6	4.3	58.4	20.1	175.7 *	55.7	3.4	98	22.3	203.0 *	54.3	1.4	96	19.9	216.7	57.3	1.2	95	
AVERAGE																									
HIGHEST																									
LOWEST																									
CV (%)	3.8	5.4	1.4	112	4	4.1	6.6	1.1	4.5	5.1	1.7	70	2	3.8	5.7	1.3	222	5	2.6	5.2	0.9	140	4	99	
LSD (.05%)	0.4	5.0	0.4	1.6	2	0.3	0.2	0.6	0.7	7.3	0.8	3.2	2	0.7	9.4	0.6	2.7	4	0.4	9.2	0.4	2.3	3	99	
3 Year Averages																									
BRAND / HYBRID	RM		%H2O	BuA	Twt	%SL	Prot	Oil	Strch	%H2O	BuA	Twt	%SL	%Sd	%H2O	BuA	Twt	%SL	%Sd	%H2O	BuA	Twt	%SL	%Sd	
BAYSIDE 1795	95	23.7	180.2	53.2	2.8	96	8.3	3.5	59.6	21.6	151.7	53.3	4.8	98	25.5	193.0	52.2	1.0	95	23.8	195.8	54.0	2.7	94	
BAYSIDE NorthGro NG5072RR	93	22.6	186.1	53.6	2.4	97	8.0	3.8	60.0	21.0	160.5	53.9	3.5	99	24.2	199.2 *	52.5	1.0	98	22.7	198.7	54.4	2.6	94	
BAYSIDE Super 93	93	22.8	187.8	53.1	2.2	97	8.0	3.7	59.8	20.6	160.8	53.8	4.6	98	24.8	199.8 *	51.6	0.6	98	23.1	202.8	53.8	1.6	95	
DEKALB DKC42-95 (RR2/YGCB)	92	22.4	194.7	54.3	2.2	98	7.6	3.8	59.0	21.4	170.1	54.6	5.1	99	23.7	202.7 *	53.2	0.8	100	21.9	211.3	55.2	0.9	95	
DYNAGRO 53F49	92	22.1	188.9	54.8	1.7	93	7.2	3.8	59.1	20.7	171.1	55.3	3.3	98	23.7	191.3	53.5	0.5	92	22.0	204.2	55.8	1.2	88	
DYNAGRO 53F98	95	22.2	189.6	54.1	2.2	93	7.5	4.4	58.3	21.5	168.4	54.3	4.2	95	23.2	197.6 *	53.0	1.2	93	22.0	202.8	54.9	1.3	92	
DYNAGRO 53P30	92	22.0	195.5	55.4	2.1	96	7.7	4.0	58.4	21.3	178.0 **	55.4	3.4	97	23.1	199.2 *	54.3	0.9	97	21.7	209.3	56.6	2.0	94	
GARST 8880YG1	95	22.2	201.4 **	53.6	2.3	99	7.6	4.5	58.1	21.1	175.8 *	54.2	4.9	99	23.3	204.7 **	52.5	0.4	99	22.3	223.7 **	54.1	1.6	99	

TABLE 3E - Continued from page 19.

HURON, MASON & MONTCALM COUNTY GRAIN TRIALS - EARLY (95 Day and Earlier)

ZONE 3

3 Year Averages		EARLY TRIAL AVERAGE						% QUALITY						HURON - EARLY						MASON - EARLY						MONTCALM - EARLY					
BRAND/HYBRID	RM	%H2O	Bu/A	Twt	%SL	%Sd	Prot	Oil	Starch	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd		
HYLAND SEEDS HL2368	90	22.0	193.7	53.9	1.8	98	7.5	4.3	58.5	20.6	168.6	54.1	3.1	99	23.7	203.1*	52.6	0.9	98	21.7	209.5	55.0	1.3	97							
JUNG 6432YGCb	95	22.2	196.2	53.6	2.1	99	7.3	4.3	58.8	21.0	170.4	54.1	4.4	100	23.4	197.8*	52.7	0.9	99	22.4	220.3*	54.2	1.0	99							
NK Brand N3030Bt	93	22.1	187.5	55.0	5.1	98	8.4	4.2	58.6	20.8	174.9*	55.7	10.7	100	23.6	53.6	1.3	97	22.0	196.2	55.7	3.3	97								
NK Brand N35-B8	95	22.7	191.7	53.9	3.1	97	7.9	4.3	57.8	20.4	168.2	55.8	4.9	97	24.8	191.8	51.7	1.4	97	22.9	215.2	54.2	3.0	97							
RENK RK38RRYGCb	92	22.4	191.4	55.5	1.7	97	7.6	3.9	58.9	21.5	170.7	55.4	3.9	97	23.9	191.8	54.3	0.5	96	21.9	211.8	56.9	0.9	97							
AVERAGE		22.4	191.1	54.2	2.4	97	7.7	4.0	58.8	21.0	168.4	54.6	4.7	98	23.9	197.2	52.9	0.9	97	22.3	207.8	55.0	1.8	95							
HIGHEST		23.7	201.4	55.5	5.1	99	8.4	4.5	60.0	21.6	178.0	55.8	10.7	100	25.5	204.7	54.3	1.4	100	23.8	223.7	56.9	3.3	99							
LOWEST		22.0	180.2	53.1	1.7	93	7.2	3.5	57.8	20.4	151.7	53.3	3.1	95	23.1	191.3	51.6	0.4	92	21.7	195.8	53.8	0.9	88							
CV (%)		4.3	5.3	1.5	108	4	4.0	6.4	1.1	5.6	5.2	1.8	70	3	3.7	5.5	1.4	198	4	3.2	5.0	1.0	130	5							
LSD (.05%)		0.3	4.0	0.3	1.2	1	0.2	0.2	0.5	0.7	6.0	0.7	2.4	2	0.5	7.3	0.5	1.8	3	0.5	7.1	0.4	1.7	3							

TABLE 3L.

HURON, MASON & MONTCALM COUNTY GRAIN TRIALS - LATE (96 Day and Later)

ZONE 3

2005		LATE TRIAL AVERAGE						% QUALITY						HURON - LATE						MASON - LATE						MONTCALM - LATE					
BRAND/HYBRID	RM	TRT	%H2O	Bu/A	Twt	%SL	%Sd	Prot	Oil	Starch	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd	
BAYSIDE 1700	100	P250	196.6	57.3	1.9	97	9.1	3.9	58.4	16.0	163.7	59.0	2.5	99	20.8	212.4	57.0	1.4	99	23.1	213.8	56.0	1.7	93							
BAYSIDE 2103	103	P250	211.8	55.9	5.7	95	8.1	3.4	59.3	16.9	180.4*	58.3	4.7	100	22.1	237.5*	54.6	1.2	94	24.1	217.6	54.9	11.1	91							
BAYSIDE 4100	100	P250	205.7	57.1	1.9	93	7.8	3.4	60.3	16.6	176.0*	58.5	4.4	94	22.4	208.6	55.8	0.4	91	21.4	232.6	56.9	1.0	94							
BAYSIDE NorthGro NG5570RR	101	P250	190.3	57.0	3.2	87	9.4	3.6	57.9	17.5	161.3	58.4	1.3	95	21.4	213.4	56.2	1.8	92	22.7	196.2	56.3	6.5	74							
BROWN 5636	98	C125	200.0	55.6	3.0	91	8.1	3.6	59.6	17.1	167.8	57.8	1.9	98	22.3	220.9	54.7	0.4	91	24.0	211.4	54.3	6.6	83							
CROPLAN 412HX/LL	100	C250	210.4	55.2	1.0	100	8.4	3.4	59.5	16.5	165.9	57.1	2.1	100	22.8	226.6	54.4	0.4	100	23.8	238.6	54.0	0.4	99							
CROPLAN 421RR/Rbt	100	C250	190.0	225.3*	59.0	0.9	99	8.3	4.2	58.6	15.0	182.1*	60.1	1.8	100	20.1	245.1*	58.6	0.0	99	22.0	248.8*	58.2	0.8	97						
CROPLAN 491Bt	102	C250	215.8	58.5	1.9	99	8.1	3.9	58.3	16.6	171.3	60.0	4.9	99	20.0	223.1	57.8	0.0	100	22.8	252.9*	57.8	0.8	98							
DAHLCO DS2482Bt	96	P250	18.9	209.5	57.7	1.6	98	7.5	4.6	58.5	16.0	185.7*	59.1	4.2	100	20.0	207.8	56.3	0.4	97	20.7	234.9	57.7	0.3	96						
DAIRYLAND STEALTH-5497	98	P250	17.8	214.1	58.0	0.8	99	7.4	4.3	58.9	15.2	173.7	58.9	1.1	100	18.1	218.5	57.6	0.4	98	20.1	250.0*	57.4	0.8	100						
DAIRYLAND STEALTH-6503	103	P250	21.8	200.7	55.7	4.7	95	8.6	3.5	59.2	18.1	168.6	57.9	5.9	97	23.5	223.8	54.1	1.5	94	23.9	209.6	55.0	6.8	94						
DEKALB DKC47-10 (RR2/YGCB)	97	P250	18.4	207.4	59.0	1.5	99	7.5	4.2	58.8	15.6	170.7	59.4	0.3	100	19.3	216.4	58.5	0.7	99	20.2	235.1	59.1	3.4	97						
DEKALB DKC48-52 (RR2)	98	P250	17.9	209.0	57.7	3.7	96	7.5	3.8	59.2	15.0	177.7*	58.9	5.1	97	19.2	227.0	56.7	0.4	99	19.6	222.2	57.6	5.7	91						
DYNAGRO 54K11	96	P250	19.0	182.0	58.3	1.7	77	7.8	4.4	59.5	15.5	168.9	60.0	3.6	90	19.8	200.0	57.7	0.8	84	21.8	177.0	57.2	0.6	56						
DYNAGRO 54K61	97	P250	18.0	188.8	57.3	3.0	81	8.5	4.3	58.4	15.6	169.9	58.0	3.7	92	19.4	193.4	56.7	1.9	74	19.0	203.2	57.2	3.3	76						
GREAT LAKES 4689BIRR	101	P250	20.3	210.1	58.3	2.6	96	8.4	4.4	58.5	16.0	170.0	59.9	4.1	100	22.3	216.6	57.2	0.8	93	22.6	243.7*	57.3	3.0	94						
GREAT LAKES 5110BRR	101	P250	20.3	203.8	55.6	8.0	96	8.5	3.7	58.9	17.1	177.8	10.5	98	23.1	221.6	54.2	3.5	97	25.2	218.8	54.8	10.1	92							
HIGH CYCLE HC5PB947	99	P250	20.6	220.0*	57.2	1.8	98	8.0	4.4	58.7	17.3	180.9*	59.0	3.7	96	20.8	224.0	56.7	0.4	99	23.6	255.0*	55.8	1.4	99						
HIGH CYCLE HC7454YGCB	98	P250	18.8	202.7	57.5	1.1	94	7.3	4.4	59.1	15.9	176.1*	58.8	2.8	100	19.9	206.3	56.5	0.4	93	20.6	225.6	57.2	0.1	88						
HIGH CYCLE HC7560YGCB	100	P250	19.4	226.1**	56.3	1.8	98	7.5	4.4	58.6	16.2	173.2	57.9	2.6	93	20.3	246.9**	55.1	0.4	100	21.8	258.3**	55.8	2.3	99						
HYLAND SEEDS HLR257	99	P250	19.3	188.4	57.5	2.5	90	8.9	3.9	58.4	15.3	174.9*	58.7	3.3	96	21.3	198.2	56.6	0.4	89	21.4	192.1	57.1	3.8	86						
JUNG 6499YGCb	98	P250	19.7	208.4	56.3	2.8	99	7.7	4.6	58.3	15.8	172.4	57.6	6.4	100	20.9	212.1	55.0	0.0	99	22.3	240.7	56.2	2.1	97						
LEGACY 36H67	96	C125X	19.4	200.6	57.3	1.7	100	7.5	3.5	60.7	15.9	155.3	58.8	3.2	100	20.9	212.4	56.2	0.7	100	21.4	234.1	56.9	1.3	99						
MAIZELEAF ML45Y95	95	P250	18.0	212.2	57.3	1.7	99	8.2	3.8	59.2	15.0	173.7	58.4	1.4	100	19.0	217.1	56.3	0.4	99	20.1	245.8*	57.2	3.2	98						
MYCOGEN 2A498	99	C125	19.3	216.3	57.5	1.3	97	7.6	3.8	59.5	16.2	190.2*	58.6	1.2	100	20.7	222.1	56.8	0.0	95	21.0	236.6	57.2	2.7	95						
MYCOGEN 2B426	96	C125	18.0	212.4	58.1	1.0	100	7.5	4.7	58.8	15.7	172.7	58.8	2.4	99	18.7	213.0	57.4	0.4	100	19.6	251.6*	58.0	1.0	100						
NK Brand N41-P1	98	P250	20.3	199.1	57.0	1.2	98	8.4	4.1	58.6	17.3	176.3*	58.4	2.2	98	20.6	201.3	56.2	0.4	99	23.1	219.8	56.3	1.1	98						
NK Brand N41-R9	98	P250	19.7	197.1	57.9	4.6	100	8.9	4.1	57.6	16.5	177.1*	59.1	1.2	100	20.6	200.4	57.3	0.7	99	21.9	213.9	57.3	1.0	100						
NK Brand N45-A6	100	C250	18.1	219.0*	56.9	1.3	99</td																								

BRAND / HYBRID	RM	TRT	%H2O	Bu/A	Twt	%SL	%Sd	Prot	Oil	Strch	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd
PIONEER 38B85	96	P250	18.7	199.1	58.5	2.1	.97	8.4	4.0	57.6	15.7	179.1*	59.9	3.6	100	19.9	209.3	57.5	0.0	93	20.4	209.0	58.0	2.6	97
PIONEER 38H64	99	P250	19.1	211.6	56.6	0.6	.99	7.5	3.6	58.4	16.0	181.5*	58.2	1.9	100	19.7	219.6	55.7	0.0	100	21.6	233.6	55.9	0.0	97
RENK RK488Y/GCB	96	18.2	211.8	58.0	1.2	.95	.7	4.5	58.6	15.0	186.6*	59.0	3.3	96	19.4	210.5	57.2	0.4	97	20.1	238.4	57.9	0.0	91	
RENK RK632Y/GCB	100	20.8	203.0	55.8	1.4	.92	8.4	4.0	58.8	17.0	161.1	57.7	2.6	96	20.7	211.3	55.8	0.4	90	24.6	236.7	53.9	1.3	91	
RENK RK636RRY/GCB	102	20.9	192.8	56.4	2.0	.90	7.6	4.0	59.3	16.7	132.3	57.9	4.0	99	21.7	212.9	55.8	0.8	87	24.3	233.1	55.5	1.2	86	
RENK RK684	105	21.4	183.1	57.2	1.9	.93	8.9	4.1	58.7	19.8	154.0	57.9	2.0	97	21.7	196.2	56.8	0.4	93	22.7	199.1	57.0	3.3	89	
RENK RK772Y/GCB	104	19.6	220.0*	56.0	0.7	.98	7.5	4.3	58.3	16.5	176.6*	57.2	0.8	98	20.7	240.5*	55.0	0.4	99	21.7	242.8*	55.9	1.0	97	
RUPP XR1609	101	P250	21.6	208.0	56.1	1.6	.98	7.7	3.3	60.7	17.5	174.4	58.4	1.4	100	22.7	209.1	54.7	0.4	99	24.5	240.4	55.3	2.9	96
RUPP XR1612	103	P250	22.0	200.5	53.4	1.7	.95	8.8	3.6	59.1	19.2	174.3	54.9	3.5	95	23.0	200.7	52.5	0.4	96	23.9	226.6	52.7	1.3	93
VIGORO Ex434002	103	P250	20.9	218.9*	56.7	0.8	.97	8.5	3.9	58.5	16.8	185.4*	59.2	0.6	99	22.4	237.9*	56.0	1.1	99	23.5	233.5	55.0	0.7	94
VIGORO V4160	101	P250	21.4	197.7	55.4	2.4	.93	7.8	3.3	59.9	16.8	160.3	57.1	3.5	98	23.8	209.8	54.4	0.8	91	23.5	222.9	54.8	3.0	91
VIGORO V41H61	101	P250	21.1	210.7	55.5	1.1	.99	7.8	3.2	59.9	16.3	167.7	57.3	2.4	100	22.6	227.5	54.3	0.7	100	24.3	237.0	54.8	0.1	100
VIGORO V43Y31	103	C250	20.9	196.6	57.5	0.9	.94	8.8	4.3	58.3	16.6	169.0	60.0	1.6	98	23.0	217.9	55.7	0.0	96	23.2	203.0	56.9	1.1	88
AVERAGE			19.9	204.9	57.0	2.2	.95	8.1	4.0	58.9	16.4	172.4	58.5	3.2	98	21.0	216.6	56.2	0.6	95	22.2	225.8	56.4	2.9	92
HIGHEST			22.6	226.1	60.4	8.0	100	9.4	4.7	60.7	19.8	193.4	61.4	10.5	100	23.8	246.9	59.7	3.5	100	25.2	258.3	60.1	11.8	100
LOWEST			17.8	182.0	53.4	0.6	.77	7.3	3.2	57.4	15.0	132.3	54.9	0.3	90	18.1	193.4	52.5	0.0	74	19.0	177.0	52.8	0.0	56
CV (%)			5.2	6.5	1.3	144	4	3.7	6.4	1.1	6.8	7.8	1.3	127	3	4.3	6.2	1.3	189	4	2.9	5.5	1.2	122	4
LSD (.05%)			0.7	8.9	0.5	2.1	2	0.4	0.3	0.8	1.6	18.8	1.0	5.7	4	1.3	18.8	1.0	3.0	11	0.9	17.5	0.9	5.0	11

BRAND / HYBRID	RM	TRT	%H2O	Bu/A	Twt	%SL	%Sd	Prot	Oil	Strch	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd
2 Year Averages			LATE TRIAL AVERAGE			% QUALITY					HURON - LATE			MASON - LATE											
BRAND / HYBRID	RM		%H2O	Bu/A	Twt	%SL	%Sd	Prot	Oil	Strch	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd
BAYSIDE 1700	100	23.1	187.3	54.7	1.8	.98	8.9	3.8	58.6	21.1	154.9	54.8	1.7	100	25.9	190.9	53.0	2.0	99	22.4	216.0	56.4	1.7	96	
BROWN 5636	98	24.3	192.9	53.3	2.4	.95	8.1	3.5	59.3	22.8	156.9	53.1	1.7	99	27.1	202.2	51.9	0.7	95	23.0	219.6	54.9	4.8	91	
DAIRYLAND STEALTH-5497	98	21.2	197.3	54.9	1.7	.99	7.5	4.4	58.5	20.5	165.4*	54.5	2.2	100	22.8	201.1	53.8	0.4	99	20.3	225.5*	56.4	2.4	99	
DEKALB DKC47-10 (RR2/YGCB)	97	21.1	196.4	56.4	2.6	.99	7.4	4.0	59.0	20.5	165.2*	55.7	1.2	100	22.7	199.7	55.0	2.1	100	20.2	224.2	58.5	4.6	99	
DEKALB DKC48-52 (RR2)	98	21.4	194.9	54.9	2.2	.96	7.3	3.8	59.4	21.3	165.4*	54.4	2.7	98	22.9	202.9	53.4	0.2	99	20.0	216.6	56.8	3.7	92	
HIGH CYCLE HC7560/YGCB	100	23.3	204.2**	53.5	4.4	.99	7.9	4.5	58.2	23.1	163.4*	52.9	1.3	97	24.8	214.7*	52.2	1.9	100	22.1	234.5**	55.4	9.9	100	
MYCOGEN 2R426	96	21.3	198.9*	55.1	1.2	.90	7.4	4.4	58.7	21.0	165.9*	54.3	1.8	100	23.1	201.2	53.8	0.4	100	19.8	229.6*	57.2	1.5	100	
NK Brand N45-A6	100	22.2	203.0*	53.8	1.7	.99	7.9	4.6	57.1	22.0	169.1**	53.0	2.1	100	24.5	209.6*	52.4	0.6	98	20.0	230.0*	56.1	2.4	98	
PIONEER 38B85	96	20.8	187.8	56.8	2.0	.98	8.3	4.0	58.0	20.0	163.2*	56.9	3.1	100	22.4	200.1	55.6	1.0	97	20.4	200.2	58.0	1.8	98	
RENK RK488Y/GCB	100	23.8	192.7	53.4	2.4	.96	8.1	4.1	58.7	23.0	151.3	52.9	2.0	98	25.1	203.7	52.5	0.5	95	23.4	222.9	54.8	4.6	94	
RENK RK636RRY/GCB	102	24.5	187.2	53.2	3.0	.95	7.8	4.1	58.9	23.7	135.9	53.0	2.9	99	26.2	199.6	51.9	1.8	93	23.6	226.5*	54.7	4.4	93	
RUPP XR1609	101	25.5	195.9	53.1	1.3	.99	7.7	3.4	60.4	23.7	162.4*	53.5	1.4	100	27.7	198.0	51.8	0.6	99	25.2	227.7*	54.2	2.0	98	
VIGORO V43Y31	103	24.2	188.6	54.7	2.0	.97	8.7	4.2	58.2	23.7	154.6	54.9	1.7	99	26.7	202.8	52.7	0.0	98	22.2	208.3	56.6	4.3	94	
AVERAGE			22.8	194.4	54.4	2.2	.98	7.9	4.1	58.7	22.0	159.5	54.1	2.0	99	24.8	202.0	53.1	0.9	98	21.7	221.7	56.1	3.7	96
HIGHEST			25.5	204.2	56.8	4.4	100	8.9	4.6	60.4	23.7	169.1	56.9	3.1	100	27.7	214.7	55.6	2.1	100	25.2	234.5	58.5	9.9	100
LOWEST			20.9	187.2	53.1	1.2	.95	7.3	3.4	57.1	20.0	135.4	52.9	1.2	97	22.4	190.9	51.8	0.0	93	19.8	200.2	54.2	1.5	91
CV (%)			4.8	5.9	1.3	130	3	3.8	5.7	1.1	5.9	6.7	1.2	109	2	4.2	5.4	1.2	255	3	3.4	5.3	1.2	110	4
LSD (.05%)			0.5	5.6	0.3	1.4	1	0.3	0.2	0.6	0.9	9.3	0.6	2.5	2	0.8	9.4	0.6	1.6	3	0.6	9.8	0.6	3.1	3

BRAND / HYBRID	RM		LATE TRIAL AVERAGE		% QUALITY		HURON - LATE		MASON - LATE		HURON - LATE		MASON - LATE		HURON - LATE		MASON - LATE		HURON - LATE		MASON - LATE		HURON - LATE		MASON - LATE	
BAYSIDE 1700	100	24.7	179.5	53.1	1.5	.97	8.8	3.6	58.5	22.5	153.4	53.5	1.7	100	26.5	186.0	52.0	1.5	97	25.0	199.1	53.8	1.3	93		
BROWN 5636	98	26.7	176.1	51.6	2.0	.88	8.4	3.3	58.9	26.2	144.3	51.6	2.2	91	27.9	194.1	50.8	0.6	92	26.0	190.0	52.3	3.2	82		
DAIRYLAND STEALTH-5497	98	22.4	194.4	53.5	1.3	.97	7.3	4.3	58.5	21.4	169.0**	53.6	1.5	99	23.4	200.9	52.6	0.5	97	22.5	213.3	54.1	1.8	96		
HIGH CYCLE HC7560/YGCB	100	25.0	201.1**	51.7	3.3	.99	7.8	4.4	58.3	23.7	164.7*	51.6	1.7	97	26.5	213.1**	50.7	1.0	100	24.9	225.5**	52.7	6.7	99		
NK Brand N45-A6	100	23.4	199.2*	52.5	1.4	.98	7.8	4.5	57.3	21.8	167.6*	52.7	1.6	100	25.4	211.3*	51.1	0.6	99	23.0	218.7*	53.6	2.0	95		
RUPP XR1609	101	27.6	188.7	51.7	1.3	.98	7.7	3.3	60.4	25.8	155.6	52.0	1.9	100	29.0	200.0	50.9	0.4	99	28.0	210.6	52.1	1.8	95		
RUPP XR1612	103	25.4	184.9	52.9	1.6	.97	8.6	4.1	58.2	24.2	152.0	53.5	1.5	99	27.0	202.9	51.5	0.3	98	25.0	199.6	53.9	3.0	95		
AVERAGE			5.5	5.5	1.4	118	3	3.9	5.6	1.1	6.5	6.2	1.2	99	2	5.2	5.3	1.3	233	4	4.1	5.0	1.7	100	4	
HIGHEST			22.4	176.1	51.6	1.3	.88	7.3	3.3	5																

TABLE 4.

2005

ALPENA, DELTA (LATE) & GRAND TRAVERSE COUNTY GRAIN TRIALS (95 Day and Earlier)

ZONE 4

BRAND / HYBRID	RM	TRT	TRIAL AVERAGE			% QUALITY			ALPENA			GRAND TRAVERSE			DELTA - LATE			
			%H2O	Bu/A	Twt	%SL	%Sd	Prot	Oil	Strch	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt
BAYSIDE 2090	90	P250	22.3	139.4	56.3	1.2	.99	8.7	3.2	59.9	21.7	121.5	56.8	1.1	100	20.7	141.2	57.4
BAYSIDE NorthGro NG1541RR	81	P250	22.3	135.6	56.0	0.0	.98	9.0	4.2	59.1	21.4	142.6	56.9	0.1	100	21.6	139.9	56.2
BAYSIDE Super 75	75	P250	22.3	117.4	55.7	0.5	.93	9.0	4.1	59.8	20.7	129.8	57.7	0.7	100	21.3	97.4	54.6
BAYSIDE Super 80	80	P250	21.7	145.5	55.6	1.0	.89	8.2	4.6	59.9	20.6	147.8 *	56.7	1.0	98	20.9	137.8	55.9
BAYSIDE Super 82	82	P250	20.9	135.1	55.0	2.7	.96	8.0	3.8	60.0	19.7	146.7 *	56.0	3.5	98	19.9	123.8	55.2
BAYSIDE Super 86	86	P250	21.9	136.9	55.8	1.2	.99	8.7	3.8	59.3	21.2	120.7	56.4	1.7	100	20.3	135.0	56.7
CROPLAN 314RR/Bt	92	C250	24.9	168.3 *	53.6	0.3	100	7.7	3.7	60.4	24.2	154.0 *	54.4	0.0	100	24.2	170.4 *	54.0
DAIRYLAND STEALTH-1488	88	P250	23.5	141.3	53.2	0.3	100	8.2	4.3	59.8	22.5	139.1	54.5	0.8	100	22.4	140.3	53.5
DAIRYLAND STEALTH-1785	85	P250	20.9	132.3	56.1	0.7	.97	8.4	3.7	60.1	20.0	136.7	57.0	1.8	99	19.9	131.3	56.1
DAIRYLAND STEALTH-7191	91	P250	23.3	153.5	53.6	0.4	.79	8.2	3.6	60.5	23.0	140.5	54.2	0.4	83	21.7	146.7	55.0
DEKALB DKC35-02 (RR2/YGCB)	85	P250	21.9	133.2	55.1	0.1	.99	9.9	5.0	56.1	19.8	138.1	57.1	0.0	100	22.1	120.4	53.3
DEKALB DKC37-14 (RR2)	87	P250	23.3	135.7	55.2	1.3	.99	9.1	4.4	57.9	20.9	139.3	56.6	2.3	100	23.7	128.7	53.7
DEKALB DKC40-05	90	P250	23.0	152.3	54.9	1.1	100	7.5	4.6	60.5	21.4	128.7	56.2	1.5	100	23.1	173.6 *	54.2
DYNAGRO 51K74	83	P250	21.3	141.6	56.3	1.1	.91	8.2	4.4	59.7	20.0	130.1	57.8	0.5	93	21.6	147.9	55.8
DYNAGRO 51P88	88	P250	23.4	136.5	55.4	0.5	.96	9.6	4.0	58.9	22.2	138.9	56.5	0.2	100	22.0	132.0	55.4
GARST 8921YG1/RR	90	C250	24.8	164.5	53.9	0.3	.98	8.4	4.3	59.2	24.1	149.1 *	54.5	0.0	99	23.4	168.4 *	54.8
GOLDEN HARVEST H-6565RR	90	C250	22.5	165.5	55.1	0.3	.99	7.7	3.3	61.1	21.3	159.4 **	55.9	0.0	100	22.0	161.9	55.5
GOLDEN HARVEST H-6907RR	95	C250	24.3	171.8 *	53.2	0.9	100	7.8	4.4	59.4	23.3	154.0 *	53.8	1.4	100	23.1	182.4 **	53.6
GOLDEN HARVEST H-7007BT	95	C250	25.2	173.4 **	52.4	0.4	100	7.3	4.3	60.5	24.1	159.3 *	52.8	0.1	99	24.0	169.4 *	53.2
HIGH CYCLE HCT242/YGCB	90	P250	25.4	157.0	53.0	0.4	.89	7.5	3.8	61.0	24.8	138.4	53.7	0.5	90	24.7	162.4	53.7
HYLAND SEEDS BIXXIO RR	74	P250	20.1	110.3	58.3	3.5	.95	10.2	4.9	58.1	19.3	124.9	59.5	4.0	98	20.0	100.3	58.3
HYLAND SEEDS HL2093	76	P250	20.7	104.5	55.0	3.1	.94	8.6	3.8	59.9	19.5	117.0	56.0	4.0	96	20.8	94.7	54.3
HYLAND SEEDS HL2222	79	P250	20.3	99.3	54.3	0.6	100	8.7	3.0	60.7	19.1	121.3	56.1	0.4	100	19.8	84.8	52.8
HYLAND SEEDS HL258	85	P250	24.4	129.0	56.6	2.5	.91	9.3	4.8	59.2	23.2	138.4	58.3	6.2	94	24.0	117.6	56.3
HYLAND SEEDS HLR219	85	P250	23.6	123.2	56.6	1.8	.96	9.1	4.3	59.3	22.3	126.5	58.1	2.2	100	23.8	111.9	56.2
HYLAND SEEDS HLR228	84	P250	21.4	145.4	56.1	1.1	.99	7.8	4.6	60.2	20.4	144.0	57.5	1.1	99	21.6	141.7	55.1
HYLAND SEEDS HLR234	90	P250	24.2	164.3	53.3	0.4	.98	7.4	3.9	60.2	22.5	140.6	54.4	0.7	100	23.4	172.8 *	53.5
HYLAND SEEDS JUXXIN	90	P250	23.9	135.2	54.7	0.8	.97	8.9	3.7	59.3	21.9	153.2 *	55.7	0.7	100	23.4	132.0	54.5
MYCOGEN 2P172	84	C125	22.4	142.8	56.2	0.5	100	9.2	3.8	59.3	21.7	158.4 *	56.8	0.4	100	21.8	132.7	56.5
NK Brand N16-M1	82	C250	21.0	135.7	56.8	0.3	.93	8.7	3.9	60.0	19.9	149.7 *	58.0	0.3	97	19.9	116.0	56.8
NK Brand N18-F2	84	C250	21.6	136.6	57.6	1.5	.93	8.6	3.9	60.4	20.6	135.6	58.7	3.0	95	20.6	137.9	58.0
PARTNERS BRAND 30RR	88	C125	23.3	130.7	54.0	1.0	.99	9.0	3.9	59.6	21.9	119.1	55.5	2.4	99	22.3	128.0	53.8
PIONEER 38812	88	P250	21.7	138.5	53.8	1.5	.98	9.0	3.6	59.2	19.6	149.8 *	55.6	2.9	98	21.6	126.4	52.6
PIONEER 38T41	94	P250	23.9	142.2	54.8	1.0	.83	9.8	4.0	58.0	22.6	149.0 *	56.5	2.2	93	23.7	136.2	54.3
PIONEER 38W22	92	P250	23.2	150.0	56.7	0.3	.98	8.9	3.7	59.0	21.6	144.2 *	57.6	0.1	100	23.1	145.6	56.7
VIGORO V322/R62	92	25.4	159.3	53.7	0.2	.96	8.2	3.9	60.2	25.1	137.1	54.0	0.3	99	24.3	160.5	54.3	0.4
AVERAGE	22.8	141.2	55.1	1.0	.96	8.6	4.0	59.6	21.6	139.5	56.2	1.4	98	22.1	137.5	55.0	0.8	91
HIGHEST	25.4	173.4	58.3	3.5	100	10.2	5.0	61.1	25.1	159.4	59.5	6.2	100	24.7	182.4	58.3	4.7	100
LOWEST	20.1	99.3	52.4	0.0	.79	7.3	3.0	56.1	19.1	117.0	52.8	0.0	83	19.8	84.8	52.6	0.0	66
CV (%)	3.7	8.0	1.1	1.31	4	3.8	5.4	1.1	3.3	7.8	0.9	117	2	3.4	8.7	1.2	151	6
LSD (.05%)	0.6	7.6	0.4	0.9	2	0.4	0.3	0.8	1.0	15.3	1.5	2.2	6	2.1	16.9	1.9	1.8	7

2 Year Averages		RM	# TRIAL AVERAGE						% QUALITY			ALPENA			GRAND TRAVERSE			DELTA - LATE		
BRAND / HYBRID	YR		%H2O	Bu/A	Twt	%SL	%Sd	Prot	Oil	Strch	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd
BAYSIDE 2090	90	26.0	121.7	53.9	0.8	99	9.1	3.3	58.6	29.2	117.5	51.7	0.7	100	22.9	125.8	56.2	1.0	98	
BAYSIDE NorthGro NG1541RR	81	25.3	132.4	53.9	0.9	99	9.4	3.9	58.2	27.1	138.7	52.8	0.2	100	23.5	126.1	55.1	1.5	97	Incomplete Data in 2004
BAYSIDE Super '75	75	25.3	116.1	54.5	1.5	96	9.4	4.0	58.9	27.0	128.1	54.3	0.5	100	23.6	104.2	54.7	2.4	91	
BAYSIDE Super '80	80	25.1	132.6	53.0	3.1	94	8.8	4.6	58.3	27.1	137.0	52.1	0.7	99	23.0	128.3	54.0	5.5	88	
BAYSIDE Super '82	82	25.0	131.0	53.4	2.4	98	8.7	4.0	58.8	27.6	139.3	52.6	0.7	99	22.5	122.7	54.2	2.9	97	
BAYSIDE Super '86	86	25.5	122.4	53.1	0.7	99	9.4	3.9	57.9	27.5	119.8	51.8	0.9	100	23.4	125.0	54.5	0.5	98	
DAIRYLAND STEALTH-7191	91	26.3	139.4	51.7	2.1	87	8.6	3.5	59.3	28.5	143.2	50.5	0.2	91	24.0	135.7	52.8	4.0	83	
DEKALB DKC35-02 (RR2/YGCB)	85	24.8	128.7	53.1	1.2	99	10.4	5.0	54.9	26.5	142.5	53.4	0.2	100	24.0	114.9	52.8	2.2	99	
DEKALB DKC37-14 (RR2)	87	26.2	131.6	53.0	1.5	99	9.6	4.5	56.8	26.7	141.5	53.0	1.4	100	25.7	121.8	53.0	1.6	99	
DEKALB DKC40-05	90	26.4	135.5	52.1	2.9	100	8.4	4.4	58.7	27.4	131.8	51.8	1.5	100	25.5	139.2	52.5	4.3	100	
DYNAGRO 51K74	83	24.4	137.4	53.7	1.9	94	8.7	4.5	58.5	25.7	134.3	52.8	0.9	96	23.2	140.5	54.6	2.9	92	
DYNAGRO 51P88	88	25.9	134.0	52.8	3.1	97	10.2	4.2	57.1	27.4	142.1	52.1	1.0	100	24.5	125.9	53.4	5.2	94	
GOLDEN HARVEST H-6566RR	90	25.5	145.4 *	52.8	1.3	100	8.4	3.2	59.8	27.5	148.1 **	51.2	0.4	100	23.6	142.6	54.4	2.2	99	
GOLDEN HARVEST H-6907RR	95	28.3	148.0 **	50.9	1.7	100	8.8	4.4	57.6	30.9	142.7 *	50.3	1.2	100	25.7	153.3 **	51.5	2.2	100	
GOLDEN HARVEST H-7007Bt	95	29.5	146.2 *	50.7	0.4	100	8.2	4.4	58.5	32.4	144.3 *	49.9	0.2	99	26.5	148.1 *	51.4	0.7	100	
HIGH CYCLE HC724/YGCB	90	29.2	144.1 *	51.2	2.2	95	8.4	4.0	59.1	32.1	141.3 *	50.5	0.6	94	26.3	146.8 *	52.0	3.9	95	
NK Brand N18-F2	84	24.7	130.3	55.8	2.6	95	9.0	3.9	55.9	26.2	135.3	54.7	0.5	98	23.2	125.2	56.9	2.7	93	
PIONEER 38V22	92	26.4	137.5	54.2	2.5	98	9.4	3.8	57.7	28.0	143.4 *	53.6	0.9	100	24.7	131.6	54.8	4.1	97	
AVERAGE		26.1	134.1	53.0	1.8	97	9.1	4.1	58.2	28.0	137.3	52.2	0.9	99	24.2	131.0	53.8	2.8	96	
HIGHEST		29.5	148.0	55.8	3.1	100	10.4	5.0	59.8	32.4	148.1	54.7	2.5	100	26.5	153.3	56.9	5.5	100	
LOWEST		24.4	116.1	50.7	0.4	87	8.2	3.2	54.9	25.5	117.5	49.9	0.2	91	22.5	104.2	51.4	0.5	83	
CV (%)	3.5	7.3	1.1	140	3	3.9	5.7	1.2	3.5	6.4	0.9	121	2	3.3	7.5	1.2	140	4		
LSD (.05%)	0.5	5.3	0.3	1.2	2	0.3	0.2	0.6	0.8	7.3	0.4	1.2	1	0.6	8.2	0.6	2.4	3		

TREATMENT CODES FOR SEED APPLIED INSECTICIDES

* Delta Late not included

Betta Eats List Page

Highest Yielding Hybrid

TRT	Seed Treatment	Chemical Rate
	No Seed Insecticide Applied	
C125	Cruiser® 125	0.125 mg Thiamethoxan per kernel
C250	Cruiser® 250	0.250 mg Thiamethoxan per kernel
C1250	Cruiser® 1250	1.25 mg Thiamethoxan per kernel
P250	Poncho® 250	0.25 mg Clothianidin per kernel
P1250	Poncho® 1250	1.25 mg Clothianidin per kernel

Cruiser® is a registered trademark of Syngenta Group Company
Poncho® is a registered trademark of Gustafson HC

TABLE 5.

ALGER & DELTA (EARLY) COUNTY GRAIN TRIALS (88 Day and Earlier)

ZONE 5

BRAND / HYBRID	RM	TRT	TRIAL AVERAGE			% QUALITY			ALGER			DELTA - EARLY			
			%H2O	Bu/A	Twt	%SL	%Sd	Prot	Oil	Strch	%H2O	Bu/A	Twt	%SL	%Sd
BAYSIDE Super 75	75	P250	24.9	120.1	55.0	0.8	84	10.2	4.4	58.0	24.6	119.8	55.0	1.6	71
DAIRYLAND STEALTH-1476	76	P250	24.7	112.5	57.6	4.2	84	9.9	3.5	59.9	25.4	113.4	57.4	4.5	73
DEKALB DKC35-02 (RR2/YGCB)	85	P250	24.8	135.9	54.6	2.2	99	11.1	4.9	55.6	25.3	137.9 *	54.3	4.1	99
DEKALB DKC37-14 (RR2)	87	P250	25.5	139.7	54.6	2.5	99	10.7	4.2	56.7	25.2	147.0 *	54.5	3.6	99
DYNAGRO CX04179	79	P250	23.4	112.8	56.5	2.6	89	10.7	4.5	56.9	24.0	118.8	56.1	4.1	78
HYLAND SEEDS BIXXIO RR	74	P250	22.4	99.3	56.8	3.6	99	11.1	4.7	56.9	23.2	95.5	56.6	4.2	98
HYLAND SEEDS HL2093	76	P250	23.1	100.0	54.7	4.1	93	9.6	3.7	58.4	23.7	103.9	54.7	5.6	90
HYLAND SEEDS HL2222	79	P250	22.7	101.0	54.9	1.5	100	9.2	3.3	58.9	23.1	117.1	55.3	1.2	100
HYLAND SEEDS HLR228	84	P250	22.6	144.3 *	55.7	1.4	100	8.9	4.3	58.5	23.3	148.6 *	55.2	2.1	100
JUNG 6202RR/YGCB	83	P250	24.4	149.8 **	54.7	3.0	92	9.6	4.4	57.9	25.3	140.9 *	54.0	5.3	83
MYCOGEN 2J086	80	C125	23.6	130.8	53.6	4.6	100	10.4	4.3	56.6	23.9	142.6 *	52.8	8.4	101
NK Brand N03-D8	68	C250	21.4	94.8	57.6	1.9	99	10.0	3.2	59.9	22.5	99.3	57.2	3.1	98
NK Brand N12-G3	77	C250	22.2	113.4	56.8	3.0	99	9.9	4.0	58.5	22.7	115.4	56.1	4.2	98
NK Brand N18-F2	84	C250	23.6	134.7	56.1	2.2	95	9.4	3.7	59.2	23.6	136.2 *	56.3	2.8	96
PIONEER 38B12	88	P250	24.1	139.2	53.2	1.6	100	10.1	3.8	57.3	23.9	151.5 **	53.4	2.4	100
PIONEER 39D82	87	P250	24.7	129.1	53.9	3.7	91	9.8	3.6	57.0	25.3	132.3	53.4	6.0	82
PIONEER 39F28	88	P250	25.5	146.5 *	53.8	2.1	99	9.9	4.3	57.2	25.5	150.9 *	53.7	3.0	99
PIONEER 39P78	72	P250	21.0	73.7	57.5	14.6	84	10.2	4.9	57.1	20.6	67.9	56.1	26.5	77
RENK RK192	78	24.7	126.4	53.7	1.1	85	11.0	4.3	56.6	25.5	126.7	52.7	1.3	82	
SPANGLER 1223	80	24.5	131.3	54.4	3.1	100	9.9	4.3	57.2	25.1	145.6 *	53.4	5.4	100	
SPANGLER 1303	82	23.6	131.5	55.5	1.1	100	8.9	3.2	59.2	24.6	131.0	55.2	2.2	100	
WOLF RIVER VALLEY WRV2482RR	82	23.8	145.2 *	54.6	2.6	87	9.1	4.5	58.2	24.6	143.8 *	53.7	3.7	83	
WOLF RIVER VALLEY WRV9373	73	23.6	87.1	55.1	4.3	77	10.4	3.2	59.4	24.1	86.8	54.9	6.3	73	
WOLF RIVER VALLEY WRV9983	83	25.0	143.3 *	52.9	1.6	100	9.4	4.1	58.4	24.4	148.5 *	52.8	2.1	101	
AVERAGE	23.7	122.6	55.1	3.0	94	10.0	4.0	57.9	24.1	125.9	54.8	4.7	91	23.3	119.2
HIGHEST	25.5	149.8	57.6	14.6	100	11.1	4.9	59.9	25.5	151.5	57.4	26.5	101	25.8	146.5
LOWEST	21.0	73.7	52.9	0.8	77	8.9	3.2	55.6	20.6	67.9	52.7	1.2	71	20.2	87.4
CV (%)	4.6	8.1	1.2	96	3	3.6	5.9	1.0	4.4	8.8	1.2	81	4	4.0	6.5
LSD (0.05%)	0.9	8.2	0.6	2.4	3	0.4	0.3	0.7	1.5	15.7	1.8	5.5	10	1.3	11.0

# 2 Year Averages 2005 & 2003	BRAND / HYBRID	RM	TRT	TRIAL AVERAGE			% QUALITY			ALGER			DELTA - EARLY			
				%H2O	Bu/A	Twt	%SL	%Sd	Prot	Oil	Strch	%H2O	Bu/A	Twt	%SL	%Sd
BAYSIDE Super 75	75	26.1	114.4 **	53.9	3.1	92	9.5	4.3	58.6	29.0	106.3 **	51.9	4.7	86	23.1	122.5 **

Plot not Harvested in 2004

** Highest Yielding Hybrid

* Not Significantly Different from Highest Yielding Hybrid

TABLE B.

AGRONOMIC TABLES FOR GRAIN TRIAL LOCATIONS

COUNTY		PLANTING DATES	HARVEST DATES	PREVIOUS CROP	100 % STAND	AVERAGE STAND	FERTILIZER N - P - K
Zone 1	LENAWEE	April 29	Oct. 12	Soybean	29,539	29,244	154 - 49 - 40
	BRANCH	April 28	Oct. 13	Corn	29,539	28,062	195 - 49 - 40
	CASS	April 27	Oct. 7	Soybean	27,766	26,794	235 - 102 - 76
Zone 2	KENT	April 25	Oct. 8	Corn	29,539	28,357	212 - 44 - 96
	INGHAM	April 29	Sept. 30	Soybean	29,539	29,244	175 - 50 - 100
	SAGINAW & RR	May 5	Oct. 10	Soybean	29,539	29,348	260 - 40 - 32
Zone 3	HURON & RR	May 9	Oct. 20	Sugar Beets	27,766	27,211	165 - 49 - 40
	MONTCALM	May 17	Oct. 21	Potato / Rye	29,539	27,028	197 - 25 - 20
	MONTCALM RR	April 26	Oct. 21	Corn	29,539	28,062	189 - 28 - 173
	MASON	May 10	Oct. 19	Corn	29,539	27,324	155 - 49 - 40
Zone 4	ALPENA	May 9	Oct. 17	Corn	26,509	25,979	14 - 49 - 40 +Manure
	GRAND TRAVERSE	May 10	Oct. 19	Corn	26,539	24,150	153 - 49 - 190
	DELTA	May 6	Oct. 18	Alfalfa	26,509	25,842	120 - 49 - 40 +Manure
Z5	ALGER	May 6	Oct. 17	Corn	24,237	22,056	184 - 94 - 110 +Manure

COUNTY		SOIL TYPE	SOIL TEST	FARM COOPERATOR	LOCATION
Zone 1	LENAWEE	Lenawee Silty Clay loam	pH 5.8 P 87, K 220	Jason Woods	Britton
	BRANCH	Oshtemo Sandy Loam	pH 6.8 P 113, K 147	Kyle Huff	Coldwater
	CASS	Kalamazoo Loam	pH 6.2 P 69, K 175	Dave & Mel Cripe	Cassopolis
Zone 2	KENT	Spinks Loamy Sand	pH 6.5 P 83, K 154	Pleasant Acres Farm Gerald Kayser	Caledonia
	INGHAM	Capac Loam	pH 6.4 P 40, K 119	Jorgensen Farms Jerry Jorgesen & Mike Turner	Williamston
	SAGINAW & RR	Sloan-Ceresco Complex	pH 7.2 P 41, K 144	John Spero	Birch Run
Zone 3	HURON & RR	Kilmanagh Loam	pH 6.85 P 116, K 209	Wil-Le Farms William, Ron & Ed McCrea	Bad Axe
	MONTCALM	McBride Sandy Loam	pH 5.7 P 139, K 163	Troy Sackett	Edmore
	MONTCALM RR	Montcalm - McBride Sandy Loam	pH 5.8 P 214, K 151	Montcalm Research Farm, MSU	Entrican
	MASON	Ogemaw Sandy Loam	pH 6.8 P 119, K 144	Robert & August Oshe	Scottville
Zone 4	ALPENA	Onaway Loam	pH 7.7 P 28, K 86	Corby & Fred Werth	Alpena
	GRAND TRAVERSE	Karlin Sandy Loam	pH 6.3 P 130, K 128	Richard Dennett	Buckley
	DELTA	Onaway Sandy Loam	pH 6.4 P 84, K 56	Benny Herioux	Bark River
Z5	ALGER	Eben Very Cobbly Sandy Loam	pH 7.5 P 90, K 196	Upper Peninsula Experiment Station, MSU	Chatham

ZONE 2 - 3

HURON, MONTCALM & SAGINAW COUNTY GLYPHOSATE RESISTANT GRAIN TRIALS - EARLY (96 Day and Earlier)

TABLE 6E.

2005		EARLY TRIAL AVERAGE						% QUALITY						HURON - ZONE 3						MONTCALM - ZONE 3						SAGINAW - ZONE 2					
BRAND / HYBRID	RM	TRT	%H2O	Bu/A	Twt	%SL	%Sd	Prot	Oil	Starch	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd						
BAYSIDE NorthGro NG5072RR	93	P250	17.4	199.4	57.3	3.8	100	9.2	4.6	69.9	15.6	176.1*	57.6	3.2	100	20.0	203.8*	56.2	1.9	100	16.6	218.3	58.2	6.4	100						
BAYSIDE NorthGro NG5518RR	95	P250	17.8	198.8	58.0	2.4	95	9.3	4.0	70.7	16.5	166.0	58.1	1.1	96	19.7	203.2*	57.1	1.3	96	17.3	227.1	58.9	4.8	94						
CROPLAN 314RR/Bt	92	C250	16.8	207.8	59.6	0.9	99	8.4	4.9	69.3	15.5	185.7*	59.7	1.4	100	18.3	217.5*	54.2	3.5	99	22.0	220.2	59.8	1.3	99						
DEKALB DCK37-14 (RR2)	95	C250	17.9	215.7*	58.0	3.2	100	8.4	5.3	69.5	16.2	202.1**	58.7	6.6	100	19.8	223.7*	57.2	0.8	101	17.8	221.4	58.1	2.3	100						
DEKALB DCK42-95 (RR2/YGCB)	92	P250	16.2	178.6	59.3	2.6	100	10.2	5.5	67.3	15.3	164.2	59.3	5.6	100	17.0	194.4	59.3	0.6	100	16.2	177.1	59.2	1.6	100						
GARST 884RR	95	C250	17.2	217.1*	58.3	2.1	100	8.2	4.2	70.2	15.6	194.2*	58.2	5.2	100	18.6	217.6*	57.7	0.2	100	16.5	239.6*	59.0	1.0	99						
GARST 8921YG1/RR	90	C250	16.8	206.7	58.3	3.8	99	8.6	4.8	69.4	15.8	180.2*	59.6	5.0	98	18.1	208.9*	57.9	0.2	99	16.9	216.0	58.7	3.3	98						
GREAT LAKES 4206RR	92	P250	16.9	178.9	59.6	2.4	88	9.8	4.5	69.5	15.7	172.3*	59.6	5.5	93	18.4	176.9	59.3	0.2	80	16.6	187.4	59.8	1.4	92						
GREAT LAKES 4689BRR	96	P250	18.2	219.0**	59.3	1.1	98	8.9	4.8	70.3	15.8	193.3*	60.1	2.1	100	20.9	214.3*	57.6	0.9	95	17.8	249.4**	60.1	0.3	98						
HYLAND SEEDS HLR219	85	P250	18.4	169.6	60.3	4.2	98	10.1	6.2	69.1	15.9	137.3	59.9	9.0	96	20.0	185.0	60.8	0.0	98	19.2	186.4	60.1	3.5	99						
HYLAND SEEDS HLR228	84	P250	15.7	167.1	59.1	4.0	99	8.8	5.4	69.1	15.2	156.7	58.9	4.2	100	16.7	189.0	58.6	0.9	99	15.3	155.6	59.7	6.9	98						
HYLAND SEEDS HLR234	90	P250	16.9	212.3*	58.7	1.7	99	8.5	5.5	69.2	15.6	190.3*	58.9	2.5	99	18.6	225.6**	58.1	0.7	99	16.6	221.1	59.1	1.9	99						
NK Brand N33-Z7	94	P250	19.0	193.3	58.0	1.5	99	9.1	4.7	70.4	16.7	166.7	58.7	4.2	99	20.0	202.7*	57.9	0.0	100	20.4	210.6	57.5	0.3	97						
RENK Rk438RRYGC	92	P250	17.0	207.3	59.8	1.6	99	8.7	4.5	70.1	15.9	182.6*	59.7	3.2	99	18.5	214.9*	59.7	0.1	98	16.5	224.3	60.1	1.6	100						
RENK Rk4488RR	95	P250	17.0	202.8	58.5	2.6	95	8.8	5.4	69.1	15.9	181.2*	58.7	2.8	97	18.6	210.9*	58.3	0.7	91	16.6	216.4	58.5	4.4	96						
VIGORO 232XR62	92	P250	17.2	205.3	59.5	3.8	99	8.6	4.8	69.5	15.6	184.3*	59.6	9.5	99	19.0	208.5*	59.1	0.5	98	16.9	223.2	59.9	1.9	99						
VIGORO V35RF66	95	P250	17.6	190.3	58.0	1.2	87	9.1	5.0	68.9	16.3	189.9*	58.5	2.8	98	19.4	177.8	57.1	0.5	69	17.0	203.3	58.4	0.3	93						
AVERAGE			17.3	198.7	58.8	2.5	97	9.0	5.0	69.5	15.9	178.6	59.0	4.5	99	18.9	204.7	58.4	0.5	96	17.1	212.6	59.2	2.4	98						
HIGHEST			19.0	219.0	60.3	4.2	100	10.2	6.2	70.7	16.7	202.1	60.1	9.5	100	20.9	225.6	60.8	1.9	101	20.4	249.4	60.1	6.9	100						
LOWEST			15.7	167.1	57.3	0.9	87	8.2	4.0	67.3	15.2	137.3	57.6	1.1	93	16.7	176.9	56.2	0.0	69	15.3	155.6	57.5	0.3	92						
CV (%)			2.9	5.2	0.7	111	3	4.7	6.0	1.1	3.4	6.5	0.8	90	3	3.0	4.6	0.7	165	3	2.1	4.7	0.7	94	3						
LSD (.05%)			0.3	7.0	0.3	1.9	2	0.5	0.4	1.0	0.8	33.1	0.6	11.6	8	0.8	26.6	0.6	1.1	4	0.5	14.4	0.6	6.5	7						
2 Year Averages																															
BRAND / HYBRID	RM	TRT	%H2O	Bu/A	Twt	%SL	%Sd	Prot	Oil	Starch	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd						
BAYSIDE NorthGro NG5072RR	93	P250	21.0	192.8	54.6	2.6	100	8.7	4.4	64.6	21.4	163.2	53.1	2.5	100	21.7	203.5	54.7	1.7	99	19.9	211.8	55.9	3.7	100						
BAYSIDE NorthGro NG5518RR	95	P250	21.4	190.9	54.9	2.1	96	9.0	3.9	64.9	21.3	160.3	53.7	2.1	97	22.4	197.3	54.8	1.3	96	20.7	215.1	56.2	3.1	95						
DEKALB DCK42-95 (RR2/YGCB)	92	P250	20.2	206.7**	55.8	1.9	99	7.9	4.0	64.4	20.7	185.9**	54.5	4.4	100	20.6	205.5*	56.0	0.8	100	19.3	228.7**	56.8	0.5	98						
GARST 884RR	95	P250	20.4	201.1	55.6	2.4	99	8.3	5.0	62.9	21.7	179.0*	53.9	4.7	100	20.5	211.2**	56.1	0.4	99	19.0	213.1	56.9	2.0	99						
RENK Rk438RRYGC	92	P250	20.0	201.6	57.4	1.4	99	8.3	4.4	64.1	20.5	176.2	56.1	2.6	100	20.5	209.6*	57.8	0.3	99	18.9	219.0	58.2	1.2	99						
RENK Rk4488RR	95	P250	20.2	199.2	55.8	2.4	97	8.4	5.0	62.9	20.7	175.6	54.8	3.6	98	20.8	207.8*	56.2	0.9	95	19.2	214.3	56.5	2.7	98						
AVERAGE			20.5	198.7	55.7	2.1	98	8.4	4.4	64.0	21.1	173.4	54.4	3.3	99	21.1	205.8	55.9	0.9	98	19.5	217.0	56.7	2.2	98						
HIGHEST			21.4	206.7	57.4	2.6	100	9.0	5.0	64.9	21.7	185.9	56.1	4.7	100	22.4	211.2	57.8	1.7	100	20.7	228.7	58.2	3.7	100						
LOWEST			20.0	190.9	54.6	1.4	96	7.9	3.9	62.9	20.5	160.3	53.1	2.1	97	20.5	197.3	54.7	0.3	95	18.9	211.8	55.9	0.5	95						
CV (%)			3.6	4.9	1.0	107	2	4.3	5.7	1.1	4.4	5.7	1.1	85	2	3.5	4.3	0.9	179	2	2.6	4.5	0.9	86	3						
LSD (.05%)			0.3	4.6	0.3	1.1	1	0.2	0.2	0.6	0.7	8.2	0.5	2.9	2	0.6	7.3	0.4	0.9	2	0.4	7.9	0.4	1.5	2						
3 Year Averages																															
BRAND / HYBRID	RM	TRT	%H2O	Bu/A	Twt	%SL	%Sd	Prot	Oil	Starch	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd						
BAYSIDE NorthGro NG5072RR	93	P250	21.6	188.8	53.9	2.4	98	8.4	4.2	63.2	21.8	159.5	52.7	2.3	99	23.3	203.8	53.3	1.6	96	19.6	203.2	55.7	3.3	99						
DEKALB DCK42-95 (RR2/YGCB)	92	P250	21.1	203.7**	55.0	1.5	99	7.6	3.8	63.0	21.2	179.1**	54.2	3.5	99	22.0	213.6*	54.5	0.5	99	20.1	218.3**	56.3	0.5	97						
RENK Rk438RRYGC	92	P250	20.9	188.8	53.9	1.0	98	7.6	3.8	62.4	20.8	159.5	52.7	1.9	98	22.0	203.8	53.3	0.3	96	19.6	203.2	55.7	0.5	97						
AVERAGE			21.2	197.7	55.1	1.6	98	8.0	4.1	62.9	21.2	172.0	54.0	2.6	99	22.4	210.6	54.7	0.8	98	19.9	210.6	56.5	1.5	98						
HIGHEST			21.6	203.7	56.3	2.4	99	8.4	4.2	63.2	21.8	179.1	55.1	3.5	99	23.3	214.5	56.4	0.3	98	21.8	213.3	57.6	3.3	99						
LOWEST			20.9	188.8	53.9	1.0	98	7.6	3.8	62.4	20.8	159.5	52.7	1.9	98	22.0	203.8	53.3	0.3	96	19.6	203.2	55.7	0.5	97						
CV (%)			4.3	5.1	1.2	102	3	4.1	5.4	1.1	5.2	5.7	1.0	85	2	3.3	5.2	1.0	162	4	4.0	4.3	1.0	90	3						
LSD (.05%)			0.3	3.9	0.3	1.1	1	0.2	0.2	0.6	0.7	6.8	0.5	2.1	2	0.5	7.2	0.4	0.7	3	0.5	6.1	0.4	1.2	2						

** Highest Yielding Hybrid

* Not Significantly Different from Highest Yielding Hybrid

TABLE 6L. HURON, MONTCALM & SAGINAW COUNTY GLYPHOSATE RESISTANT GRAIN TRIALS - LATE (97 Day and Later) ZONE 2-3

BRAND / HYBRID	RM	TRT	LATE TRIAL AVERAGE				% QUALITY				HURON - ZONE 3				MONTCALM - ZONE 3				SAGINAW - ZONE 2						
			%H2O	Bu/A	Twt	%SL	%Sd	Prot	Oil	Starch	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd					
AGRIGOLD A6225BIRR	100	P250	18.4	210.9*	59.0	0.8	94	9.6	4.5	69.9	15.1	182.2*	59.7	2.1	97	21.3	208.3*	57.8	0.0	91	18.5	242.1	59.4	0.4	94
BAYSIDE NorthGro NG5570RR	101	P250	19.5	190.4	57.3	1.3	89	9.9	4.1	65.0	15.6	165.0	58.6	2.0	92	21.7	179.8	55.6	0.4	83	21.1	226.4	57.6	1.4	93
CROPLAN 421RR/Bt	100	C250	17.7	208.5	58.9	0.4	99	10.1	4.9	68.4	14.9	174.3*	59.9	0.8	100	19.0	206.0*	57.8	0.0	100	19.3	245.3	59.1	0.4	96
CROPLAN 503RR2/Bt	104	C250	21.7	206.6	56.0	0.6	91	9.5	3.9	71.0	16.7	170.6*	58.5	0.8	91	24.4	210.1*	54.6	1.1	89	24.1	239.1	55.0	0.0	92
DEKALB DKC47-10 (RR2/YGCB)	97	P250	16.7	198.5	58.9	2.6	100	8.6	4.5	69.4	15.0	164.6	58.9	5.2	99	18.7	212.4*	58.3	0.0	99	16.5	218.5	59.4	2.6	100
DEKALB DKC48-52 (RR2)	98	P250	17.6	204.3	57.5	7.1	97	8.6	4.8	69.8	15.4	177.3*	57.9	19.2	99	19.0	209.5*	57.0	0.4	93	18.5	226.2	57.5	1.6	99
DEKALB DKC50-20 (RR2/YGCB)	100	P250	17.8	208.5	58.4	0.5	100	8.9	4.6	70.0	15.4	182.9*	59.1	1.1	99	19.6	207.6*	57.5	0.0	100	18.3	235.1	58.6	0.3	100
DEKALB DKC52-23 (RR2/YGCB)	102	P250	19.2	208.5	56.7	2.6	98	9.0	5.2	69.8	16.2	175.9*	57.7	6.8	99	22.0	209.6*	55.0	0.0	95	19.3	239.9	57.3	1.0	100
DEKALB DKC52-47 (RR2/YGCB)	102	P250	17.8	210.0	57.4	0.5	100	9.1	4.7	69.5	15.0	172.1*	58.1	1.1	101	19.7	214.1*	56.6	0.0	99	18.7	243.9	57.5	0.3	100
DYNAGRO 54P72	99	P250	17.5	189.4	57.0	1.5	98	10.0	4.6	68.8	14.7	149.5	57.2	2.8	100	19.0	183.2	56.8	0.3	99	18.9	235.5	56.9	1.3	97
GARST 8590RR	105	C250	21.2	199.4	55.7	1.4	99	9.2	4.6	69.9	16.9	152.6	57.4	2.3	99	23.6	209.2*	54.5	1.3	99	23.1	236.5	55.1	0.7	98
GREAT LAKES 5110BIRR	101	P250	21.5	206.7	55.3	1.9	99	9.5	3.9	70.7	17.1	164.9	57.4	5.3	100	23.9	205.9*	53.5	0.0	98	23.6	249.2	55.1	0.3	99
GREAT LAKES 5861BIRR	109	P250	23.0	220.3**	54.0	0.5	95	9.8	4.6	67.8	18.1	184.2**	56.6	0.9	99	25.0	201.4*	52.8	0.0	86	26.0	275.3**	52.5	0.7	99
HIGH CYCLE HC6N813	103	P250	21.9	205.2	56.0	0.7	95	9.4	4.1	71.4	17.3	161.3	58.4	1.4	97	24.7	207.0*	54.3	0.0	91	23.6	247.2	55.2	0.7	98
HYLAND SEEDS HLR257	99	P250	19.0	199.0	57.5	0.7	91	10.8	4.6	68.5	14.9	165.4	58.2	12.2	95	20.0	201.8*	56.8	0.8	85	19.2	229.7	57.4	1.0	94
NK Brand N41-P1	98		19.5	200.3	56.7	1.6	100	9.9	4.5	69.2	16.4	170.1*	57.8	4.3	100	21.7	202.0*	55.7	0.3	100	20.5	228.9	56.7	0.3	100
NK Brand N41-R9	98		19.0	186.4	57.8	0.8	100	10.7	5.2	67.1	16.0	154.0	58.7	2.2	99	21.8	192.1	56.5	0.0	100	19.3	213.2	58.1	0.3	100
NK Brand N58-L8	106	C250	21.0	208.7	55.8	1.8	93	9.2	4.7	69.9	16.5	179.2*	58.0	3.1	94	23.1	206.8*	54.8	0.7	88	23.5	240.1	54.7	1.7	96
PARTNERS BRAND 479RRYGC	98	C125	21.4	207.4	55.7	1.2	99	9.3	3.8	71.2	17.3	165.9*	57.6	2.6	99	23.8	203.0*	54.1	0.0	100	23.0	253.2	55.4	1.0	99
RENK RK636RRYGC	102		19.9	205.8	55.3	0.7	96	9.3	5.0	69.1	15.5	176.4*	57.4	1.5	96	22.6	203.3*	53.5	0.4	95	21.6	237.8	55.1	0.3	98
VIGORO V43YR52	103	C250	19.3	212.4	57.8	1.4	98	9.9	4.8	69.4	15.1	168.1*	57.2	2.8	100	20.0	214.4**	57.5	0.3	95	22.8	254.7	58.8	1.0	98
AVERAGE			19.5	204.2	56.9	1.6	97	9.5	4.5	69.6	16.0	169.4	58.1	3.8	98	21.7	204.2	55.8	0.3	94	20.9	239.0	56.8	0.8	98
HIGHEST			23.0	220.3	59.0	7.1	100	10.8	5.2	71.4	18.1	184.2	59.9	19.2	100	25.0	214.4	58.3	1.3	100	26.0	275.4	59.4	2.6	100
LOWEST			16.7	186.4	54.0	0.4	89	8.6	3.8	67.1	14.7	149.5	56.6	0.8	91	18.7	179.9	52.8	0.0	83	16.5	213.2	52.5	0.0	92
CV (%)			3.8	5.7	0.9	155	3	3.7	5.5	0.8	3.7	7.5	0.7	112	3	3.9	4.9	1.1	223	4	2.9	3.0	0.8	105	2
LSD (0.05%)			0.5	7.8	0.4	1.7	2	0.4	0.3	0.7	0.9	18.3	1.2	6.1	4	1.2	14.5	0.9	1.8	10	1.7	10.3	0.6	2.4	6
2 Year Averages																									
BRAND / HYBRID	RM		%H2O	Bu/A	Twt	%SL	%Sd	Prot	Oil	Starch	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd					
BAYSIDE NorthGro NG5570RR	101		22.8	192.3	54.3	1.0	94	9.1	3.7	64.6	21.8	160.0	53.9	1.5	96	23.4	192.5	53.7	0.3	90	23.3	224.5	55.4	1.2	96
DEKALB DKC47-10 (RR2/YGCB)	97		20.0	199.1	56.6	1.8	100	8.0	4.1	63.9	20.1	164.5	55.3	3.3	100	20.5	208.8	56.7	0.4	100	19.5	224.1	57.9	1.7	100
DEKALB DKC48-52 (RR2)	98		20.4	203.2	55.2	4.4	98	7.9	4.5	64.4	20.2	176.5**	54.4	10.1	100	20.3	209.7	55.6	1.8	96	20.7	223.6	55.6	1.2	99
DEKALB DKC50-20 (RR2/YGCB)	100		21.0	204.1	55.7	0.5	100	8.2	4.2	64.6	20.6	172.3*	54.9	1.1	99	21.3	211.6*	56.0	0.2	100	21.3	228.3	56.3	0.2	100
DEKALB DKC52-47 (RR2/YGCB)	102		21.0	210.6**	54.9	0.5	100	8.7	4.5	63.9	20.7	171.9*	53.8	1.1	100	20.7	217.3**	55.5	0.2	99	21.6	242.5**	55.4	0.2	100
GARST 8590RR	105		24.4	196.3	53.0	1.4	99	8.3	4.4	64.5	23.4	153.2	52.6	2.4	99	25.0	205.3	53.0	1.2	100	24.7	230.6	53.5	0.5	99
RENK RK636RRYGC	102		22.9	201.4	53.3	1.4	97	8.7	4.6	64.2	21.7	165.3	53.1	3.0	98	23.0	202.8	53.5	0.4	95	24.0	236.1*	53.4	0.7	99
AVERAGE			21.8	201.0	54.7	21.8	98	8.4	4.3	64.3	21.2	166.2	54.0	3.2	99	22.0	206.9	54.9	0.6	97	22.2	229.9	55.4	0.8	99
HIGHEST			24.4	210.6	56.6	24.4	100	9.1	4.6	64.6	23.4	176.5	55.3	10.1	100	25.0	217.3	56.7	1.8	100	24.7	242.5	57.9	1.7	100
LOWEST			20.0	192.3	53.0	20.0	94	7.9	3.7	63.9	20.1	153.2	52.6	1.1	96	20.3	192.5	53.0	0.2	90	19.5	223.6	53.4	0.2	96
CV (%)			3.7	5.3	5.2	137	2	3.9	5.5	1.0	3.9	6.3	0.8	100	2	3.6	4.1	8.9	217	3	2.6	4.2	1.0	123	2
LSD (0.05%)			0.4	5.2	1.4	1.0	1	0.3	0.2	0.5	0.6	0.8	0.4	2.8	2	0.7	7.1	4.1	0.8	2	0.5	8.3	0.5	0.8	1
3 Year Averages																									
BRAND / HYBRID	RM		%H2O	Bu/A	Twt	%SL	%Sd	Prot	Oil	Starch	%H2O	Bu/A	Twt	%SL	%Sd	%H2O	Bu/A	Twt	%SL	%Sd					
GARST 8590RR	105		25.8	192.9**	51.9	1.2	97	8.0	4.1	62.8	25.3	153.4**	51.3	2.4	96	27.0	202.1**	51.6	0.8	99	25.2	223.1**	52.7	0.5	97
CV (%)			5.3	5.3	4.3	122	3	3.8	5.2	0.9	4.9	5.8	0.8	86	2	4.8	4.3	7.3	214	3	4.1	4.3	1.3	142	3
LSD (0.05%)			0.4	4.1	0.9	0.7	1	0.2	0.2	0.4	0.6	0.6	0.3	1.9	2	0.7	5.9	2.7	0.6	2	0.6	6.9	0.5	0.7	2

** Highest Yielding Hybrid
 * Not Significantly Different from Highest Yielding Hybrid

HYBRID INDEX FOR GRAIN TRIALS

The 259 hybrids submitted for grain testing by 34 seed companies (36 brand names) resulted in 439 individual entries in the 2005 Michigan Corn Performance Trials for grain. The map of Michigan (page 7) shows each zone and the locations where the trials were located. Zones 1, 2 and 3 were divided into two maturity groups (designated early and late) on the basis of the maturity ratings (RM) submitted by the companies with results listed in separate tables. Below is a listing of company names, brand names, hybrid numbers, RM, the table designation and an E (early) or L (late) for each hybrid.

Zone 1 Tables 1E/1L	Zone 2 Tables 2E/2L	Zone 3 Tables 3E/3L	Zone 4 Table 4	Zone 5 Table 5	Glyphosate Trial Tables 6E/6L
Branch	Ingham	Huron	Alpena	Alger	Huron - Zone 3
Cass	Kent	Mason	Delta - Late	Delta - Early	Montcalm - Zone 3
Lenawee	Saginaw	Montcalm	Grand Traverse	Trial Average	Saginaw - Zone 2
Trial Average	Trial Average	Trial Average	Trial Average	Trial Average	Trial Average
AGRIGOLD HYBRIDS	RM Tables	CROPLAN GENETICS (continued)	RM Tables	UAP NORTHEAST	RM Tables
AGRIGOLD A6225BIRR	100 2E,6L	CROPLAN 364RR/Bt	95 2E,3E,6E	DYNAGRO 51K74	83 4
AGRIGOLD A6305Bt	100 2E	CROPLAN 412HX/LL	100 2E,3L	DYNAGRO 51P88	88 4
AGRIGOLD A6333	104 2L	CROPLAN 421RR/Bt	100 2E,3L,6L	DYNAGRO 53F09	95 2E,3E
AGRIGOLD A6341CL	104 2L	CROPLAN 491Bt	102 2L,3L	DYNAGRO 53F49	92 3E
AGRIGOLD A6391CL	106 1E	CROPLAN 503RR2/Bt	104 2L,6L	DYNAGRO 53K98	95 3E
AGRIGOLD A6395	107 1E	CROPLAN 576Bt	106 2L	DYNAGRO 53P30	92 3E
AGRIGOLD A6454	110 1L	CROPLAN 591	108 2L	DYNAGRO 54K11	96 2E,3L
				DYNAGRO 54K61	97 2E,3L
				DYNAGRO 54P72	99 2E,6L
MONSANTO		DAHLCO SEEDS		DYNAGRO 55N37	103 1E
ASGROW RX668RR2/YGCB	107 1L	DAHLCO DS2482Bt	96 3L	DYNAGRO 55P41	102 2L
ASGROW RX715RR2	111 1L	DAHLCO DS3920Bt	91 3E	DYNAGRO 56N17	108 1L
		DAHLCO DS4013Bt	103 2L	DYNAGRO 57B47	111 1L
		DAHLCO DS4051Bt	105 2L	DYNAGRO CX04179	79 5
BAYSIDE SEEDS, LLC		DAIRYLAND SEEDSCO., Inc.		DYNAGRO CX05103	102 2L
BAYSIDE 1700	100 2E,3L	DAIRYLAND STEALTH-1476	76 5	DYNAGRO CX05806	106 1E
BAYSIDE 1795	95 2E,3E	DAIRYLAND STEALTH-1488	88 4		
BAYSIDE 2090	90 4	DAIRYLAND STEALTH-1503	100 2E	GARST SEED COMPANY	
BAYSIDE 2103	103 1E,2L,3L	DAIRYLAND STEALTH-1598	98 2E	GARST 8445	111 1L
BAYSIDE 4095YGCB	95 2E,3E	DAIRYLAND STEALTH-1606RR	106 2L	GARST 8454YG1	112 1L
BAYSIDE 4100	100 2E,3L	DAIRYLAND STEALTH-1705	105 1E,2L	GARST 8590RR	105 2L,6L
BAYSIDE 4105	105 1E,2L	DAIRYLAND STEALTH-1709	109 1L	GARST 8665YG1	104 2L
BAYSIDE NorthGro NG1541RR	81 4	DAIRYLAND STEALTH-1785	85 4	GARST 8676IT	105 1E,2L
BAYSIDE NorthGro NG5072RR	93 2E,3E,6E	DAIRYLAND STEALTH-5007	103 1E	GARST 8689IT	104 1E,2L
BAYSIDE NorthGro NG5518RR	95 2E,3E,6E	DAIRYLAND STEALTH-5201	101 2L	GARST 8880YG1	95 2E,3E
BAYSIDE NorthGro NG5570RR	101 2L,3L,6L	DAIRYLAND STEALTH-5204	104 1E,2L	GARST 8881RR	95 2E,6E
BAYSIDE Super 75	75 4,5	DAIRYLAND STEALTH-5497	98 2E,3L	GARST 8921YG1/RR	90 3E,4,6E
BAYSIDE Super 80	80 4	DAIRYLAND STEALTH-5503	105 1E	GARST 8922YG1	91 3E
BAYSIDE Super 82	82 4	DAIRYLAND STEALTH-5611	111 1L		
BAYSIDE Super 86	86 4	DAIRYLAND STEALTH-6503	103 3L	GOLDEN HARVEST SEEDS, INC.	
BAYSIDE Super 93	93 2E,3E	DAIRYLAND STEALTH-7191	91 4	GOLDEN HARVEST H-6565RR	90 3E,4
BAYSIDE Super 105	105 2L			GOLDEN HARVEST H-6907RR	95 2E,3E,4
BECK'S SUPERIOR HYBRIDS		MONSANTO		GOLDEN HARVEST H-7007Bt	95 2E,3E,4
BECK 4996	105 1E	DEKALB DKC35-02 (RR2/YGCB)	85 4,5	GOLDEN HARVEST H-7299Bt/RR	98 2E
BECK 5222	108 1L	DEKALB DKC37-14 (RR2)	87 3E,4,5,6E	GOLDEN HARVEST H-8473	107 1E
BIO GENE SEEDS		DEKALB DKC40-05	90 3E,4	GOLDEN HARVEST H-8920	111 1L,2L
BIO GENE BG1077	107 1E	DEKALB DKC42-95 (RR2/YGCB)	92 2E,3E,6E	GOLDEN HARVEST H-9166	113 1L
BIO GENE BG1087LL	108 1L	DEKALB DKC47-10 (RR2/YGCB)	97 2E,3L,6L	GREAT LAKES HYBRIDS	
BIO GENE BG1119	109 1L	DEKALB DKC48-52 (RR2)	98 2E,3L,6L	GREAT LAKES 4206RR	92 3E,6E
BROWN SEED FARMS, INC.		DEKALB DKC48-60	98 2E,3L	GREAT LAKES 4415BtRR	94 3E
BROWN 3000YGCB	90 3E	DEKALB DKC50-20 (RR2/YGCB)	100 2E,6L	GREAT LAKES 4521RR	95 3E
BROWN 5636	98 2E,3L	DEKALB DKC52-23 (RR2/YGCB)	102 2L,6L	GREAT LAKES 4689BtRR	96 3L,6E
BROWN 6723wx	105 1E	DEKALB DKC52-47 (RR2/YGCB)	102 1E,2L,6L	GREAT LAKES 5110BtRR	101 2L,3L,6L
CORN BELT HYBRIDS		DEKALB DKC54-51 (YGCB)	104 1E,2L	GREAT LAKES 5377BtRR	103 2L
CORN BELT C435YGCB	95 2E	DEKALB DKC55-82 (RR2)	105 1E	GREAT LAKES 5711Bt	107 2L
CORN BELT C543	104 2L	DEKALB DKC57-30	107 1E	GREAT LAKES 5922	109 2L
CORN BELT C599HX1.L	109 1L	DEKALB DKC57-84 (YGCB)	107 1E	GREAT LAKES 5961BtRR	109 2L,6L
CROPLAN GENETICS		DEKALB DKC58-80 (RR2/YGCB)	108 1L	GRIES SEED FARMS, INC.	
CROPLAN 314RR/Bt	92 2E,3E,4,6E	DEKALB DKC61-45 (RR2/YGCB)	111 1L	GRIES X590	90 2E,3E
CROPLAN 334Bt	92 3E	DEKALB DKC61-50	111 1L	GRIES X598	98 1E
		DEKALB DKC61-72 (RR2)	111 1L	GRIES X5102	102 1E

TRELAY SEED COMPANY			SYNGENTA SEEDS (continued)			RUPP SEEDS, INC.			RM Tables		
HIGH CYCLE HC4G721	96	3E	NK Brand N3030Bt	93	3E	RUPP XR1609	101	2L,3L			
HIGH CYCLE HC5B353	100	2E	NK Brand N33-Z7	94	3E,6E	RUPP XR1612	103	1E,2L,3L			
HIGH CYCLE HC5B739	105	2L	NK Brand N34-F1	94	3E	RUPP XR1708	106	1E			
HIGH CYCLE HC5P825	104	2L	NK Brand N35-B8	95	3E	RUPP XR1745	108	1L			
HIGH CYCLE HC5P947	99	3L	NK Brand N36-R6	96	2E	RUPP XR1784	108	1L			
HIGH CYCLE HC6N813	103	2L,6L	NK Brand N41-P1	98	2E,3L,6L	RUPP XR1810	110	1L			
HIGH CYCLE HC7242YGCB	90	4	NK Brand N41-R9	98	2L,3L,6L	RUPP XR8544	108	1L			
HIGH CYCLE HC7454YGCB	98	3L	NK Brand N45-A6	100	2E,3L	RUPP XR8624	102	1E,2L			
HIGH CYCLE HC7560YGCB	100	2E,3L	NK Brand N50-P5	102	1E,2L						
HIGH CYCLE HC7B716	110	1L	NK Brand N51-Z7	104	1E,2L						
HIGH CYCLE HC8B524	114	1L	NK Brand N58-L8	106	2L,6L						
HYLAND SEEDS			NK Brand N61-V4	107	1E						
HYLAND SEEDS HL2093	76	4,5	NK Brand N65-C5	108	1L						
HYLAND SEEDS HL2222	79	4,5	NK Brand N71-Z3	110	1L						
HYLAND SEEDS HL2288	85	3E									
HYLAND SEEDS HL2368	90	2E,3E	PARTNERS BRAND								
HYLAND SEEDS HL2507	98	2E	PARTNERS BRAND 380RR	88	4						
HYLAND SEEDS HL2676	102	1E	PARTNERS BRAND 410RRYGPplus	90	3E						
HYLAND SEEDS HLB258	85	3E,4	PARTNERS BRAND 427RRYGPplus	92	3E						
HYLAND SEEDS HLB264	86	3E	PARTNERS BRAND 479	98	2E,3L						
HYLAND SEEDS HLB282	92	2E	PARTNERS BRAND 479RRYGCb	98	2E,3L,6L						
HYLAND SEEDS HLB292	98	2E	PARTNERS BRAND 525HX1	102	2L						
HYLAND SEEDS HLB344	103	1E	PARTNERS BRAND 528YGCb	102	2L						
HYLAND SEEDS HLR219	85	3E,4,6E	PARTNERS BRAND 531	103	2L						
HYLAND SEEDS HLR228	84	3E,4,5,6E	PARTNERS BRAND 537YGCb	103	2L						
HYLAND SEEDS HLR234	90	2E,3E,4,6E	PARTNERS BRAND 546	104	1E						
HYLAND SEEDS HLR257	99	2E,3L,6L	PARTNERS BRAND 566	106	2L						
HYLAND SEEDS BIXXIO RR	74	4,5	PARTNERS BRAND 578	108	1L						
HYLAND SEEDS JUXXIN	90	2E,3E,4	PARTNERS BRAND 584YGCb	108	1L						
HYLAND SEEDS LAXXOT Bt	94	2E	PARTNERS BRAND EX138	103	2L						
JUNG SEED GENETICS, INC.			PARTNERS BRAND EX180Bt	108	2L						
JUNG 6202RR/YGCB	83	5	PARTNERS BRAND EX4538231Bt	97	3L						
JUNG 6422RR/YGCB	99	2E									
JUNG 6432YGCb	95	3E	PIONEER HI-BRED INTERNATIONAL								
JUNG 6499YGCb	98	3L	PIONEER 33N09	114	1L						
JUNG 6545YGCb	105	1E,2L	PIONEER 34A16	110	1L						
JUNG 6710RR/YGCB	112	1L	PIONEER 34D72	107	1E,2L						
LEGACY BRAND HYBRIDS, INC.			PIONEER 34P88	110	1L						
LEGACY 35B75	104	2L	PIONEER 35A30	104	1E,2L						
LEGACY 36H67	96	3L	PIONEER 35Y33	107	1E,2L						
LEGACY 36M94	100	2E	PIONEER 36W66	102	1E,2L						
LEGACY 37L84	94	3E	PIONEER 37D25	97	2E,3L						
LEGACY EX310	112	1L	PIONEER 37F73	99	2E,3L						
LEGACY EX425	108	1L	PIONEER 38B12	88	4,5						
LEGACY EX475	109	1L	PIONEER 38B85	96	3L						
MAIZELEAF			PIONEER 38H64	99	2E,3L						
MAIZELEAF ML42Y90	90	3E	PIONEER 38T41	94	3E,4						
MAIZELEAF ML45Y95	95	2E,3L	PIONEER 38W22	92	3E,4						
MAIZELEAF ML46G02	102	2L	PIONEER 39D82	87	5						
MYCOGEN SEEDS			PIONEER 39F28	88	5						
MYCOGEN 2A498	99	3L	PIONEER 39P78	72	5						
MYCOGEN 2D673	109	1L	RENK SEED COMPANY								
MYCOGEN 2G626	105	2L	RENK RK192	78	5						
MYCOGEN 2J086	80	5	RENK RK438RRYGCb	92	3E,6E						
MYCOGEN 2P172	84	4	RENK RK438YGCb	92	3E						
MYCOGEN 2R426	96	3L	RENK RK452LLYGCb	95	2E						
MYCOGEN 2D555	103	2L	RENK RK488RR	95	2E,3E,6E						
SYNGENTA SEEDS			RENK RK488YGCb	96	2E,3L						
NK Brand N03-D8	68	5	RENK RK632YGCb	100	1E,2E,3L						
NK Brand N12-G3	77	5	RENK RK636RRYGCb	102	2E,3L,6L						
NK Brand N16-M1	82	4	RENK RK652LLYGCb	104	1E,2L						
NK Brand N18-F2	84	4,5	RENK RK684	105	1E,2L,3L						
NK Brand N29-A2	92	3E	RENK RK772YGCb	104	1E,2L,3L						
WELLMAN SEEDS, INC.			RENK RK854YGCb	112	1L						
WOLF RIVER VALLEY SEEDS			RENK RK877YGCb	112	1L						
WOLF RIVER VALLEY WRV2482RR	82	5									
WOLF RIVER VALLEY WRV9373	73	5									
WOLF RIVER VALLEY WRV9983	83	5									

2005 Silage Performance Trials

Introduction

Nine Michigan locations (see map) containing 15 silage trials were harvested. The silage index (pg. 48) contains a list of all hybrids planted in the 2005 silage trials. In cooperation with Ohio State University, a third location in Wood County, NW Ohio was included in our Zone 1 silage trial. (OSU handled planting and field care while MSU handled harvest and data analysis).

County silage results are reported in the following tables:

Tables 7E and 7L.

Zone 1 - Branch, Lenawee, and Wood (Ohio)

Tables 8E and 8L.

Zone 2 - Ingham, Kent, and Zone 3 - Huron

Table 9.

Zone 4 - Alpena, Osceola and Delta (late)

Table 10.

Zone 5 - Delta (early) and Alger

Hybrids are reported in alphabetical order in each of the tables. Results are also posted on our Web site:

<http://www.css.msu.edu/varietytrials/>

Methods

Testing procedures (randomization, replication, planting rates, etc.) for silage evaluation are the same as those utilized for the grain trials. Plots were four rows wide, and the center two rows were harvested for yield and quality.

Silage plots were harvested with a two-row self-propelled forage harvester. Electronic scales mounted on the chopper measured plot weights. Total plot weight is used to calculate green tons per acre (**GT/A**). Sub samples were collected (fodder plus grain), weighed, oven dried until weight loss was zero, then weighed again to determine the percent dry matter (**%DM**). Dry tons per acre (**DT/A**) is calculated using GT/A multiplied by %DM. The samples were ground using a 1.0 mm screen before conducting quality analysis using NIR (near infrared reflectance).

Silage Analysis

All silage tables provide silage quality data as determined by NIR analysis on freshly dried samples. Data is provided for individual locations and also averaged over multiple locations. Near infrared spectral analysis involves irradiating the ground sample with light in the near infrared spectrum (1,100 to 2,500 nm). The illuminated sample absorbs light proportional to specific chemical and physical properties. The reflected energy is measured and

correlated statistically with established forage quality levels. Results of the five quality traits analyzed are presented in the quality tables. The six quality traits are:

1. **IVD= (in vitro) digestible dry matter.** This is a measure of forage digestibility.
2. **ADF=acid detergent fiber.** Acid detergent fiber represents the less digestible portion of the corn forage, containing cellulose, lignin and heat damaged protein. ADF is closely related to the digestibility of forages. Lower ADF implies the forage is more digestible. More mature plant material will contain higher ADF concentrations. A low concentration of ADF is desirable.
3. **NDF=neutral detergent fiber.** This is a measure of the fiber content of the corn forage. It is less digestible than non-fiber constituents of the forage. Forages with high NDF levels have lower energy. NDF is also a measure of potential forage intake. High NDF levels decrease the potential forage intake. Low NDF content is desirable.
4. **NDFD=neutral detergent fiber digestability.** The portion of neutral detergent fiber digested by animals at a specified level of feed intake. High NDFD is desirable.

2005 Silage Trial Locations




TABLE C.

AGRONOMIC TABLES FOR SILAGE TRIAL LOCATIONS

COUNTY		PLANTING DATES	HARVEST DATES	PREVIOUS CROP	100 % STAND	AVERAGE STAND	FERTILIZER N - P - K
Zone 1	BRANCH	April 28	Sept. 9	Corn	29,539	28,505	195 - 49 - 40
	LENAWEE	April 29	Sept. 6,9	Soybean	29,539	28,501	171 - 37 - 30
	WOOD (OHIO)	May 9	Aug. 29 Sept. 9	Wheat	34,848	33,280	210 - 130 - 160
Zone 2	KENT	April 25	Sept. 2,8	Corn	27,266	25,903	145 - 49 - 190
	INGHAM	April 30	Aug. 2 Sept. 8	Soybean	27,266	27,130	154 - 49 - 40
	HURON	May 9	Sept. 8,19	Sugar Beets	27,266	26,721	165 - 49 - 40
Zone 4	ALPENA	May 9	Sept. 14	Corn	26,509	25,714	14 - 49 - 40 + Manure
	OSCEOLA	May 10	Sept. 15	Corn	26,509	24,653	165 - 57 - 40
	DELTA	May 6	Sept. 13	Alfalfa	26,509	25,581	120 - 49 - 40 + Manure
Z5	ALGER	May 6	Sept. 13	Corn	24,237	23,025	184 - 94 - 110 + Manure

COUNTY		SOIL TYPE	SOIL TEST	FARM COOPERATOR	LOCATION
Zone 1	BRANCH	Oshtemo Sandy Loam	pH 6.8 P 113, K 147	Kyle Huff	Coldwater
	LENAWEE	Blount Loam	pH 7.15 P 129, K 166	Bakerlad Farms Blaine Baker	Clayton
	WOOD (OHIO)	Hoytville Clay	pH 6.1 P149, K 341	Matt Davis OARDC	Hoytville, Ohio
Zone 2	KENT	Marlette loam	pH 6.2 P 278, K 257	John Oesch	Alto
	INGHAM	Capac Loam	pH 6.1 P 56, K 228	Crop & Soil Sciences Research Facility, MSU	East Lansing
	HURON	Kilmanagh Loam	pH 6.9 P 116, K 209	Wil-Le Farms William, Ron, & Ed McCrea	Bad Axe
Zone 4	ALPENA	Onaway Loam	pH 7.7 P 28, K 86	Corby & Fred Werth	Alpena
	OSCEOLA	Chelsea Sand	pH 7.2 P 83, K 234	Robert E. Lee	Marion
	DELTA	Onaway Sandy Loam	pH 6.4 P 84, K 56	Benny Herioux	Bark River
Z5	ALGER	Eben Very Cobbly Sandy Loam	pH 7.5 P 90, K 196	Upper Peninsula Experiment Station, MSU	Chatham

5. **CP=crude protein.** Forages are generally supplemented with high protein concentrates such as soybean meal to increase the protein content of ruminant diets. Corn hybrids with high protein levels require less supplementation and therefore result in lower feed costs. High protein content is desirable.
6. **STRCH=starch.** Starch from the grain, along with the digestible component of the fiber, accounts for the majority of the energy in corn silage.

Silage quality traits are reported on a dry matter basis (100 percent DM). Quality traits in these tables are intended for use in hybrid selection only. Analysis for the balancing of feed rations should be analyzed from hybrids grown on each individual farm.

MILK2000

A calculation using the MILK2000 equation (UW-Madison Dairy Science Department) estimates MK/T (milk per ton) and MK/A (milk per acre). MILK2000 estimates the dry matter intake using the NDF and CWD (cell wall digestibility) parameters of the sample. MILK2000 assumes the weight of the cow is 1,350 lbs. and that it consumes a 30 percent NDF diet. Using National Research Council (NRC, 1989) energy requirements, the estimated intake of energy from corn silage is converted to milk per ton. Milk per acre is then calculated using the estimated values for milk per ton and dry matter yield per acre.

TABLE 7E.

BRANCH, LENAWEE & WOOD (OHIO) COUNTY SILAGE TRIALS - EARLY (110 Day and Earlier)

ZONE 1

BRAND / HYBRID	RM	TRT	YIELD						% QUALITY						YIELD						% QUALITY					
			%DM			GT/A	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	Strch	%DM			GT/A	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	Strch
			%DM	GT/A	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MKT	MKA	%DM	GT/A	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MKT	MKA
ASGROW RX702YG	110	P250	46.6	18.2	8.4	99	81.8	17.6	35.7	48.8	6.4	43.3	3275	27516	50.0	18.6	9.3 *	100	81.0	16.5	34.0	44.2	6.2	45.7	3122	28876
BALDRIDGE BH609	110	P250	40.3	17.7	7.0	90	80.7	21.3	41.3	53.1	7.5	32.7	3377	23721	45.5	16.9	7.7	93	81.8	18.4	36.9	50.7	7.3	38.7	3351	25619
CAMPBELL 6990	110	P250	46.1	18.7	8.6	98	81.6	19.1	37.3	50.5	6.1	41.9	3296	28221	49.3	17.9	8.8	98	81.8	17.3	34.4	47.1	6.0	44.1	3220	28305
DAIRYLAND HI DF-3007	106	P250	43.9	20.4	8.9 *	96	82.3	18.6	36.4	51.3	6.3	41.3	3400	30156	49.0	19.2	9.4 *	97	82.8	16.8	33.9	48.9	6.1	43.9	3322	31137
DAIRYLAND STEALTH-1611	108	P250	45.3	18.7	8.4	99	80.9	19.7	38.1	49.5	6.1	40.5	3251	27413	49.6	18.2	9.0 *	98	81.4	16.9	33.8	44.9	5.9	45.7	3168	28507
DEKALB DKC52-23 (RR2/YGCB)	102	P250	50.3	16.3	8.1	97	82.1	17.4	34.9	48.3	6.2	44.7	3250	26361	52.6	15.4	8.1	94	81.6	17.0	34.2	46.2	6.2	44.5	3189	25745
DEKALB DKC54-47 (RR2/YGPL)	104	P250	45.2	19.1	8.6	97	82.2	17.6	34.9	49.0	6.8	42.0	3328	28636	48.3	17.6	8.5	97	81.5	16.9	33.8	45.2	6.6	42.3	3212	27248
DEKALB DKC55-82 (RR2)	105	P250	49.2	17.2	8.3	100	81.0	18.6	37.0	48.4	6.5	42.1	3201	26626	50.5	17.3	8.8	100	79.5	19.3	37.8	45.8	6.2	41.7	3063	26796
DEKALB DKC57-30	107	P250	52.2	16.1	8.4	91	81.3	17.5	35.2	46.6	6.4	45.5	3135	26208	54.5	14.6	8.0	89	81.2	16.3	32.9	42.9	6.4	47.8	3111	24737
DEKALB DKC57-84 (YGB)	107	P250	47.7	18.3	8.7 *	100	82.7	17.0	34.1	48.6	6.3	44.2	3301	28716	50.0	19.1	9.6 **	100	82.9	15.1	31.2	45.1	6.2	46.8	3256	31098
GRIES X5112	110	P250	42.6	20.5	8.7 *	95	81.5	18.9	36.9	49.5	6.7	39.6	3344	29057	47.0	18.7	8.8	96	82.0	16.7	33.7	46.5	6.7	42.6	3264	28840
NK Brand N65-Y3	108	C250	45.6	18.6	8.4	96	82.1	19.3	36.9	51.3	6.1	39.8	3342	28195	47.8	18.5	8.8	94	82.1	18.4	35.5	49.4	6.0	40.7	3303	29100
PIONEER 34A86	108	P250	49.2	18.2	8.8 *	98	82.0	18.2	36.7	50.5	6.6	42.6	3276	28973	52.9	17.0	9.0 *	94	81.5	17.2	35.4	47.7	6.4	45.2	3193	28650
PIONEER 35D28	108	P250	48.1	18.9	9.0 **	95	82.0	18.2	36.2	50.0	6.4	43.5	3286	29453	50.8	18.1	9.1 *	94	82.2	16.9	34.0	47.4	6.2	45.6	3238	29488
PIONEER 36K67	102	P250	46.2	17.6	8.0	92	82.1	17.8	35.2	48.8	6.4	43.6	3286	26391	48.4	16.3	7.9	98	81.5	16.5	33.0	46.8	6.4	45.1	3282	27149
RUPP XS1650	106	P250	45.6	19.0	8.6	90	80.1	20.1	38.5	48.1	6.3	40.0	3184	27225	48.3	17.9	8.7	89	79.3	19.2	37.1	44.3	6.1	41.5	3043	26333
TRELAY7012	105	P250	49.1	16.9	8.2	96	82.7	17.2	34.2	49.0	6.7	45.0	3299	26971	53.2	15.5	8.2	93	81.3	16.7	33.6	44.2	6.6	46.4	3117	25656
VIGORO V51P42	110	C250	45.1	17.9	8.0	87	81.6	18.9	37.0	50.0	6.5	41.3	3297	26326	48.1	17.4	8.4	81	81.5	16.9	34.5	46.3	6.5	42.5	3203	26818
AVERAGE			46.6	18.2	8.4	95	81.7	18.5	36.5	49.5	6.5	41.9	3285	27565	49.8	17.5	8.6	94	81.5	17.2	34.4	46.3	6.3	43.9	3204	27695
HIGHEST			52.2	20.5	9.0	100	82.7	21.3	41.3	53.1	7.5	45.5	3400	30156	54.5	19.2	9.6	100	82.9	19.3	37.8	50.7	7.3	47.8	3351	31137
LOWEST			40.3	16.1	7.0	87	80.1	17.0	34.1	46.6	6.1	32.7	3135	23721	45.5	14.6	7.7	81	79.3	15.1	31.2	42.9	5.9	38.7	3043	24737
CV (%)			5.1	6.6	5.8	4	1.5	8.4	6.6	3.2	4.1	6.1	3	6	4.9	6.6	6.0	4	1.4	8.4	6.7	3.4	5.8	2	7	
LSD (05%)			1.6	0.8	0.3	2	0.8	1.1	1.6	1.1	0.2	1.7	59	1178	2.9	1.4	0.6	5	1.3	1.7	2.7	1.9	0.3	3.0	87	2163

BRAND / HYBRID	RM	YIELD						% QUALITY						YIELD						% QUALITY					
		%DM			GT/A	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	Strch	%DM			GT/A	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	Strch
		%DM	GT/A	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MKT	MKA	%DM	GT/A	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MKT	MKA
ASGROW RX702YG	110	44.9	19.4	8.6 **	98	82.2	17.2	34.7	48.5	6.5	43.0	3337	28715	45.4	21.2	9.5 **	100	82.3	16.2	33.2	46.7	6.4	44.3	3329	31581
DAIRYLAND STEALTH-1611	108	44.5	18.9	8.4 *	98	81.4	18.4	36.0	48.1	6.2	42.1	3287	27488	47.7	18.7	8.9	99	81.9	16.8	33.5	45.9	6.1	45.5	3225	28577
PIONEER 35D28	108	45.6	18.0	8.2	96	82.5	18.1	35.6	50.7	6.5	42.8	3376	27497	45.6	18.3	8.3	96	82.8	17.2	34.1	49.6	6.5	44.0	3403	28119
RUPP XS1650	106	44.8	18.8	8.4 *	91	80.2	19.6	37.5	47.2	6.5	40.2	3198	26708	45.6	19.4	8.8	91	79.9	19.1	36.6	45.3	6.3	41.5	3144	27561
TRELAY7012	105	47.0	17.0	7.9	96	82.9	17.0	33.5	48.8	6.7	44.9	3347	26409	47.3	16.7	7.8	95	82.5	16.7	33.0	46.9	6.6	45.4	3334	25883
AVERAGE		45.4	18.4	8.3	96	81.9	18.1	35.4	48.7	6.5	42.6	3309	27363	46.3	18.8	8.6	96	81.9	17.2	34.1	46.9	6.4	44.1	3287	28344
HIGHEST		47.0	19.4	8.6	98	82.9	19.6	37.5	50.7	6.7	44.9	3376	28715	47.7	21.2	9.5	100	82.8	19.1	36.6	49.6	6.6	45.5	3403	31581
LOWEST		44.5	17.0	7.9	91	80.2	17.0	33.5	47.2	6.2	40.2	3198	26409	45.4	16.7	7.8	91	79.9	16.2	33.0	45.3	6.1	41.5	3144	25883
CV (%)		6.0	8.3	6.6	3	1.4	7.9	6.1	3.6	4.1	5.8	3	7	4.8	8.4	6.8	4	1.3	7.5	5.9	3.9	5.1	3	7	
LSD (05%)		1.5	0.8	0.3	2	0.6	0.8	1.2	0.9	0.1	1.3	49	1023	1.9	1.3	0.5	3	0.9	1.1	1.7	1.5	0.2	1.9	68	1643

BRAND / HYBRID	RM	LENAWEE - EARLY						WOOD (OHIO) - EARLY																	
		YIELD			% QUALITY			MILK 2000			YIELD			% QUALITY			MILK 2000								
%DM	GT/A	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MKT	MKA	%DM	GT/A	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MKT	MKA		
ASGROW RX702YG	110 P250	49.2	15.6	7.7	100	82.9	15.9	33.1	48.3	6.7	45.2	3279	25204	40.7	20.5	8.3	97	81.6	20.4	40.0	54.1	6.3	39.1	3426	28467
BALDRIDGE BH609	110 P250	40.6	16.1	6.5	85	82.5	19.0	37.7	53.5	8.1	35.6	3520	22876	34.8	20.0	7.0	92	77.9	26.5	49.4	55.3	7.1	23.8	3259	22667
CAMPBELL 6990	110 P250	48.6	17.7	8.5 *	100	81.7	18.1	36.0	49.2	6.3	44.0	3245	27585	40.5	20.7	8.4	95	81.4	21.9	41.6	55.2	6.1	37.6	3424	28774
DAIRYLAND STEALTH-1611	106 P250	43.9	19.8	8.7 **	99	83.1	18.1	35.2	51.9	6.6	42.0	3446	29856	38.8	22.2	8.6	93	81.2	21.0	40.2	53.2	6.4	38.0	3433	29474
DAIRYLAND STEALTH-1611	108 P250	46.0	17.1	7.9	100	80.2	20.4	39.0	49.3	6.2	38.7	3193	25132	40.5	20.8	8.4	97	81.0	21.8	41.7	54.5	6.1	37.1	3393	28601
DEKALB DKC52-23 (RR2YGCB)	102 P250	54.4	14.8	8.0	98	82.4	15.6	32.3	45.4	6.3	48.3	3191	25631	43.8	18.8	8.2	100	82.2	19.5	38.2	53.4	6.1	41.4	3369	27706
DEKALB DKC54-47 (RR2YGPL)	104 P250	44.6	18.7	8.3 *	98	83.2	17.0	33.3	49.5	7.1	43.5	3401	28241	42.9	21.1	9.0 *	97	82.1	19.0	37.7	52.4	6.8	40.1	3371	30418
DEKALB DKC55-82 (RR2)	105 P250	54.3	14.0	7.6	100	82.7	15.0	31.7	45.2	7.0	47.4	3212	24334	42.9	20.2	8.7	99	81.0	21.7	41.6	54.3	6.5	37.3	3328	28747
DEKALB DKC57-30	107 P250	52.5	16.1	8.4 *	92	81.2	17.1	34.9	46.2	6.5	45.3	3138	26275	49.6	17.7	8.8 *	93	81.3	19.3	37.9	50.7	6.3	43.3	3157	27613
DEKALB DKC57-84 (YGB)	107 P250	50.2	15.9	8.0	100	83.1	15.6	31.8	46.7	6.6	46.6	3263	26202	43.0	19.9	8.5	100	82.0	20.2	39.2	54.1	6.0	39.4	3384	28487
GRIES X5112	110 P250	42.6	20.4	8.6 *	97	82.8	17.2	34.0	49.5	7.0	42.4	3443	29689	38.3	22.6	8.7	91	79.6	22.8	43.0	52.4	6.5	33.9	3325	28483
NK Brand N65-Y3	108 C250	45.9	16.7	7.6	95	82.6	18.3	35.3	50.6	6.3	41.2	3365	25687	43.1	20.6	8.9 *	99	81.6	21.2	40.1	54.0	6.0	37.6	3358	29798
PIONEER 34A86	108 P250	51.1	17.0	8.6 *	100	83.3	16.3	33.3	49.5	6.8	44.8	3322	28596	43.6	20.5	9.0 *	100	81.1	21.2	41.5	54.4	6.5	37.7	3315	29674
PIONEER 35D28	108 P250	51.7	16.4	8.5 *	97	82.6	16.6	33.8	48.4	6.6	46.3	3247	27515	42.0	22.2	9.3 **	94	81.3	21.2	40.9	54.4	6.4	38.5	3372	31356
PIONEER 36K67	102 P250	47.5	16.1	7.6	94	82.2	16.9	33.4	46.7	6.5	45.3	3224	24522	42.7	20.3	8.6	95	81.6	20.2	39.2	53.0	6.4	40.4	3351	28903
RUPP XS1650	106 P250	49.8	17.4	8.6 *	91	81.0	18.6	36.0	47.3	6.6	42.6	3160	27222	38.7	21.7	8.4	91	79.9	22.7	42.4	52.6	6.3	35.8	3348	28121
TRELAY 7012	105 P250	50.5	16.2	8.1 *	98	84.4	14.9	30.0	48.1	6.9	48.2	3374	27332	43.6	19.0	8.3	98	82.2	20.1	39.2	54.7	6.7	40.5	3385	27924
VIGORO V51P42	110 C250	47.0	15.7	7.3	85	81.6	18.7	36.6	49.7	6.7	42.2	3251	23800	40.2	20.6	8.3	94	81.6	21.0	40.0	54.0	6.2	39.2	3438	28558
AVERAGE		48.3	16.7	8.0	96	82.4	17.2	34.3	48.6	6.7	43.9	3293	26428	41.6	20.5	8.5	96	81.1	21.2	40.8	53.7	6.4	37.8	3357	28572
HIGHEST		54.4	20.4	8.7	100	84.4	20.4	39.0	53.5	8.1	48.3	3520	29856	49.6	22.6	9.3	100	82.2	26.5	49.4	55.3	7.1	43.3	3438	31556
LOWEST		40.6	14.0	6.5	85	80.2	14.9	30.0	45.2	6.2	35.6	3138	22876	34.8	17.7	7.0	91	77.9	19.0	37.7	50.7	6.0	23.8	3157	22667
CV (%)		6.1	8.6	6.3	4	1.7	9.8	7.6	3.7	4.5	5.7	3	3	3.5	4.7	5.1	3	1.4	7.3	5.6	2.5	6.8	3	5	
LSD (.05%)		3.5	1.7	0.6	5	1.7	2.0	3.1	2.2	0.4	2.9	122	2267	1.7	1.1	0.5	3	1.4	1.8	2.7	1.6	0.3	3.1	99	1728

BRAND / HYBRID	RM	LENAWEE - EARLY						WOOD (OHIO) - EARLY															
		YIELD			% QUALITY			MILK 2000			YIELD			% QUALITY			MILK 2000						
%DM	GT/A	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MKT	MKA	%DM	GT/A	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MKT	MKA
ASGROW RX702YG	110	47.4	16.4	7.8 *	97	82.2	16.8	34.1	47.7	6.5	43.7	3270	25372										
DAIRYLAND STEALTH-1611	108	43.7	18.1	7.9 *	97	80.9	19.0	36.6	47.8	6.4	40.5	3278	25805										
PIONEER 35D28	108	48.8	16.1	7.9 *	96	82.6	17.5	34.6	49.7	6.6	44.1	3305	25923										
RUPP XS1650	106	47.5	16.9	8.0 **	91	80.6	18.8	36.4	46.9	6.6	41.0	3169	25408										
TRELAY 7012	105	49.3	16.2	8.0 **	96	83.5	15.9	31.5	47.8	6.8	46.6	3317	26459										
AVERAGE		47.3	16.8	7.9	95	82.0	17.6	34.7	48.0	6.6	43.2	3268	25793										
HIGHEST		49.3	18.1	8.0	97	83.5	19.0	36.6	49.7	6.8	46.6	3317	26459										
LOWEST		43.7	16.1	7.8	91	80.6	15.9	31.5	46.9	6.4	40.5	3169	25372										
CV (%)		7.4	10.3	7.0	3	1.6	8.9	6.7	3.8	4.4	5.8	3	8										
LSD (.05%)		2.9	1.4	0.5	3	1.1	1.3	1.9	1.5	0.2	2.1	87	1707										

** Highest Yielding Hybrid
 * Not Significantly Different from Highest Yielding Hybrid

TABLE 7L.

BRANCH, LENAWEE & WOOD (OHIO) COUNTY SILAGE TRIALS - LATE (111 Day and Later)

ZONE 1

LATE - TRIAL AVERAGE												BRANCH - LATE														
BRAND/HYBRID	RM	TRT	YIELD						% QUALITY						YIELD						% QUALITY					
			%DM	GT/A	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	MKT	MKTA	%DM	GT/A	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	MKT	MKTA		
ASGROW RX715RR2	111	P250	46.0	19.7	8.9	98	81.3	17.7	34.4	45.6	6.3	43.9	3211	28694	47.1	18.5	8.7	99	81.5	16.9	33.8	45.1	6.1	44.5	3176	27554
ASGROW RX785RR2/YGCB	113	P250	44.9	20.8	9.3*	100	82.5	17.4	34.1	48.6	6.2	43.7	3343	30972	48.9	19.0	9.3*	100	82.4	17.0	33.6	47.7	6.1	43.9	3257	30291
BECK 6197	112	P250	41.7	21.0	8.6	99	82.0	19.4	37.6	51.9	6.6	39.9	3420	29476	44.0	18.8	8.3	100	81.3	19.0	37.0	49.6	6.2	40.3	3317	27420
BECK 75388B#1	115	P250	46.0	21.0	9.4*	96	80.2	20.5	39.0	49.1	6.2	40.1	3200	30169	49.8	18.6	9.2*	99	80.2	19.0	37.0	46.3	6.1	42.6	3100	28612
CAMPBELL 7110	111	P250	45.0	20.4	9.0	97	82.3	17.9	34.8	48.8	6.1	43.4	3342	30195	45.9	19.1	8.7	99	81.6	18.1	35.1	47.5	5.8	42.9	3258	28422
DAIRYLAND STEALTH-1615	111	P250	45.2	20.1	8.9	97	82.1	18.5	35.7	49.6	5.8	43.3	3323	29759	49.1	17.9	8.8	98	81.2	17.6	35.0	46.1	5.7	44.9	3157	27814
DEKALB DKC61-45 (RR2/YGCB)	111	P250	45.3	19.4	8.7	98	80.8	18.6	36.6	47.6	6.4	42.4	3231	27987	47.4	18.1	8.6	100	79.5	18.7	37.5	45.4	6.2	42.5	3076	26302
DEKALB DKC61-72 (RR2)	111	P250	45.3	19.6	8.8	99	82.5	17.0	33.6	47.6	6.4	45.0	3328	29223	48.7	17.0	8.2	100	82.7	16.5	33.0	47.6	6.2	45.5	3290	26970
DEKALB DKC63-62 (RR2)	113	P250	49.3	19.0	9.3*	99	82.7	16.4	33.5	48.2	6.3	45.4	3261	30392	49.6	17.6	8.7	100	82.3	16.2	33.7	47.5	6.2	43.7	3247	28244
DYNAGRO 57F87	114	P250	45.2	21.6	9.6**	97	82.3	18.6	35.6	50.3	5.8	42.3	3362	32369	47.9	19.2	9.2*	99	81.9	17.8	34.9	48.0	5.6	42.4	3254	29925
DYNAGRO 5TN13	112	P250	45.8	20.7	9.3*	98	82.1	17.5	34.9	48.6	6.8	41.8	3322	30999	49.2	18.7	9.2*	98	82.2	16.4	33.4	46.7	6.7	42.8	3251	29823
DYNAGRO 58R56	116	P250	38.6	24.8	9.4*	98	80.4	21.9	41.1	52.1	6.6	34.0	3370	31645	42.9	22.4	9.5*	100	81.4	19.0	36.9	49.5	6.6	38.1	3353	31994
DYNAGRO CX05614	114	P250	42.6	21.9	9.2*	99	79.2	20.5	38.9	46.6	6.7	37.4	3168	29263	45.5	19.4	8.9*	100	78.8	19.8	38.4	44.8	6.5	38.0	3066	27131
GARST 8200YG1	119	P250	43.3	22.0	9.4*	99	82.0	18.6	35.6	49.3	6.3	41.4	3355	31587	46.8	19.2	9.0*	99	80.9	17.8	34.3	44.3	6.0	44.9	3138	28152
GARST 8880IT	115	C250	46.3	20.3	9.2*	98	81.5	17.9	34.8	46.6	6.2	44.2	3256	29981	50.2	17.5	8.7	100	81.6	16.6	33.5	44.9	6.0	45.3	3189	27802
GOLDEN HARVEST H-8920	111	C250	44.1	19.8	8.6	95	82.0	17.3	34.2	47.0	6.6	43.1	3313	28606	46.1	17.5	8.1	94	82.2	16.6	33.5	46.7	6.6	43.5	3279	26529
GOLDEN HARVEST H-9166	113	C250	44.4	20.8	9.1	99	82.1	17.5	34.3	47.6	6.6	42.0	3341	30342	47.8	18.6	8.9*	100	81.9	17.5	34.8	47.8	6.5	40.8	3257	28913
ICORN 111.E3	111	C125X	47.8	20.2	9.5*	98	81.5	18.7	36.1	48.7	6.0	42.2	3244	30961	49.1	18.8	9.2*	99	81.2	18.2	35.6	47.3	6.1	42.4	3189	29424
MYCOGEN F47/25	113	C125	42.0	19.2	7.9	98	83.6	17.9	36.4	54.8	6.3	40.6	3545	27993	45.9	15.3	7.0	99	83.3	17.5	35.8	53.2	6.0	42.7	3422	23969
NK Brand N82-J6	116	C250	41.7	22.1	9.0	97	82.2	18.6	36.4	51.0	6.4	41.0	3403	30648	46.3	20.1	9.3*	98	82.6	17.1	34.6	49.6	6.1	42.3	3328	30867
NK Brand NX9104	120	C250	35.2	27.2	9.4*	99	78.1	25.9	46.3	52.7	6.4	27.7	3245	30406	40.8	22.9	9.4*	100	79.9	22.5	41.5	51.4	5.7	34.9	3334	31167
PIONEER 33A84	113	P250	45.2	20.8	9.3*	97	82.2	17.5	34.1	47.5	6.3	43.5	3317	30781	47.7	19.7	9.4*	99	79.8	16.5	32.8	47.9	6.3	44.2	3328	31110
PIONEER 33D63	114	P250	46.4	19.9	9.0	96	83.0	16.8	33.6	49.5	6.9	43.8	3372	30454	48.5	18.8	9.1*	98	83.4	16.0	32.7	49.1	6.6	43.8	3334	30320
RUPP XS1904	113	P250	41.3	23.6	9.6**	97	80.3	20.8	38.7	49.0	6.3	38.4	3288	31676	44.3	21.6	9.6**	99	79.8	19.5	37.5	46.1	6.1	39.5	3172	30282
VIGORO V5240	112	C250	45.4	20.7	9.3*	98	81.3	19.4	36.7	48.8	5.8	41.2	3265	30409	49.0	18.1	8.8	96	80.7	18.7	35.5	45.6	5.6	42.0	3129	27612
WELLMAN W1820	115	P250	44.1	20.7	9.0	94	82.3	18.7	37.0	52.0	6.7	40.7	3400	30640	48.2	19.2	9.2*	100	81.7	18.1	35.8	48.9	6.3	42.1	3257	29872
WELLMAN W2615	115	P250	44.4	20.3	8.9	91	83.4	17.4	34.0	51.0	5.9	43.7	3446	30534	47.5	17.4	8.2	93	82.2	17.6	34.4	48.2	5.6	44.2	3277	26963
AVERAGE			44.2	21.0	9.1	97	81.7	18.7	36.2	49.3	6.3	41.3	3321	30229	47.2	18.8	8.9	99	81.5	17.9	35.2	47.5	6.1	42.4	3238	28648
HIGHEST			49.3	27.2	9.6	99	83.6	25.9	46.3	54.8	6.9	45.4	3545	32369	50.2	22.9	9.6	100	83.4	22.5	41.5	53.2	6.7	45.5	3422	31994
LOWEST			35.2	19.0	7.9	90	78.1	16.4	33.5	45.6	5.8	27.7	3168	27993	40.8	15.3	7.0	93	78.8	16.0	32.7	44.3	5.6	34.9	3066	23969
CV (%)			5.6	7.4	5.7	2	1.3	8.1	6.0	3.5	4.1	6.3	3	6	4.9	7.5	6.5	2	12	7.0	5.2	3.8	4.7	5.8	2	7
LSD (0.05%)			1.7	1.1	0.4	2	0.7	1.0	1.5	1.2	0.2	1.7	59	1312	2.7	1.7	0.7	2	12	1.5	2.2	2.1	0.3	2.9	92	2275

LATE - TRIAL AVERAGE												BRANCH - LATE													
BRAND/HYBRID	RM	YIELD						% QUALITY						YIELD						% QUALITY					
		%DM	GT/A	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	MKT	MKTA	%DM	GT/A	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	MKT	MKTA		
DAIRYLAND STEALTH-1615	111	43.3	19.1	8.2	98	83.1	18.1	35.2	51.5	6.1	42.4	3453	28185	46.0	18.9	8.7*	99	82.8	16.8	33.0	47.7	5.8	46.2	3344	28896
119	41.5	21.6	8.9**	98	81.0	19.8	37.5	49.2	6.4	38.6	3338	32961	42.1	20.9	8.7*	98	80.4	18.6	35.6	44.8	6.4	42.1	3242	28304	
113	44.1	20.4	8.9**	98	82.5	17.1	33.5	47.5	6.5	43.4	3347	29860	44.6	20.4	9.0**	99	82.9	16.6	32.6	47.4	6.5	44.4	3391	30576	
113	40.7	21.1	8.6*	93	81.4	19.8	37.2	49.9	6.3	39.8	3381	28867	43.3	20.8	9.0**	99	81.2	18.4	35.2	46.6	6.2	42.0	3249	28961	
112	44.8	19.4	8.6*	96	81.7	19.0	36.3	49.5	6.2	40.9	3316	28582	46.9	19.0	8.9*	97	81.0	18.6	35.1	46.0	5.8	42.5	3190	28397	
AVERAGE		42.9	20.3	8.6	96	81.9	18.8	35.9	49.5	6.3	41.0	3367	29031	44.6	20.0	8.9	97	81.7	17.8	34.3	46.5	6.1	43.4	3292	29157
HIGHEST		44.8	21.6	8.9	98	83.1	19.8	37.5	51.5	6.5	43.4	3453	29860	46.9	20.9	9.0	99	82.9	18.6	35.6	47.7	6.5	46.2	3391	30576
LOWEST		40.7	19.1	8.2	93	81.0	17.1	33.5	47.5	6.1	38.6	3316	28185	42.1	18.9	8.7	92	80.4	16.6</						

2005	BRAND / HYBRID	RM	TRT	YIELD				% QUALITY				MILK 2000				WOOD (OHIO) - LATE										
				%DM	GT/A	DT/A	%Std	IVD	ADF	NDF	MK/T	%DM	GT/A	DT/A	%Std	IVD	ADF	NDF	MK/T	%DM	GT/A	DT/A	%Std	IVD	ADF	NDF
ASGROW RX715RR2	111	P250	48.7	18.1	8.7	100	82.6	16.1	31.7	45.1	6.5	45.8	3257	28446	42.2	22.5	9.4	95	79.9	20.0	37.8	46.7	6.3	41.4	3200	30083
ASGROW RX785RR2/YGCB	113	P250	45.5	19.1	8.7	100	84.0	15.2	30.8	48.1	6.6	46.4	3411	29674	40.5	24.2	9.8	98	81.0	20.1	38.0	49.9	5.8	40.9	3363	32952
BECK'S 6197	112	P250	44.7	18.4	8.2	100	83.5	17.7	34.9	52.5	6.6	42.5	3448	28236	36.5	25.7	9.4	96	81.1	21.4	40.9	53.7	6.9	36.8	3495	32773
BECK'S 7538B1	115	P250	51.1	19.2	9.7 **	99	82.1	17.8	35.1	49.1	6.3	45.0	3228	31408	37.2	25.1	9.3	91	78.4	24.7	44.9	51.8	6.3	32.8	3274	30487
CAMPBELL 7110	111	P250	49.3	18.2	8.9	99	84.3	14.4	29.6	46.9	6.4	48.0	3359	29983	39.7	23.9	9.5	92	81.0	21.1	39.7	52.0	6.2	39.2	3408	32182
DAIRYLAND STEALTH-1615	111	P250	47.2	17.9	8.4	97	84.0	16.2	31.7	49.6	5.8	46.2	3382	28508	39.3	24.5	9.6	95	81.1	21.7	40.4	53.1	6.1	38.9	3430	32954
DEKALB DKC61-45 (RR2/YGCB)	111	P250	49.4	17.3	8.4	100	83.0	16.1	32.5	47.6	6.6	45.9	3288	27734	39.3	22.9	9.0	94	80.0	21.0	39.9	49.8	6.5	38.8	3328	29956
DEKALB DKC61-72 (RR2)	111	P250	46.4	18.9	8.8	100	83.7	14.9	30.0	45.6	6.4	48.6	3340	29225	40.7	23.0	9.4	98	81.0	19.7	37.8	49.8	6.7	40.9	3355	31472
DEKALB DKC63-62 (RR2)	113	P250	51.7	17.0	8.8	100	84.0	14.2	30.1	46.6	6.5	49.7	3301	28964	46.5	22.5	10.5 **	97	81.7	18.8	36.9	50.4	6.3	42.7	3236	33969
DYNAGRO 5F87	114	P250	47.4	20.3	9.5 *	99	84.0	16.9	32.8	51.3	5.8	44.8	3435	32674	40.2	25.3	10.2 *	93	81.1	21.1	39.1	51.6	6.0	39.7	3398	34509
DYNAGRO 5TN13	112	P250	48.0	19.0	9.1 *	98	84.0	15.1	31.3	48.9	7.1	45.0	3407	30832	40.3	24.4	9.8	98	80.1	20.9	40.0	50.1	6.5	37.6	3309	32343
DYNAGRO 58K56	116	P250	40.6	22.9	9.3 *	100	81.5	20.3	38.6	51.9	6.7	36.8	3432	31724	32.3	29.1	9.4	94	78.5	26.5	47.7	55.0	6.6	27.2	3326	31216
DYNAGRO CX05614	114	P250	45.0	21.2	9.5 *	100	81.3	18.5	35.5	47.3	7.0	40.5	3262	30892	37.5	25.1	9.4	97	77.6	23.3	42.9	47.8	6.5	33.9	3175	29766
GARST 8200YG1	119	P250	44.7	21.7	9.6 *	100	84.8	17.0	32.9	53.8	6.5	41.9	3556	34249	38.4	25.0	9.6	97	80.2	21.1	39.6	50.0	6.4	37.5	3370	32260
GARST 8380IT	115	C250	49.5	18.5	9.1 *	100	82.8	15.6	30.9	44.4	6.4	48.0	3223	29411	39.1	24.9	9.8	95	80.2	21.5	40.1	50.7	6.2	39.2	3358	32730
GOLDEN HARVEST H-8920	111	C250	46.6	18.5	8.6	98	83.2	15.1	30.8	45.4	6.7	46.5	3303	28408	39.5	23.4	9.2	94	80.6	20.1	38.2	49.0	6.5	39.2	3355	30881
GOLDEN HARVEST H-9166	113	C250	47.5	18.7	8.8	100	82.8	15.6	31.0	44.5	6.6	45.6	3286	28975	38.1	25.0	9.5	97	81.7	19.2	37.0	50.6	6.7	39.5	3479	33137
ICORN 111.E3	111	C125X	51.6	18.2	9.3 *	99	83.4	16.1	32.3	48.6	6.2	46.1	3307	30852	42.7	23.6	10.1 *	95	79.9	21.7	40.3	50.1	5.7	38.2	3237	32606
MYCOGEN F24725	113	C125	44.7	18.3	8.1	100	85.1	15.6	32.4	54.0	6.5	44.5	3584	28989	35.5	24.2	8.6	93	82.5	20.7	41.0	57.2	6.6	34.7	3628	31020
NK Brand N82-16	116	C250	45.1	19.0	8.6	98	84.2	15.9	32.3	51.0	6.6	44.8	3468	29723	33.8	27.2	9.2	94	79.9	22.9	42.3	52.5	6.4	36.0	3413	31356
NK Brand NX9104	120	C250	35.2	27.3	9.5 *	99	78.7	26.4	46.6	54.2	6.9	26.5	3135	31436	29.6	31.3	9.3	99	75.8	29.0	50.9	52.4	6.6	21.8	3086	28615
PIONEER 33484	113	P250	48.5	19.1	9.2 *	100	83.5	14.8	29.7	44.4	6.3	48.5	3282	30160	39.5	23.6	9.3	92	80.2	21.4	39.7	50.2	6.3	38.0	3342	31073
PIONEER 33D63	114	P250	50.7	16.1	8.1	98	83.6	15.3	31.1	47.3	7.2	47.4	3302	26759	39.9	24.8	9.9	91	82.2	19.2	37.1	52.0	7.0	40.3	3480	34282
RUPP XS1904	113	P250	43.6	22.1	9.6 *	98	81.5	19.0	35.4	48.4	6.3	41.5	3326	32010	35.9	27.1	9.7	94	79.4	24.0	43.3	52.5	6.5	34.3	3366	32736
VIGORO V5240	112	C250	46.0	19.7	9.0 *	99	82.5	18.3	35.3	50.4	6.2	43.0	30216	41.2	24.5	10.1 *	100	80.6	21.3	39.2	50.5	5.8	39.7	3323	33400	
WELLMAN W1820	115	P250	45.9	19.4	8.8	94	84.1	16.8	34.3	53.6	6.9	42.6	3493	30741	38.7	23.6	9.1	89	81.0	21.1	40.8	53.6	6.8	37.5	3450	31307
WELLMAN W2615	115	P250	46.3	18.5	8.5	87	85.9	14.5	29.2	51.7	6.0	47.6	3562	30346	39.5	24.9	9.8	91	82.1	20.2	38.3	53.1	6.2	39.4	3499	34292
AVERAGE			46.7	19.3	8.9	99	83.3	16.6	32.9	49.0	6.5	44.4	3367	30021	38.6	24.9	9.5	95	80.3	21.6	40.5	51.3	6.4	37.3	3359	32017
HIGHEST			51.7	27.3	9.7	100	85.9	26.4	46.6	54.2	7.2	49.7	3584	34249	46.5	31.3	10.5	100	82.5	29.0	50.9	57.2	7.0	42.7	3628	34509
LOWEST			35.2	16.1	8.1	87	78.7	14.2	29.2	44.4	5.8	26.5	3223	26759	29.6	22.5	8.6	89	75.8	18.8	36.9	46.7	5.7	21.8	3086	28615
CV (%)			7.0	10.5	6.4	2	12	8.6	6.0	4.0	3.6	5.5	3	7	3.9	4.3	4.2	3	1.6	8.3	6.4	3.8	7.7	3	5	
LSD (0.05%)			3.9	2.4	0.7	2	1.1	1.7	2.3	0.3	2.9	1.07	2603	1.8	1.3	0.5	4	1.5	2.1	3.0	1.6	0.3	3.4	108	1944.	

2 Year Averages	BRAND / HYBRID	RM	YIELD				% QUALITY				MILK 2000				WOOD (OHIO) - LATE										
			%DM	GT/A	DT/A	%Std	IVD	ADF	NDF	MK/T	%DM	GT/A	DT/A	%Std	IVD	ADF	NDF	MK/T	%DM	GT/A	DT/A	%Std	IVD	ADF	NDF
DAIRYLAND STEALTH-1615	111	43.5	17.0	7.4	98	83.9	17.8	35.0	53.6	6.3	40.9	3508	25876	40.5	24.2	9.8	98	81.0	20.1	38.0	49.9	5.8	40.9	3363	32952
GARST 8200YG1	119	43.3	20.8	8.9 **	99	82.5	19.7	37.5	53.3	6.5	37.1	3426	30632	42.7	25.7	9.4	96	81.1	21.4	40.9	53.7	6.9	36.8	3495	32773
PIONEER 33A84	113	46.6	19.0	8.8 *	100	83.0	15.7	31.6	46.1	6.5	45.2	3291	28988	44.2	27.5	9.4	97	80.2	21.1	39.6	50.0	6.4	37.5	3370	32260
RUPP XS1904	113	40.8	19.6	8.1	95	82.1	19.7	37.0	51.5	6.4	39.6	27592	3429	40.0	3413	27272									
VIGORO V5240	112	44.8	18.0	8.0	94	82.7	18.5	36.2	52.1	6.5	40.0	3413	27272												
AVERAGE		43.8	18.9	8.3	97	82.9	18.3	35.4	51.3	6.4	40.6	3414	28074												
HIGHEST		46.6	20.8	8.9	100	83.9	19.7	37.5	53.6	6.5	45.2	3508	30632												
LOWEST		40.8	17.0	7.4	94	82.1	15.7	31.6	46.1	6.3	37.1	3291	25876												
CV (%)		8.1	12.3	10.0	3	1.1	7.7	5.7	4.2	3.8	5.1	3	11												
LSD (0.05%)		3.1	1.9	0.7	2	0.8	1.1	1.6	1.7	0.2	1.8	2.1	3.0	1.6	0.3	3.4	1.08	1.944							

TABLE 8E.

HURON, INGHAM & KENT COUNTY SILAGE TRIALS - EARLY (103 Day and Earlier)

ZONE 2

2005												HURON - EARLY - ZONE 3																
BRAND/HYBRID	RM	TRT	YIELD				% QUALITY				MILK 2000				YIELD				% QUALITY				MILK 2000					
			%DM	GT/A	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MKT	MKA	ADM	GTIA	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MKT	MKA		
BALDRIDGE BH516	103	34.4	19.2	6.6	90	80.9	23.8	44.1	56.8	8.2	29.0	3478	22894	31.7	20.6	6.5	95	81.5	24.0	45.3	59.0	8.0	26.2	3525	22940			
BROWN 6079	101	C125	40.1	20.1	8.0	92	81.3	20.8	38.6	51.6	6.9	38.9	3391	27234	40.4	20.6	8.3	93	81.6	20.2	37.9	51.4	6.7	39.3	3405	28240		
DAIRYLAND Hi DF-4200	101	P250	36.1	22.6	8.1	94	82.8	20.4	38.6	55.6	7.1	36.5	29132	345	24.1	8.3	95	83.2	20.2	38.7	56.5	7.1	37.7	3661	30293			
DAIRYLAND STEALTH-1503	100	P250	39.8	21.5	8.5	94	81.5	21.0	38.7	52.1	6.8	39.3	3416	29210	39.2	23.0	9.0	*	97	20.5	38.2	53.0	6.6	39.2	3488	31476		
DAIRYLAND STEALTH-1598	98	P250	42.6	19.9	8.5	98	80.6	21.2	38.4	49.4	6.7	41.1	3252	27490	43.2	20.4	8.8	95	81.3	19.8	37.7	50.4	6.6	42.6	3292	29050		
DAIRYLAND STEALTH-5007	103	P250	34.7	25.9	8.9	*	100	80.2	23.9	42.8	53.8	6.7	35.1	3409	30502	35.2	26.3	9.3	*	100	81.0	22.8	41.8	54.6	6.5	35.7	3485	32312
DEKALB DKC50-20 (RR2/YGCB)	100	P250	40.2	21.6	8.7	*	100	83.3	18.8	35.4	52.7	6.7	43.4	3525	30597	42.8	21.8	9.3	*	100	84.3	17.0	33.1	52.5	6.5	44.9	3526	32857
DEKALB DKC52-23 (RR2/YGCB)	102	P250	39.7	21.8	8.6	97	82.9	19.4	36.2	52.8	6.7	41.7	3508	30150	43.0	21.7	9.3	*	98	83.5	17.4	33.4	50.6	6.5	45.5	3441	32075	
DYNAGRO 54K11	96	P250	41.1	20.4	8.3	100	79.6	22.3	40.7	49.8	6.8	38.9	3234	26943	40.2	22.1	8.9	*	99	80.3	21.1	39.0	49.6	6.7	39.9	3306	29264	
DYNAGRO 54P72	99	P250	41.9	20.9	8.7	*	99	81.4	20.2	37.7	50.6	7.1	40.6	3335	29024	42.2	22.1	9.3	*	98	81.4	19.9	37.6	50.6	7.1	41.2	3334	31073
DYNAGRO 55N37	103	P250	39.0	22.8	8.9	*	100	81.8	20.9	38.3	52.6	6.6	41.2	3469	30777	40.2	23.3	9.4	**	100	83.6	18.1	34.4	52.2	6.5	44.5	3554	33229
DYNAGRO 55P41	102	P250	39.9	20.9	8.3	100	82.0	20.4	38.1	52.7	6.7	39.7	3456	28769	41.6	21.2	8.8	100	83.2	18.5	35.7	52.8	6.6	42.8	3493	30657		
HYLAND SEEDS HLS034	92	P250	42.9	20.3	8.7	*	95	80.8	21.6	40.2	52.3	7.2	37.8	3297	28541	42.3	22.2	9.4	**	99	84.5	18.8	35.9	52.3	7.0	42.6	3443	32264
HYLAND SEEDS HLS041	93	P250	37.3	21.1	7.8	97	82.4	20.8	38.6	54.2	7.3	37.2	3535	27739	37.9	21.4	8.1	*	96	83.1	19.1	36.3	53.5	7.2	40.6	3603	29263	
HYLAND SEEDS HLS047	95	P250	38.5	20.8	8.0	84	81.5	22.0	40.7	54.6	7.4	35.4	3475	27845	39.6	22.5	8.9	*	86	81.3	21.3	39.9	53.2	7.0	37.0	3429	30524	
HYLAND SEEDS HLS058	101	P250	36.6	24.0	8.7	*	100	80.1	23.4	42.0	52.8	6.7	35.2	3385	29532	35.3	25.7	9.1	*	100	81.9	21.5	39.8	54.5	6.6	36.9	3555	32172
HYLAND SEEDS HLS067	103	P250	36.7	24.9	9.1	**	95	80.1	23.8	43.6	54.3	7.1	33.6	3396	30912	35.1	26.8	9.4	**	95	79.7	24.1	44.6	54.5	7.1	32.2	3397	31915
HYLAND SEEDS HLSR42	93	P250	38.7	20.7	8.0	98	82.7	20.4	38.1	54.6	7.4	37.5	3546	28441	40.4	22.4	9.0	*	97	84.5	17.7	34.0	54.3	7.4	42.5	3623	32566	
HYLAND SEEDS HLSR59	101	P250	34.1	25.1	8.5	95	80.3	23.9	43.1	54.4	7.1	32.4	3436	29268	33.4	26.6	8.9	*	99	80.5	23.1	42.3	53.9	6.9	33.3	3445	30580	
MYCOGEN TMF2/T497	100	C125	39.0	22.4	8.7	*	100	80.9	21.5	39.6	51.7	7.0	36.7	3398	29631	39.2	22.9	9.0	*	100	82.6	19.3	36.1	51.6	6.9	41.4	3510	31414
NK Brand N63-U9	102	C250	36.3	23.4	8.4	100	82.0	21.4	38.5	53.3	6.7	39.0	3537	29848	36.0	23.4	8.4	100	82.9	20.5	36.9	53.7	6.3	40.7	3619	30511		
PIONEER 36K67	102	P250	36.5	22.6	8.2	98	81.8	21.6	39.2	53.6	6.9	37.4	3516	28996	37.0	23.5	8.7	98	82.3	20.5	38.4	53.9	6.8	38.7	3550	30735		
PIONEER 37A92	97	P250	41.4	19.1	7.9	97	81.8	20.4	37.8	51.8	7.2	38.8	3382	26657	43.5	19.4	8.4	97	83.0	18.0	34.6	52.4	7.2	42.4	3450	29065		
PIONEER 37D02	97	P250	40.9	20.2	8.2	97	82.6	19.1	36.1	51.6	7.0	42.0	3446	28196	40.9	20.2	8.3	96	82.6	19.0	36.4	50.9	6.7	41.7	3461	28565		
PIONEER 37K84	99	P250	40.6	20.8	8.4	98	81.2	20.8	37.9	50.6	6.9	39.8	3365	28545	41.0	19.9	8.2	98	83.6	17.4	34.4	50.9	7.0	45.2	3514	28641		
AVERAGE			38.8	21.7	8.4	97	81.5	21.4	39.3	52.8	7.0	38.0	3431	28659	39.0	22.5	8.8	97	82.3	20.0	37.7	53.0	6.9	39.8	3484	30467		
HIGHEST			42.9	25.9	9.1	100	83.3	23.9	44.1	56.8	8.2	43.4	3599	30912	43.5	26.8	9.4	100	84.5	24.1	45.3	59.0	8.0	45.5	3661	33229		
LOWEST			34.1	19.1	6.6	84	79.6	18.8	35.4	49.4	6.6	29.0	3234	22894	31.7	19.4	6.5	86	79.7	17.0	33.1	49.6	6.3	26.2	3292	22940		
CV (%)			6.4	8.0	3.8	1.7	8.8	6.7	3.2	5.7	7.7	3	8	4.6	4.3	5.0	3	1.6	8.9	7.1	4.2	7.0	3	5				
LSD (.05%)			1.7	1.2	0.4	2	0.9	1.3	1.8	1.1	0.3	2.0	73	1492	2.1	1.1	0.5	3	1.5	2.1	3.2	1.8	0.3	3.3	108	1863		
2 Year Averages												YIELD				% QUALITY				MILK 2000				YIELD				
BRAND/HYBRID	RM		%DM	GT/A	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MKT	MKA	%DM	GTIA	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MKT	MKA		
DAIRYLAND Hi DF-4200	101	35.9	22.9	8.2	96	83.3	19.5	36.9	54.7	7.0	39.1	3634	29725	34.3	23.0	7.9	97	82.9	20.8	39.8	56.9	6.7	35.3	3624	28560			
DAIRYLAND STEALTH-1503	100	38.9	22.0	8.6	*	97	81.8	20.6	38.0	52.2	6.6	39.5	3469	29686	38.3	21.7	8.3	*	98	81.7	21.3	39.8	54.1	6.2	37.7	3482	28988	
DAIRYLAND STEALTH-1598	98	41.9	20.5	8.6	*	99	81.6	19.7	36.5	49.6	6.8	41.1	3347	28655	40.8	19.5	8.0	97	82.0	19.9	37.8	52.3	6.5	40.2	3410	27095		
DEKALB DKC50-20 (RR2/YGCB)	100	39.3	21.3	8.4	100	83.3	18.9	35.7	53.1	6.7	41.5	3553	29742	39.2	20.5	8.1	*	100	83.9	18.7	35.9	54.8	6.5	40.3	3589	28986		
HYLAND SEEDS HLS058	101	35.8	24.6	8.8	**	98	80.9	23.0	41.7	54.1	6.6	33.7	3452	30200	34.3	24.2	8.3	*	100	82.0	23.2	42.8	57.6	6.4	31.6	3541	29434	
HYLAND SEEDS HLS067	103	36.2	24.2	8.7	*	95	80.6	23.1	42.5	54.3	7.0	33.0	3420	29781	34.6	24.3	8.4	**	98	80.2	24.2	44.6	55.5	6.7	29.4	3365	28242	
PIONEER 37K84	99	40.8	21.2	8.6	*	99	81.9	19.4	36.5	50.3	6.8	40.4	3404	29334	40.1	19.5	7.8	99	82.8	18.7	36.3	52.6	6.6	41.3	3493	27342		
AVERAGE		38.4	22.4	8.5	98	81.9	20.6	38.3	52.6	6.8	38.3	3468	29569	37.4	21.8	8.1	98	82.2	21.0	39.6	54.8	6.5	36.5	3501	2878			
HIGHEST		41.9	24.6	8.8	100	83.3	23.1	42.5	54.7	7.0	41.5	3634	30200	40.8	24.3	8.4	100	83.9	21.2	44.6	57.6	6.7	41.3	3624	29434			
LOWEST		35.8	20.5	8.2	95	80.6	18.9	35.7	49.6	6.6	33.0	3347	28655	34.3	19.5	7.8	97	80.2	18.7	35.9	52.3	6.2	29.4	3365	27095			
CV (%)		5.9	7.4	5.8	3	1.4	7.4	5.6	3.3	5.0	6.5	3	7	4.5	4.6	2	1.3	7.0	5.5	3.1	4.0	6.1	3	5				
LSD (.05%)		1.1	0.8	0.2	1	0.6	0.7	1.0	0.8	0.2	1.2	48	919	1.4	0.8	0.3	2	0.9	1.2									

KENT - EARLY - ZONE 2

INGHAM - EARLY - ZONE 2

2005

BRAND / HYBRID	RM	TRT	YIELD						% QUALITY						MILK 2000						% QUALITY						MILK 2000					
			%DM	GT/A	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MKT	MKA	%DM	GTA	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MKT	MKA						
BALDRIDGE BH516	103	7.5	19.9	7.5	100	79.6	25.2	44.7	54.3	7.1	31.4	3361	25165	33.7	17.2	5.8	74	81.8	22.3	42.4	56.9	9.4	29.6	3548	20575							
BROWN 6079	101	C125	21.3	8.4*	97	80.9	21.8	39.4	51.5	6.2	39.8	3386	28243	40.5	18.5	7.5	85	81.5	20.4	38.6	51.9	7.8	37.6	3382	25221							
DAIRYLAND HI DF-4200	101	P250	23.3	8.3*	98	81.6	22.8	41.2	55.4	6.4	36.9	3540	29194	38.2	20.3	7.8	88	83.7	18.3	35.8	54.5	7.7	41.0	3597	27909							
DAIRYLAND STEALTH-1503	100	P250	22.6	8.6*	99	80.1	23.5	41.8	52.4	6.3	38.0	3373	28849	42.4	19.0	8.1	87	82.3	19.0	36.1	50.9	7.4	40.6	3387	27303							
DAIRYLAND STEALTH-1598	98	P250	18.7	7.9	99	80.3	21.6	39.3	49.7	6.0	41.6	3244	25670	42.2	20.5	8.6*	100	80.2	22.2	38.3	48.2	7.6	39.2	3219	27750							
DAIRYLAND STEALTH-5007	103	P250	27.3	8.3*	100	79.0	26.2	45.5	53.7	6.2	32.6	3345	27834	38.3	24.1	9.2**	100	80.7	22.7	41.3	53.1	7.7	37.1	3396	31559							
DEKALB DKC50-20 (RR2YGCB)	100	P250	20.8	7.7	100	81.4	21.9	39.2	52.5	6.1	41.6	3494	26710	41.0	22.3	9.1*	100	84.0	17.4	34.0	53.1	7.4	43.6	3555	32223							
DEKALB DKC52-23 (RR2YGCB)	102	P250	21.5	8.0	100	80.5	22.8	40.8	52.2	6.0	38.6	3373	26950	38.3	22.2	8.5*	92	84.7	18.0	35.6	55.6	7.5	41.0	3710	31426							
DYNAGRO 54K11	96	P250	20.2	8.3*	100	78.3	24.3	43.1	49.7	6.3	37.9	3155	26194	42.1	18.8	7.8	100	80.1	21.5	40.1	50.3	7.3	38.8	3241	25372							
DYNAGRO 54P72	99	P250	19.5	8.3*	100	81.0	20.7	38.1	50.1	6.2	42.5	3259	27184	40.1	21.1	8.5*	100	81.7	20.1	37.5	51.2	8.0	38.0	3412	28816							
DYNAGRO 55N37	103	P250	22.4	8.6*	100	79.9	23.5	41.5	51.6	6.1	39.7	3336	28516	38.1	22.8	8.7*	99	82.1	21.3	39.0	54.0	7.3	39.6	3517	30887							
DYNAGRO 55P41	102	P250	20.7	8.0	100	81.3	22.1	40.1	53.3	6.0	39.3	3438	27401	39.4	20.9	8.2	99	81.6	20.6	38.5	52.2	7.4	37.2	3437	28248							
HYLAND SEEDS HLS034	92	P250	20.7	9.0**	98	78.6	24.4	43.5	50.8	6.8	35.7	3128	27959	42.9	17.9	7.7	87	81.0	21.6	41.2	53.7	7.8	34.8	3321	25400							
HYLAND SEEDS HLS041	93	P250	20.9	8.0	100	82.1	21.4	38.8	53.8	6.6	38.4	3491	28170	35.0	21.0	7.4	96	81.9	21.8	40.6	55.2	8.2	32.8	3510	25783							
HYLAND SEEDS HLS047	95	P250	20.4	8.1	80	80.5	23.5	42.7	54.3	6.9	35.9	3385	27281	36.4	19.6	7.1	86	82.8	21.1	39.5	56.4	8.3	33.2	3610	25732							
HYLAND SEEDS HLS058	101	P250	23.6	8.3*	100	77.6	26.7	45.6	50.9	6.2	32.9	3199	26527	38.9	22.7	8.8*	100	80.9	22.1	40.7	53.0	7.3	35.9	3401	29896							
HYLAND SEEDS HLS067	103	P250	25.4	8.9*	100	79.1	26.3	46.5	55.1	6.8	31.1	3356	30006	39.6	22.7	9.0*	91	81.5	20.9	39.7	53.3	7.6	37.6	3435	30816							
HYLAND SEEDS HLS074	93	P250	20.9	8.0	100	81.3	22.1	39.9	53.1	6.2	38.6	3443	27634	37.2	19.0	7.0	96	82.4	21.4	40.4	56.5	8.4	31.4	3572	25124							
HYLAND SEEDS HLS075	101	P250	26.2	8.9*	100	79.7	25.6	44.6	54.4	6.6	31.7	3392	30014	34.9	22.5	7.8	87	80.9	23.1	42.3	54.9	7.8	32.2	3472	27211							
HYLAND SEEDS TMF2T497	100	C125	22.8	8.8*	100	79.5	23.5	42.9	52.2	6.3	34.5	3301	29014	38.6	21.7	8.4*	100	80.6	21.8	39.9	51.4	7.8	34.4	3382	28464							
NK Brand N41-R9	98	P250	22.9	8.5*	100	81.3	23.3	40.8	51.5	6.4	38.5	3398	28924	35.6	23.9	8.4*	99	82.9	21.5	37.9	54.8	7.3	37.8	3594	30109							
PIONEER 36K67	102	P250	22.9	8.4*	100	81.3	22.0	39.3	47.7	6.3	39.3	3477	29157	35.9	21.4	7.7	98	81.9	22.4	39.9	54.5	7.6	34.3	3522	27096							
PIONEER 37A92	97	P250	19.3	8.3*	100	81.1	20.8	37.8	49.8	6.4	40.5	3290	27206	37.6	18.7	7.0	94	80.8	22.4	41.1	53.2	8.1	33.5	3407	23700							
PIONEER 37D02	97	P250	22.4	8.5*	100	81.4	21.6	38.4	51.4	6.7	40.8	3423	29031	43.5	18.0	7.8	95	83.8	16.9	33.4	51.5	7.6	43.4	3454	27003							
PIONEER 37K84	99	P250	21.8	8.6*	100	80.2	22.3	40.2	50.8	6.2	38.6	3318	28643	40.7	20.6	8.3	97	79.9	22.7	40.2	50.1	7.5	35.7	3263	27177							
AVERAGE			21.9	8.3	99	80.3	23.2	41.4	52.3	6.4	37.5	3356	27899	38.8	20.7	8.0	94	81.8	20.9	38.9	53.2	7.7	36.8	3454	27612							
HIGHEST			27.3	9.0	100	82.1	26.7	46.5	55.4	7.1	42.5	3540	30014	43.5	24.1	9.2	100	84.7	23.1	42.4	56.9	9.4	43.6	3710	32223							
LOWEST			18.7	7.5	80	77.6	20.7	37.8	49.7	6.0	31.1	3128	25165	33.7	17.2	5.8	74	79.9	16.9	33.4	48.2	7.3	29.6	3219	20575							
CV (%)			6.7	9.0	7.0	2	1.8	8.4	6.5	3.1	7.1	7.8	4	8	7.5	10.1	8.2	5	1.6	9.2	6.6	5.5	8.4	3	10							
LSD (0.05%)			3.0	2.3	0.7	3	1.7	2.3	3.2	1.9	0.5	3.4	138	2648	3.4	2.5	0.8	5	1.6	2.3	3.0	2.3	0.5	3.6	136	3146						

BRAND / HYBRID	RM	YIELD						% QUALITY						MILK YIELD						% QUALITY						MILK YIELD									
		%DM	GT/A	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MKT	MKA	%DM	GTA	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MKT	MKA	%DM	GT/A	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	Strch
DAIRYLAND HI DF-4200	101	23.5	8.5	99	83.2	19.7	36.7	53.8	6.6	40.1	3622	30900	36.9	22.1	8.1	94	84.0	17.9	34.4	53.4	7.7	41.7	3656	29716											
DAIRYLAND STEALTH-1503	100	24.0	9.1*	100	81.4	21.2	38.3	51.2	6.2	40.4	3462	31549	40.5	20.4	8.2	93	82.4	19.2	36.1	51.3	7.2	40.5	3463	28522											
DAIRYLAND STEALTH-1598	98	20.7	8.8*	100	81.9	19.0	35.4	48.5	6.4	42.9	3340	29545	42.2	21.2	8.9**	99	81.1	20.3	36.4	48.0	7.5	40.2	3289	29325											
DEKALB DKC50-20 (RR2YGCB)	100	21.0	8.3	100	82.9	19.5	36.1	52.5	6.2	42.5	3546	29281	39.4	22.4	8.8*	100	83.1	18.6	35.2	52.0	7.5	41.7	3523	30960											
HYLAND SEEDS HLS058	101	25.3	9.0*	98	79.5	23.9	42.4	51.7	6.1	34.5	3358	30270	37.2	24.1	8.9**	97	81.2	21.9	40.1	53.0	7.4	35.0	3458	30896											
HYLAND SEEDS HLS067	103	25.3	9.1*	96	80.1	23.8	43.0	53.5	6.4	33.9	3412	31131	37.7	22.9	8.6*	93	81.6	21.2	40.0	53.9	7.8	35.7	3483	29869											
PIONEER 37K84	99	22.1	9.2**	100	81.2	19.8	37.0	49.0	6.3	40.8	3330	30631	40.4	22.1	8.8*	99	81.7	19.7	36.2	49.3	7.6	39.0	3389	30299											
AVERAGE		23.1	8.9	99	81.4	21.0	38.4	51.5	6.3	39.3	3438	30472	39.2	22.2	8.6	97	82.1	19.8	36.9	51.6	7.5	39.1	3466	29977											
HIGHEST		25.3	9.2	100	83.2	23.9	43.0	53.8	6.6	42.9	3622	241.2	20.6	8.5*	94	82.6	19.0	34.8	50.2	7.3	41.1	3435	29023												
LOWEST		20.7	8.3	96	79.5	19.0	35.4	48.5	6.1	33.9	3330	29281	36.9	20.1	8.1	93	81.1	17.9	34.4	48.0	7.2	35.0	3289	28522											
CV (%)		6.4	7.6	5.5	2	1.4	7.1	5.4	2.9	6.0	6.4	3	6	6.6	9.4	7.2	4	1.5	8.0	5.9	3.8	4.8	7.1	3	8										
LSD (0.05%)		2.0	1.4	0.4	2	0.9	1.3	1.8	1.2	0.3	2.0	84	1529	2.1	1.7	0.5	3	1.0	1.4	1.9	1.7	0.3	2.2	88											

TABLE 8L.

HURON, INGHAM & KENT COUNTY SILAGE TRIALS - LATE (104 Day and Later)

ZONE 2

2005 BRAND/HYBRID	RM	TRT	LATE - TRIAL AVERAGE						HURON - LATE - ZONE 3																	
			YIELD			% QUALITY			MILK 2000			YIELD			% QUALITY											
%DM	GT/A	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MKT	MKA	IVD	ADF	NDF	NDFD	CP	Strch	MKT	MKA							
BROWN 7044	109	C125	43.2	20.3	8.6	96	82.1	19.5	36.3	50.5	6.3	40.9	3372	29056	46.6	17.7	8.2	100	82.5	17.8	34.5	49.2	6.1	45.2	3304	27121
CORN BELT C565	105	P250	45.0	20.0	8.8	96	80.2	21.5	39.4	49.7	6.2	39.4	3209	28325	48.2	17.8	8.5	95	79.3	21.3	39.8	48.1	5.9	41.8	3066	26878
DEKALB DKC54-47 (RR2/YGPL)	104	P250	46.5	20.9	9.5*	100	81.5	19.0	35.6	47.7	6.5	42.4	3252	30885	50.3	17.5	8.8	100	82.1	16.4	32.4	44.6	6.4	47.5	3184	27330
DEKALB DKC57-84 (YGCBL)	107	P250	50.4	18.4	9.2	100	81.6	18.2	34.8	47.0	6.4	45.1	3169	29209	52.8	16.9	8.9	100	81.0	17.6	34.0	43.9	5.9	49.3	3087	27343
DYNAGRO 56K44	106	P250	45.6	18.9	8.4	99	81.6	19.2	35.6	48.5	6.3	42.9	3292	27704	52.3	14.9	7.7	100	82.0	17.0	33.1	45.7	6.0	48.1	3184	24589
DYNAGRO 56K77	108	P250	46.7	19.8	9.1	96	81.2	20.5	38.0	50.4	6.3	39.7	3269	29658	51.5	17.3	8.9	97	80.0	19.8	37.2	46.2	5.9	44.0	3076	27368
DYNAGRO 57B47	111	P250	45.7	20.9	9.3	97	80.9	19.9	37.0	48.3	6.3	41.4	3231	30218	50.1	18.2	9.1*	99	80.0	19.1	36.6	45.3	5.9	44.4	3073	27827
GARST 8689IT	104	C250	46.0	20.8	9.4*	100	82.4	19.0	34.8	49.3	6.1	41.3	3343	31500	49.1	17.9	8.8	99	82.5	17.9	33.6	47.8	5.8	44.5	3274	28646
GOLDEN HARVEST H-8618Bt	108	C250	46.1	20.0	9.0	99	81.3	20.6	37.9	50.7	6.3	40.2	3294	29606	51.9	16.8	8.7	100	80.9	18.9	36.3	47.5	6.4	44.2	3150	27497
GREAT LAKES 6148RR	111	P250	45.3	20.4	9.1	99	81.2	19.7	36.8	48.8	6.2	42.5	3253	29507	48.9	18.1	8.8	99	81.2	18.3	35.1	46.3	6.1	45.9	3166	27852
HIGH CYCLE HC58739	105	P250	51.7	19.0	9.6*	99	81.2	19.0	35.2	46.3	6.1	45.2	3161	30370	58.1	15.5	9.0*	98	81.0	17.2	33.2	42.8	6.0	49.8	3076	27523
HIGH CYCLE HCBB524	114	P250	41.6	22.1	9.1	100	81.6	21.6	38.7	52.4	6.2	37.4	3394	30736	45.9	19.9	9.1*	100	82.6	18.2	34.4	49.3	5.7	45.5	3326	30385
MYCOGEN TMF2N602	106	C125	43.3	21.1	9.1	99	80.8	21.3	38.8	50.5	6.3	38.3	3290	29854	46.2	19.4	9.0*	100	81.1	19.8	37.1	49.0	5.8	42.3	3230	28994
NK Brand N49-E3	105	C250	44.7	20.1	8.9	98	82.8	19.0	35.5	51.5	6.9	41.9	3396	3092	47.9	17.7	8.5	99	82.5	17.8	34.2	48.8	6.6	45.6	3284	27720
NK Brand N65-Y3	106	C250	45.8	19.6	8.8	95	81.3	19.8	36.4	48.4	5.8	42.7	3242	28621	48.5	16.7	8.1	93	81.5	18.5	34.4	46.3	5.8	46.9	3164	25580
PIONEER 34A86	108	C250	46.6	20.2	9.3	100	81.7	20.4	37.2	50.9	6.1	40.1	3309	30651	48.6	18.3	8.9	100	81.0	20.1	37.1	48.7	5.7	43.4	3197	28255
PIONEER 35D28	108	P250	49.9	19.2	9.5*	100	81.5	19.1	36.5	49.2	6.5	43.7	3221	30615	54.1	17.6	9.5**	100	80.6	18.9	36.9	47.2	6.2	45.5	3113	29889
TRELAY 7012	105	P250	48.9	18.7	9.0	94	82.0	19.2	36.0	49.9	6.6	42.7	3357	32684	53.0	17.2	9.1*	100	81.3	18.9	36.2	48.0	6.2	46.0	3171	28866
VIGORO V5240	112	C250	41.2	22.2	9.0	99	81.0	22.5	40.0	52.4	6.2	36.0	3379	30479	40.0	20.0	8.0	99	81.2	17.8	34.5	45.5	6.4	48.1	3127	27827
AVERAGE			46.0	20.2	9.1	98	81.5	19.9	36.9	49.7	6.3	41.3	3286	29967	50.0	17.6	8.7	99	81.3	18.7	35.6	47.2	6.0	45.1	3186	27731
HIGHEST			51.7	22.2	9.7	100	82.8	22.5	40.0	52.4	6.9	45.2	3396	32684	58.1	20.0	9.5	100	82.6	22.9	40.6	54.2	6.6	49.8	3460	30385
LOWEST			41.2	18.4	8.4	94	80.2	18.2	34.8	46.3	5.8	36.0	3161	27704	40.0	14.9	7.7	93	79.3	16.4	32.4	42.8	5.7	34.7	3066	24889
CV (%)			5.2	6.6	5.6	2	1.7	9.4	7.3	4.3	4.2	6.8	3	6	4.0	6.2	5.0	2	1.7	10.0	7.2	5.6	4.2	6.5	3	5
LSD (.05%)			1.6	0.9	0.3	2	1.0	1.3	1.8	1.5	0.2	1.9	75	1242	24	1.3	0.5	2	1.7	2.2	3.0	3.1	0.3	3.5	127	1793

2 Year Averages	BRAND/HYBRID	RM	LATE - TRIAL AVERAGE						HURON - LATE - ZONE 3														
			YIELD			% QUALITY			MILK 2000			YIELD			% QUALITY			MILK 2000					
%DM	GT/A	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MKT	MKA	IVD	ADF	NDF	NDFD	CP	Strch	MKT	MKA				
43.5	21.1	9.1	99	83.0	18.6	35.6	52.0	6.9	40.7	3434	31126	46.0	16.9	7.7	100	83.2	18.0	35.2	51.9	6.6	43.0	3377	26008
44.4	21.9	9.5**	100	82.3	19.6	37.0	52.1	6.5	40.8	3399	32369	49.3	16.9	8.3**	100	81.5	20.1	38.4	51.3	6.3	41.6	3239	26910
47.2	19.4	9.0	97	82.5	18.8	35.7	50.7	6.7	41.7	3338	30019	53.4	15.3	8.2*	99	82.1	17.9	35.1	48.9	6.3	45.9	3199	26011
43.8	21.3	9.2	98	82.2	19.8	37.1	52.0	6.6	39.5	3394	31119	47.4	17.1	8.0	100	82.1	19.7	37.5	51.9	6.3	41.2	3316	26538
47.2	22.8	9.5	100	83.0	22.2	40.3	53.0	6.9	41.7	3434	32369	53.4	19.3	8.3	100	83.2	22.8	41.3	55.6	6.0	34.2	3449	27222
40.3	19.4	9.0	97	81.1	18.6	35.6	50.7	6.3	34.8	3338	30019	41.1	15.3	7.7	99	81.5	17.9	35.1	48.9	6.0	34.2	3199	26008
4.9	5.8	4.9	2	1.5	8.6	6.6	4.0	4.2	6.4	3	5	4.4	5.7	5.2	1	1.5	9.7	7.2	4.5	4.3	6.8	3	5
1.1	0.6	0.2	1	0.6	0.8	1.2	1.0	0.1	1.2	47	763	1.8	0.8	0.4	1	1.0	1.5	2.1	1.8	0.2	2.5	78	1236

3 Year Averages	BRAND/HYBRID	RM	LATE - TRIAL AVERAGE						HURON - LATE - ZONE 3														
			%DM	GT/A	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MKT	MKA	IVD	ADF	NDF	NDFD	CP	Strch	MKT		
45.5	18.8	8.5**	97	82.5	19.2	36.2	51.4	6.8	41.6	3358	28411	47.8	16.5	7.7**	99	81.5	20.0	38.1	51.2	6.4	41.5	3268	25207
4.8	6.3	5.1	3	1.7	10.3	7.8	4.7	4.7	7.3	3	6	4.0	6.2	4.9	2	1.6	9.5	7.3	4.2	4.9	7.1	3	6
0.8	0.5	0.2	1	0.5	0.8	1.1	0.9	0.1	1.2	42	664	1.3	0.7	0.3	1	0.9	1.2	1.8	1.4	0.2	2.1	71	1009

KENT - LATE - ZONE 2

INGHAM - LATE - ZONE 2

2005

BRAND / HYBRID	RM	TRT	YIELD				% QUALITY				MILK YIELD				YIELD				% QUALITY				MILK YIELD			
			%DM	GT/A	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MK/T	MKA	%DM	GT/A	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MK/T	MKA
BROWN 7044	109	C125	37.9	25.0	9.4	100	80.8	23.3	40.4	52.5	6.1	35.3	3443	32668	45.1	18.1	8.2	89	82.9	17.5	34.0	49.8	6.8	42.3	3367	27480
CORN BELT C565	105	P250	37.6	24.1	9.0	100	78.1	25.9	44.4	50.6	5.9	32.8	3231	29118	49.2	18.2	9.0	92	83.3	17.3	33.8	50.3	6.9	43.6	3330	29769
DEKALB DKC54-47 (RR2/YGPL)	104	P250	38.4	26.1	10.0	100	79.8	23.2	40.9	50.6	6.3	36.1	3332	33300	50.8	19.1	9.7*	99	82.6	17.4	33.5	47.9	6.9	43.7	3239	31426
DEKALB DKC57-84 (YGCB)	107	P250	47.6	20.3	9.7	100	80.6	20.4	37.7	48.5	6.2	42.1	3118	30271	50.9	17.9	9.1*	100	83.2	16.7	32.6	48.5	7.2	43.8	3301	30014
DYNAGRO 56K44	106	P250	39.4	23.7	9.3	100	79.6	22.4	39.5	48.4	6.3	39.1	3284	30718	45.0	18.1	8.2	96	83.3	18.3	34.3	51.3	6.5	41.5	3409	27806
DYNAGRO 56K77	108	P250	41.1	24.5	10.0	100	80.2	23.7	42.1	52.9	6.2	34.4	3327	33357	47.6	17.6	8.3	92	83.4	18.1	34.7	52.1	6.9	40.8	3403	28250
DYNAGRO 57B47	111	P250	39.0	25.5	9.9	99	80.4	22.5	39.9	50.7	6.2	37.2	3353	33030	48.1	19.1	9.1*	94	82.4	18.1	34.5	49.0	6.8	42.5	3269	29799
GARST 8689IT	104	C250	39.3	24.9	9.8	100	81.7	21.6	37.3	50.7	6.1	37.3	3453	33842	49.5	19.6	9.7*	100	83.1	17.4	33.6	49.5	6.4	42.3	3302	32013
GOLDEN HARVEST H-8618BT	108	C250	38.2	25.3	9.6	100	80.5	23.1	40.3	51.8	6.0	37.2	3414	32857	48.4	17.8	8.6	98	82.5	19.9	37.1	52.7	6.7	39.2	3317	28463
GREAT LAKES 6148RR	111	P250	38.8	24.9	9.6	100	79.3	23.9	42.0	50.7	5.9	36.4	3291	31597	48.4	18.2	8.8	97	83.1	16.9	33.5	49.5	6.6	45.3	3301	29072
HIGH CYCLE HC5B739	105	P250	43.6	23.9	10.3*	100	79.8	23.0	40.1	49.5	6.0	38.4	3193	33014	53.5	17.7	9.5*	100	82.7	16.7	32.4	46.6	6.4	47.4	3214	30572
HIGH CYCLE HC8B524	114	P250	35.8	26.2	9.4	100	79.6	25.3	43.1	52.6	6.0	32.4	3385	31723	43.2	20.2	8.7	100	82.8	21.2	38.6	55.4	6.9	34.2	3470	30101
MYCOGEN TMFZN602	106	C125	38.5	24.6	9.4	100	79.0	25.1	43.3	51.6	6.1	33.1	3299	31151	45.3	19.4	8.8	98	82.4	19.1	36.0	50.9	7.0	39.3	3341	29417
NK Brand N49-E3	105	C250	40.7	23.8	9.6	100	81.8	21.4	38.1	52.3	6.7	39.0	3433	32973	45.4	18.8	8.5	95	84.1	17.9	34.2	53.4	7.6	41.2	3470	29584
NK Brand N58-L8	106	C250	40.3	23.8	9.6	96	80.1	22.0	39.5	49.5	5.5	38.9	3304	31628	48.5	18.2	8.8	96	82.2	18.8	35.2	49.4	6.2	42.4	3256	28654
NK Brand N66-Y3	108	C250	40.2	25.2	10.2	100	80.7	23.5	40.9	52.9	6.2	34.6	3388	34502	50.9	17.2	8.8	99	83.5	17.5	33.8	51.0	-	6.5	3341	29196
PIONEER 34486	108	P250	44.1	21.0	9.2	100	81.0	21.8	39.1	51.3	5.8	40.3	3280	30364	51.5	19.0	9.8**	100	83.0	16.7	33.5	49.1	7.5	45.2	3269	31891
PIONEER 35D28	108	P250	38.8	28.3	11.0**	100	81.7	22.5	39.8	54.0	6.3	37.7	3503	38370	48.0	19.0	9.1*	100	84.0	17.7	33.7	52.4	6.6	43.1	3396	30815
TRELAY 7012	105	P250	42.3	23.1	9.8	100	81.5	22.2	40.0	55.7	6.5	37.9	3390	33069	48.6	17.1	8.3	82	83.4	17.8	33.6	50.6	6.9	42.2	3339	27810
VIGORO V5240	112	C250	36.6	26.5	9.7	99	78.8	25.7	43.8	51.7	6.1	32.2	3316	32157	46.9	20.2	9.4*	98	82.8	18.9	35.4	51.4	6.5	41.1	3362	31667
AVERAGE			39.9	24.5	9.7	100	80.2	23.1	40.6	51.3	6.1	36.6	3337	32480	48.2	18.5	8.9	96	83.0	18.0	34.4	50.5	6.8	42.2	3335	29690
HIGHEST			47.6	28.3	11.0	100	81.8	25.9	44.4	54.0	6.7	42.1	3503	38370	53.5	20.2	9.8	100	84.1	21.2	38.6	55.4	7.6	47.4	3470	32013
LOWEST			35.8	20.3	9.0	96	78.1	20.4	37.3	48.4	5.5	32.2	3118	29118	43.2	17.1	8.2	82	82.2	16.7	32.4	46.6	6.2	34.2	3214	27480
CV (%)			7.0	7.5	5.5	1	1.9	8.6	7.0	2.7	4.4	8.0	3	6	5.9	7.4	7.0	3	1.6	9.8	7.7	4.4	4.0	6.1	3	7
LSD (0.05%)			3.9	2.5	0.7	2	1.8	2.4	3.3	1.7	0.3	3.5	134	2283	3.4	1.6	0.7	4	1.6	2.1	3.1	2.6	0.3	3.0	134	2402

- 39 -

BRAND / HYBRID	RM	YIELD				% QUALITY				MILK YIELD				YIELD				% QUALITY				MILK YIELD			
		%DM	GT/A	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MK/T	MKA	%DM	GT/A	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MK/T	MKA
NK Brand N49-E3	105	41.8	24.1	10.0	100	82.2	19.7	36.5	51.2	6.5	40.2	3430	34344	42.7	22.4	9.4*	97	83.5	18.3	35.0	52.9	7.7	38.8	3497	33026
PIONEER 35D28	108	40.2	26.7	10.7**	100	82.2	20.4	37.4	52.4	6.2	39.8	3491	37375	43.7	22.0	9.5**	100	83.3	18.3	35.3	52.7	7.0	40.9	3466	32822
TRELAY 7012	105	42.6	22.9	9.8	100	82.2	20.1	37.2	52.0	6.4	39.6	3422	33331	45.6	20.1	9.0	91	83.1	18.5	34.7	51.1	7.3	39.6	3394	30715
VIGORO V5240	112	37.6	26.7	10.0	97	79.7	23.6	41.8	51.4	6.0	34.0	3369	33749	42.2	22.6	9.4*	97	82.0	20.2	37.8	52.2	6.8	36.3	3396	31911
AVERAGE		40.6	25.1	10.1	99	81.6	20.9	38.2	51.8	6.3	38.4	3428	34700	43.5	21.7	9.3	96	83.0	18.8	35.7	52.2	7.2	38.9	3438	32119
HIGHEST		42.6	26.7	10.7	100	82.2	23.6	41.8	52.4	6.5	40.2	3491	37375	45.6	22.6	9.5	100	83.5	20.2	37.8	52.9	7.7	40.9	3497	33026
LOWEST		37.6	22.9	9.8	97	79.7	19.7	36.5	51.2	6.0	34.0	3369	33331	42.2	20.1	9.0	91	82.0	18.3	34.7	51.1	6.8	36.3	3394	30715
CV (%)		5.9	6.1	4.4	1	1.6	7.9	6.3	3.3	4.4	6.9	3	5.1	6.2	5.5	3	1.4	8.2	6.3	4.2	4.0	5.4	3	6	
LSD (0.05%)		2.1	1.3	0.4	1	1.1	1.5	2.1	1.4	0.2	2.1	83	1355	2.0	1.0	0.4	2	0.9	1.2	1.8	0.2	1.8	85	139	1193

BRAND / HYBRID	RM	YIELD				% QUALITY				MILK YIELD				YIELD				% QUALITY				MILK YIELD			
		%DM	GT/A	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MK/T	MKA	%DM	GT/A	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MK/T	MKA
TRELAY 7012	105	43.0	20.5	8.8**	100	82.8	19.6	36.4	52.6	6.6	41.1	3434	30173	45.8	19.4	8.8**	91	83.2	17.9	34.1	50.5	7.2	42.2	3372	29854
CV (%)		5.9	6.9	5.0	1	1.7	10.0	7.3	5.3	4.7	7.4	3	6	4.9	6.0	5.9	4	1.8	11.4	8.8	4.4	4.3	7.4	4	6
LSD (0.05%)		1.7	1.2	0.3	1	0.9	1.5	1.9	1.8	0.2	1.9	70	1244	1.5	0.8	0.4	3	1.0	1.4	2.1	1.5	0.2	1.8	79	1193

3 Year Averages

BRAND / HYBRID	RM	YIELD				% QUALITY				MILK YIELD				YIELD				% QUALITY				MILK YIELD			
<tr

TABLE 9.

ALPENA, OSCEOLA & DELTA (LATE) COUNTY SILAGE TRIALS (100 Day and Earlier)

ZONE 4

TRIAL AVERAGE

BRAND / HYBRID	RM	TRT	YIELD						% QUALITY						MILK 2000						MILK 2000					
			%DM	GTIA	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MKT	MKA	%DM	GTIA	DTIA	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MKT	MKA
BALDRIDGE BH375	85	P250	38.5	14.2	5.4	96	81.9	20.1	39.8	54.4	8.1	33.9	3443	18749	40.7	11.5	4.7	99	82.1	20.5	40.0	55.1	6.6	33.7	3379	15729
DAIRYLAND STEALTH-1602	98	P250	35.0	18.8	6.5	92	81.7	22.1	43.3	57.6	8.4	30.4	3509	22949	36.4	16.2	5.8	97	82.6	22.5	43.4	59.9	7.3	29.4	3557	20712
DAIRYLAND STEALTH-1705	106	P250	33.1	19.7	6.6	97	81.9	22.9	43.4	58.1	7.2	30.4	3546	23365	35.7	15.4	5.5	100	80.8	25.7	47.3	57.3	5.7	27.1	3464	18971
DYNAGRO 53F09	95	P250	38.8	6.8	97	83.3	19.4	37.9	55.9	7.1	39.6	3621	24474	38.7	16.5	6.4	100	83.7	18.9	36.3	55.1	6.1	42.3	3616	22981	
GARST 8922YG1	91	C250	39.5	18.3	7.2 **	98	84.3	18.0	36.0	56.3	7.0	41.2	3631	26095	41.1	17.7	7.3 **	100	84.6	18.0	35.2	56.3	6.2	42.4	3621	26268
GOLDEN HARVEST H-6775	91	C250	40.8	16.3	6.7	97	82.8	18.0	36.6	52.8	8.1	38.2	3458	23002	42.7	15.0	6.4	100	82.3	18.6	36.7	51.8	6.5	40.0	3372	21580
GREAT LAKES 4256BT	92	P250	39.0	18.7	7.2 **	93	84.4	17.8	35.4	56.0	7.1	41.9	3649	26374	40.4	15.2	6.1	100	84.5	17.7	34.6	55.1	6.2	42.9	3618	22080
GREAT LAKES 4297BIRR	92	P250	37.3	17.7	6.5	92	83.9	19.1	38.0	57.5	7.6	38.2	3644	23839	39.8	15.8	6.2	94	83.2	19.9	39.0	56.8	6.8	36.8	3552	21954
HYLAND SEEDS HLS011	76	P250	44.8	14.3	6.4	96	81.5	19.4	38.7	52.0	7.9	37.8	3262	20849	47.3	14.3	6.7	98	82.0	18.1	36.5	50.7	6.8	42.1	3213	21611
HYLAND SEEDS HLS021	82	P250	39.2	15.2	6.0	97	80.8	21.8	42.2	54.4	7.6	31.5	3388	20271	39.0	13.7	5.3	100	80.0	23.8	44.4	55.0	6.1	29.9	3355	17865
HYLAND SEEDS HLS034	92	P250	35.9	19.8	7.1 *	95	81.2	23.4	43.9	57.2	7.1	3491	24714	37.4	17.5	6.5	100	80.8	24.8	45.5	58.8	6.5	29.3	3461	22603	
HYLAND SEEDS HLS041	93	P250	37.8	17.8	6.6	95	83.5	19.9	38.6	57.0	7.3	35.8	3624	23873	38.4	16.5	6.4	99	82.9	20.4	38.8	58.5	6.2	35.9	3661	23294
HYLAND SEEDS HLSR42	93	P250	37.1	19.4	7.2 **	96	83.5	19.5	37.9	56.4	7.6	36.8	3625	26111	37.7	18.2	6.9 *	99	82.9	20.9	39.9	57.2	6.4	35.2	3600	24694
MYCOGEN F27357	95	C125	34.7	9.0	3.1	60	85.0	18.7	39.3	61.9	8.2	33.4	3788	11805	36.6	8.1	2.9	71	84.3	19.8	40.3	61.0	7.7	30.4	3695	10800
NK Brand N32-L9	93	C250	39.7	16.7	6.6	96	83.2	18.7	36.5	53.8	7.4	40.9	3519	23147	43.3	14.1	6.1	100	83.3	17.3	34.3	51.2	6.0	44.7	3401	20662
NK Brand N33-H6	100	C250	36.0	19.1	6.9 *	98	81.8	21.3	40.9	55.5	7.7	33.2	3516	24212	36.6	16.2	5.9	100	81.0	23.4	43.7	56.5	6.4	29.7	3472	20599
PIONEER 37A92	97	P250	38.6	17.1	6.6	93	83.4	18.7	36.8	54.9	8.0	38.5	3577	23571	42.2	14.4	6.1	95	83.6	17.8	34.7	52.5	7.0	42.1	3478	21036
PIONEER 37D02	97	P250	38.3	18.0	6.9 *	96	83.1	19.4	38.0	55.6	7.2	39.0	3572	24539	41.2	15.6	6.4	98	83.2	19.1	37.3	55.0	6.2	40.6	3510	22557
PIONEER 37K84	99	P250	37.8	18.1	6.8	96	82.8	20.1	39.4	56.3	7.3	36.6	3569	24385	39.7	15.6	6.2	100	82.1	20.6	38.5	54.9	5.9	37.3	3476	21453
PIONEER 38W22	92	P250	41.1	16.9	6.9 *	96	83.0	18.0	36.2	53.2	7.5	39.2	3469	23899	44.8	14.5	6.4	100	82.5	18.0	35.5	50.5	5.9	42.8	3304	21293
AVERAGE			38.0	17.2	6.5	94	82.9	19.8	38.9	56.7	7.6	36.4	3545	23011	40.0	15.1	6.0	97	82.7	20.3	39.1	55.5	6.4	36.7	3490	20932
HIGHEST			44.8	19.8	7.2	98	85.0	23.4	43.9	61.9	8.4	41.9	3788	26374	47.3	18.2	7.3	100	84.6	25.7	47.3	61.0	7.7	44.7	3695	26268
LOWEST			33.8	9.0	3.1	60	80.8	17.8	35.4	52.0	7.0	30.4	3262	11805	35.7	8.1	2.9	71	80.0	17.3	34.3	50.5	5.7	27.1	3213	10800
CV (%)			4.9	8.7	6.6	3	1.3	7.7	5.8	3.4	5.0	8.0	3	7	5.5	10.1	7.4	2	1.1	8.5	6.4	3.4	7.7	9.7	3	8
LSD (.05%)			1.3	1.0	0.3	2	0.7	1.0	1.5	1.3	0.3	2.0	61	1157	2.6	1.8	0.5	3	1.1	2.0	3.0	2.2	0.6	4.2	109	2069

BRAND / HYBRID	RM	YIELD						% QUALITY						MILK 2000						MILK 2000					
		%DM	GTIA	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MKT	MKA	%DM	GTIA	DTIA	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MKT	MKA
DAIRYLAND STEALTH-1602	98	33.4	19.0	6.3	96	80.2	23.9	46.1	57.0	8.1	27.6	3406	21540	33.8	19.6	6.5	99	80.8	24.3	46.0	58.3	7.2	27.8	3440	22321
GREAT LAKES 4297BIRR	92	35.5	17.6	6.2	96	82.2	21.1	41.3	56.8	7.2	35.1	3543	22076	36.7	19.3	6.9	97	82.0	21.9	42.2	57.2	6.7	34.0	3510	24248
NK Brand N33-H6	100	34.0	19.0	6.4 *	99	79.6	24.1	45.2	54.9	7.6	28.3	3353	21725	34.3	20.0	6.7	100	79.4	25.3	46.5	55.7	6.6	27.2	3347	22461
GARST 8922YG1	91	36.7	17.9	6.6 **	98	82.5	20.6	40.7	56.9	7.2	35.4	3552	23433	37.7	19.9	7.4 **	100	83.3	20.4	39.7	57.8	6.6	36.9	3594	26600
GREAT LAKES 4256BT	92	36.4	17.8	6.5 *	95	83.0	19.9	39.4	56.8	7.1	37.1	3589	23391	37.2	18.7	6.8	100	83.6	19.8	38.4	57.1	6.5	38.1	3616	24692
PIONEER 37K84	99	36.2	17.9	6.5 *	97	80.7	22.7	43.5	55.8	7.2	31.4	3433	22326	37.1	18.9	6.9	99	80.9	23.0	43.2	55.8	6.4	32.6	3430	23687
PIONEER 38W22	92	39.6	16.2	6.3	97	81.7	19.7	38.8	52.7	7.4	36.3	3413	21775	41.0	17.3	6.9	100	81.8	19.5	40.1	51.9	6.4	38.5	3370	23423
AVERAGE		36.0	17.9	6.4	97	81.4	21.7	42.1	55.8	7.4	33.0	3470	23234	36.8	19.1	6.9	99	81.7	22.0	42.0	56.3	6.6	33.6	3475	24606
HIGHEST		39.6	19.0	6.6	99	83.0	24.1	46.1	57.0	8.1	37.1	3589	23433	41.0	20.0	7.4	100	83.6	25.3	46.5	58.3	7.2	38.5	3616	26600
LOWEST		33.4	16.2	6.2	95	79.6	19.7	38.8	52.7	7.1	27.6	3353	21540	33.8	17.3	6.5	97	79.4	19.5	38.0	51.9	6.4	27.2	3347	22321
CV (%)		4.6	8.1	6.0	2	1.2	6.6	5.1	3.2	4.8	7.5	2	4.9	8.8	6.2	2	1.2	7.0	5.4	3.1	6.3	8.4	3	7	
LSD (.05%)		0.9	0.7	0.2	1	0.5	0.7	1.1	1.0	0.2	1.4	45	822	1.6	1.2	0.3	1	0.8	1.2	1.8	1.5	0.3	2.4	73	1354

BRAND / HYBRID	RM	YIELD						% QUALITY						MILK 2000						MILK 2000					
		%DM	GTIA	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MKT	MKA	%DM	GTIA	DTIA	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MKT	MKA
GREAT LAKES 4297BIRR	92	36.1	18.8	6.7	94	83.4	19.9	39.0	57.3	7.2	37.6	3608	24139	36.5	19.7	7.1 **	92	83.1	20.6	39.8	57.6	6.9	36.3	3610	25531
NK Brand N33-H6	100	34.3	20.6	7.																					

OSCEOLA

2005

BRAND / HYBRID	RM	YIELD						% QUALITY						MILK 2000						DELTA - LATE								
		%DM	GTIA	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MKT	MKA	%DM	GTIA	DTIA	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MKT	MKA			
BALDRIDGE BH375	85	38.2	16.3	6.2	95	82.6	19.0	37.3	53.3	8.6	37.4	3524	21945	36.7	14.8	5.4	94	81.0	20.8	42.1	54.9	9.0	30.7	3424	18573			
DAIRYLAND STEALTH-1602	98	P250	34.9	21.1	7.4	87	81.9	20.9	40.7	55.4	9.0	34.6	3527	26022	33.8	19.2	6.4	91	80.6	23.0	45.8	57.6	9.1	27.2	3444	22113		
DAIRYLAND STEALTH-1705	105	P250	31.7	22.9	7.2	98	82.2	21.6	40.8	56.3	7.9	34.3	3562	25637	34.1	20.7	7.1	*	82.7	21.4	42.1	58.9	8.0	33.7	3612	25487		
DYNAGRO 53F09	95	P250	35.7	20.0	7.2	98	84.5	18.1	35.7	56.7	7.9	40.9	3732	26796	34.0	19.8	6.7	94	81.6	21.3	41.8	56.1	7.5	35.6	3514	23645		
GARST 8922YG1	91	C250	37.2	20.5	7.6	98	84.8	17.7	35.4	56.9	7.6	41.2	3731	28451	40.3	16.7	6.7	94	83.4	18.2	37.5	55.7	7.4	40.1	3541	23566		
GOLDEN HARVEST H-6775	91	C250	41.1	18.4	7.6	99	83.5	16.7	34.3	51.9	9.0	40.6	3491	26362	38.6	15.5	6.0	92	82.5	18.7	38.7	54.7	8.8	34.0	3510	21064		
GREAT LAKES 4256Bt	92	P250	37.9	21.6	8.2	*	89	85.0	17.5	34.6	56.6	7.7	42.7	3728	30391	38.8	19.3	7.4	**	92	83.8	18.3	37.2	56.3	7.6	40.0	3602	26652
GREAT LAKES 4297BIRR	92	P250	34.2	18.1	6.2	92	84.9	18.4	36.5	58.6	8.1	39.7	3776	23413	38.0	19.2	7.3	*	90	83.5	19.1	38.6	57.2	7.8	38.2	3603	26149	
HYLAND SEEDS HLS011	76	P250	46.0	15.3	7.0	97	81.9	18.3	36.4	50.2	8.5	39.1	3239	22764	41.1	13.4	5.5	94	80.6	21.7	43.3	55.1	8.5	32.2	3334	18172		
HYLAND SEEDS HLS021	82	P250	41.0	17.0	7.0	98	81.5	19.9	38.9	52.5	8.7	35.0	3373	23450	37.7	15.1	5.7	94	80.9	21.8	43.3	55.9	8.1	34.6	3436	19497		
HYLAND SEEDS HLS034	92	P250	33.6	22.3	7.5	91	81.8	22.8	42.2	56.8	8.0	33.1	3539	26359	36.8	19.8	7.3	*	94	81.1	22.6	44.0	57.0	8.0	30.9	3471	25180	
HYLAND SEEDS HLS041	93	P250	38.4	19.2	7.4	96	84.0	17.9	35.4	54.9	7.8	39.4	3642	26872	34.1	17.7	6.0	92	82.5	21.4	41.4	57.7	7.9	32.1	3570	21497		
HYLAND SEEDS HLR42	93	P250	39.2	21.4	8.4	**	95	83.8	17.7	34.8	53.3	8.2	41.3	3584	30029	34.4	18.7	6.4	94	83.9	19.8	39.1	58.8	8.1	34.0	3692	23611	
MYCOGEN F2F357	95	C125	32.6	9.4	3.1	50	86.5	18.1	38.0	64.4	8.5	34.9	3930	12087	34.8	9.6	3.4	59	84.4	18.3	39.5	60.3	8.4	35.1	3740	12529		
NK Brand N32-L9	93	C250	38.0	18.4	7.0	94	83.6	18.5	35.8	54.2	8.4	40.3	3615	25104	37.8	17.7	6.7	94	82.6	20.3	39.5	55.9	7.8	37.7	3540	23674		
NK Brand N33-H6	100	C250	36.4	22.5	8.2	99	83.7	19.1	37.0	56.0	8.3	37.3	3656	2891	35.0	18.6	6.5	94	80.7	21.5	42.2	54.2	8.4	32.7	3420	22145		
PIONEER 37A92	97	P250	37.3	20.0	7.5	93	84.4	18.1	36.5	55.9	8.4	39.0	3691	27495	36.4	17.1	6.2	91	82.4	20.3	40.3	56.3	8.7	34.5	3563	22183		
PIONEER 37D02	97	P250	37.8	20.5	7.7	95	83.7	18.7	36.2	55.0	7.5	41.4	3636	28015	36.1	17.9	6.5	94	82.5	20.3	40.4	56.7	7.9	35.2	3571	23044		
PIONEER 37K84	99	P250	37.3	19.9	7.4	94	83.3	19.4	37.8	55.7	8.0	37.9	3613	26812	36.5	18.9	6.9	*	94	83.1	20.3	40.6	58.4	7.9	34.8	3618	24889	
PIONEER 38W22	92	P250	38.5	18.7	7.2	93	83.6	18.1	35.8	54.3	8.2	38.3	3589	25754	40.0	17.6	7.0	*	94	83.0	18.0	37.4	54.7	8.3	36.5	3515	24705	
AVERAGE			37.3	19.2	7.1	93	83.6	18.8	31.0	55.4	8.2	38.4	3609	25682	36.7	17.4	6.3	91	82.3	20.3	40.7	56.6	8.2	34.2	3536	22419		
HIGHEST			46.0	22.9	8.4	99	86.5	22.8	42.2	64.4	9.0	42.7	3930	30391	41.1	20.7	7.4	94	84.4	23.0	45.8	56.3	9.1	40.1	3740	26652		
LOWEST			31.7	9.4	3.1	50	81.5	16.7	34.3	50.2	7.5	33.1	3239	12087	33.8	9.6	3.4	77	80.6	18.0	37.2	54.2	7.4	27.2	3334	12529		
CV (%)			4.0	8.2	6.4	4	1.0	6.8	5.3	2.3	3.3	5.4	2	7	5.1	8.1	6.0	2	1.6	7.6	5.6	4.3	8.5	3	7			
LSD (0.05%)			1.8	1.9	0.5	5	1.0	1.5	2.3	0.3	2.5	0.3	73	2028	2.2	1.7	0.5	3	1.6	2.7	2.9	0.4	3.4	132	1979			

BRAND / HYBRID	RM	YIELD						% QUALITY						MILK 2000						DELTA - LATE					
		%DM	GTIA	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MKT	MKA	%DM	GTIA	DTIA	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MKT	MKA
DAIRYLAND STEALTH-1602	98																								
GARST 8922YG1	91																								
GREAT LAKES 4256Bt																									
GREAT LAKES 4297BIRR																									
NK Brand N33-H6	100																								
AVERAGE																									
HIGHEST																									
LOWEST																									
CV (%)																									
LSD (0.05%)																									

BRAND / HYBRID	RM	YIELD						% QUALITY						MILK 2000			
----------------	----	-------	--	--	--	--	--	-----------	--	--	--	--	--	-----------	--	--	--

TABLE 10.

ALGER & DELTA (EARLY) COUNTY SILAGE TRIALS (92 Day and Earlier)

ZONE 5

TRIAL AVERAGE												TRIAL AVERAGE												TRIAL AVERAGE						
YIELD						% QUALITY						MILK 2000						YIELD						% QUALITY						MILK 2000
BRAND / HYBRID	RM	TRT	%DM	G/TIA	DTIA	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MKT	MKA	%DM	G/TIA	DTIA	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MKT	MKA				
BALDRIDGE BH375	85	33.1	16.4	5.4	99	79.7	23.6	45.8	55.7	8.4	26.5	3355	18202	31.7	16.4	5.2	98	79.7	24.2	45.9	55.7	8.3	27.4	3352	17368					
BAYSIDE Super 80	80	P250	36.0	16.2	5.8	89	81.7	20.6	41.1	55.3	7.7	36.2	3496	20430	33.7	16.3	5.5	79	81.3	21.3	41.8	55.2	7.6	36.4	3490	19222				
DAIRYLAND Hi DF-3086	86	P250	35.6	17.9	6.3	100	80.9	22.1	42.7	55.3	8.1	32.9	3412	21384	30.9	20.2	6.2 *	99	80.0	24.6	46.0	56.7	7.9	29.0	3404	21233				
DEKALB DKC35-02 (RR2/YGCB)	85	P250	35.5	16.3	5.8	100	82.0	19.3	39.6	54.6	8.7	33.6	3511	20329	33.2	16.5	5.5	100	81.3	20.0	40.0	53.3	8.4	35.8	3468	18978				
DEKALB DKC37-14 (RR2)	87	P250	37.0	17.3	6.3	99	82.4	19.8	39.8	55.8	8.3	33.7	3543	22462	35.3	18.3	6.5 **	99	82.0	20.7	40.5	55.6	7.9	34.6	3540	22853				
GARST 8905RR	87	C250	34.3	15.9	5.4	100	78.8	24.6	46.2	54.2	7.8	29.5	3282	17720	33.4	16.0	5.4	100	77.2	26.8	48.9	53.5	7.5	27.8	3178	16993				
HYLAND SEEDS HLS011	76	P250	39.1	15.9	6.2	99	79.9	22.4	44.4	54.6	8.1	31.8	3324	20554	38.3	15.9	6.1 *	98	80.6	21.8	42.7	54.4	8.0	36.0	3388	20569				
HYLAND SEEDS HLS021	82	P250	37.1	17.7	6.6 *	100	81.1	22.2	43.1	56.0	7.9	30.5	3448	22600	35.3	17.5	6.2 *	100	80.3	23.1	44.0	55.2	7.6	31.0	3414	20996				
HYLAND SEEDS HLS034	92	P250	32.5	20.2	6.5 *	94	80.1	24.4	46.2	57.1	8.1	29.4	3412	22260	29.7	20.8	6.2 *	88	78.7	26.1	48.2	55.9	8.1	27.4	3306	20343				
MYCOGEN TMF2N242	92	C125	34.5	17.3	6.0	100	81.7	22.6	44.7	59.0	8.0	28.7	3536	21142	32.9	17.3	5.7	100	81.6	23.7	45.9	59.8	7.9	28.0	3541	21113				
NK Brand N18-F2	84	C250	40.4	15.1	6.1	96	81.4	20.3	40.7	54.3	7.9	35.2	3392	20609	38.7	15.2	5.9	96	80.6	21.4	42.3	54.1	7.6	34.9	3380	19955				
PIONEER 37A92	97	P250	34.5	17.1	5.9	89	82.0	21.0	41.4	56.7	8.7	34.4	3546	20947	33.3	17.3	5.7	86	80.6	22.6	43.3	55.2	8.3	33.2	3434	19657				
PIONEER 38W21	92	P250	37.2	17.0	6.3	95	82.0	19.7	39.3	54.3	8.2	35.8	3489	21953	34.7	17.2	6.0 *	90	81.2	21.1	40.9	54.0	8.2	34.9	3465	20725				
PIONEER 38W22	92	P250	36.8	18.3	6.7 **	98	83.4	19.7	39.5	57.9	8.2	33.4	3633	24480	34.8	17.9	6.2 *	95	83.3	20.3	40.1	58.2	7.9	33.5	3650	22745				
REINK RK232	85	P250	37.9	16.0	6.1	89	80.8	21.6	42.9	55.4	8.1	33.1	3413	20798	36.1	14.8	5.4	79	80.4	22.9	44.2	55.7	7.8	33.2	3422	18359				
SPANGLER LFT14	80	P250	39.0	16.2	6.3	99	79.7	22.7	44.4	54.3	8.1	31.9	3312	20871	37.1	16.7	6.2 *	99	80.1	22.6	43.4	54.0	8.1	34.4	3374	20852				
SPANGLER LFT17	87	P250	33.7	17.8	6.0	100	80.2	24.5	47.7	58.4	8.7	24.7	3421	20528	32.7	18.4	6.0 *	100	80.0	24.6	46.9	57.2	8.2	26.9	3403	20426				
SPANGLER LFT19R	87	P250	35.0	17.7	6.2	99	81.4	23.0	45.7	59.3	8.3	27.6	3515	21827	32.3	17.8	5.8	98	80.4	24.4	47.3	58.5	8.4	26.6	3444	19879				
WOLF RIVER VALLEY WRV2585LRR	85	P250	34.8	17.9	6.2	100	80.7	22.9	45.6	57.7	8.4	27.5	3450	21364	32.9	17.4	5.7	100	81.0	23.6	46.1	58.8	8.6	27.8	3490	19974				
WOLF RIVER VALLEY WRV9983	83	P250	37.2	16.7	6.2	100	82.1	20.9	41.8	57.1	7.5	34.1	3536	21909	36.6	16.4	6.0 *	100	82.1	21.2	41.8	57.1	7.5	34.6	3549	21190				
AVERAGE			36.1	17.0	6.1	97	81.1	21.9	43.1	56.1	8.2	31.5	3451	21119	34.2	17.2	5.9	96	80.6	22.8	44.0	55.9	8.0	31.7	3435	20121				
HIGHEST			40.4	20.2	6.7	100	83.4	24.6	47.7	59.3	8.7	36.2	3633	24480	38.7	20.8	6.5	100	83.3	26.8	48.9	59.8	8.6	36.4	3650	22853				
LOWEST			32.5	15.1	5.4	89	78.8	19.3	39.3	54.2	7.5	24.7	3282	17720	29.7	14.8	5.2	79	77.2	20.0	40.0	53.3	7.5	26.6	3178	16993				
CV (%)			4.9	7.0	6.3	2	2.0	7.5	5.8	4.1	5.5	9.3	4	8	4.9	7.3	7.3	3	2.1	7.5	5.8	4.4	5.3	9.6	4	9				
LSD (0.5%)			1.5	1.0	0.3	2	1.3	1.4	2.1	1.9	0.4	2.4	107	1337	2.0	1.5	0.5	3	2.0	2.0	3.0	2.9	0.5	3.6	162	2216				

Support from Michigan's Project GREEN

2005

BRAND/HYBRID	RM	TRT	YIELD	%DM	G/TIA	DT/A	%Std	IVD	ADF	NDF	NDFD	CP	Strch	MKT	MK/A
BALDRIDGE BH375	85	P250	34.5	16.5	5.7	100	79.7	23.0	45.8	55.6	8.6	25.6	3357	19036	
BAYSIDE Super 80	80	P250	38.3	16.1	6.2	99	82.1	19.9	40.4	55.5	7.8	36.0	3503	21639	
DAIRYLAND Hi DF-3086	86	P250	40.4	15.6	6.3	100	81.9	19.7	39.3	53.9	8.3	36.8	3419	21535	
DEKALB DKC35-02 (RR2/YGCB)	85	P250	37.9	16.1	6.1	100	82.7	18.6	39.2	55.8	9.0	31.3	3553	21681	
DEKALB DKC37-14 (RR2)	87	P250	38.6	16.2	6.2	100	82.8	18.9	39.1	56.0	8.7	32.9	3547	22071	
GARST 8905RR	87	C250	35.2	15.7	5.5	100	80.3	22.3	43.6	54.9	8.1	31.2	3387	18447	
HYLAND SEEDS HLS011	76	P250	39.9	15.8	6.3	100	79.2	22.9	46.1	54.8	8.2	27.6	3259	20539	
HYLAND SEEDS HLS021	82	P250	38.8	18.0	7.0	*	100	81.8	21.4	42.1	56.8	8.2	30.0	3481	24203
HYLAND SEEDS HLS034	92	P250	35.3	19.6	6.9	*	100	81.6	22.7	44.3	58.3	8.0	31.3	3517	24177
MYCOGEN TMF2N242	92	C125	36.2	17.4	6.3	100	81.8	21.6	43.6	58.2	8.2	29.3	3532	22172	
NK Brand N18-F2	84	C250	42.0	15.0	6.3	97	82.1	19.3	39.2	54.4	8.3	35.5	3403	21269	
PIONEER 37A92	97	P250	35.6	17.0	6.1	93	83.5	19.3	39.5	58.2	9.1	35.7	3659	22237	
PIONEER 38W21	92	P250	38.7	16.7	6.6	100	82.9	18.4	37.6	54.5	8.1	36.7	3514	23182	
PIONEER 38W22	92	P250	38.7	18.7	7.3	**	100	83.6							

Making Sense Of Corn Silage Quality Measurements

Michael Allen, Professor,
Department of Animal Science
Michigan State University

The important quality measurements for selecting corn silage hybrids are the concentration of neutral detergent fiber, the digestibility of NDF and starch, and, to a lesser extent, the concentration of crude protein. Each of these is discussed below.

Neutral Detergent Fiber (NDF)

Neutral detergent fiber is a measure of the total insoluble fiber of corn silage and is inversely related to grain concentration; corn silage with high grain concentration has low concentration of NDF and vice versa. The NDF concentration of corn silage ranges from less than 35% of dry matter (DM) to more than 55% of DM and is highly variable by hybrid (repeatable differences from less than 38% to over 52% NDF), but is affected by maturity at harvest, and other factors such as soil moisture, temperature, population density, harvest height, and fertilization. Digestibility of corn silage increases with grain concentration. While hybrids with high concentrations of NDF and low concentrations of grain must be supplemented with more grain to provide the same amount of energy, low NDF concentration in corn silage is not always desirable for several reasons. One reason is that the cost of producing corn silage is sometimes greater than the cost of purchased corn grain on a per unit dry matter basis. The cost of producing corn silage is highly variable among farms, especially after accounting for shrinkage and spoilage. When corn grain costs less than corn silage, choosing a high NDF corn hybrid will decrease feed costs. In addition, corn hybrids with high grain and low NDF concentrations require much more corn silage to be included in diets to meet the cows forage NDF requirement, increasing the amount of land and silo capacity required per cow, and decreasing the amount of space in rations for other feeds. Furthermore, low-grain corn silage is less prone to problems from undigested kernel passage simply because there are fewer kernels from corn silage in the ration. Therefore, the optimal NDF concentration of corn hybrids for silage varies from farm to farm depending upon the cost of corn silage production and the land base available.

NDF Digestibility (NDFD)

The in vitro NDF digestibility of corn silage is extremely variable ranging from less than 30% to 60% and is affected primarily from differences in growing environment between years and locations and in hybrid genetics. It is also affected by management factors such as population density, soil fertility, plant date, and harvest moisture. Although the growing environment is the greatest factor affecting NDFD of corn silage, there are consistent hybrid effects. Normal commercial corn hybrids vary by 4-5 percentage units of NDFD when averaged over many growing environments while the brown midrib mutants increase this variation by another 4-5%.

These relatively small differences in NDFD can have large effects on animal performance. Enhanced forage NDFD

significantly increased dry matter intake (DMI) and milk yield of dairy cows in a statistical analysis of treatment means across a wide range of forages reported in the literature. A one-unit increase in NDFD in vitro or in situ was associated with a 0.37-lb increase in DMI of diets and a 0.55 lb increase in 4% fat-corrected milk. Therefore a 5 unit difference in NDF digestibility among corn hybrids should result in a difference in milk yield of nearly 3 lb per cow per day. However, increased NDFD does not always result in the same response for feed intake and milk yield. Response to forages with increased NDFD is dependent upon both animal and dietary factors; response is greatest for animals with high energy requirements and diets lower in energy. So, NDFD has greater importance for herds with high milk yield compared to lower milk yield, for high group cows compared to low group cows, and for cows low grain diets compared to high grain diets. NDFD is less important for growing and finishing beef cattle.

Starch

Corn grain contains about 70% starch so corn silage starch concentration, like grain concentration, is inversely related to NDF concentration. Digestibility of starch in corn silage is highly variable and affected by maturity at harvest, hybrid genetics, and by growing environment. Starch is located in the endosperm of corn grain and endosperm type, floury or vitreous, affects starch digestibility. Proportions of vitreous and floury endosperm vary by corn hybrid and maturity at harvest. Floury endosperm is white in color and easily seen as a fine powder when dry corn is ground. Vitreous endosperm is yellow in color and is observed as grits when ground. Starch in vitreous endosperm is more resistant to digestion so starch digestion is negatively related to the vitreousness of the endosperm. Increasing maturity at harvest increases vitreousness and decreases starch digestibility. However, starch digestibility increases over time in the silo as the proteins in vitreous endosperm are solubilized. Corn hybrids with highly vitreous endosperm are more likely to have lower starch digestibility, especially for the first weeks or months after ensiling. Currently, there is no inexpensive, reliable way to measure starch digestibility in the laboratory, so this important measure is not yet included in our measurements. However, endosperm vitreousness of corn hybrids can be observed visually and should be available from individual seed companies.

Crude Protein (CP)

Forages are generally supplemented with high protein concentrates such as soybean meal to increase the protein concentration of ruminant diets. Corn hybrids with high protein require less supplemental protein, which can lower feed costs. Variation in crude protein among hybrids is less than the variation in concentration and digestibility of NDF and starch, and likely has less effect on animal performance and feed costs.

FIGURE 1. ZONE 1 EARLY SILAGE %NDF vs %NDFD - TRIAL AVERAGE







FIGURE 2. ZONE 1 LATE SILAGE %NDF vs %NDFD - TRIAL AVERAGE



** Highest Yielding Hybrid

* Not Significantly Different from Highest Yielding Hybrid



The area within the circle is >< one LSD from the trial average

FIGURE 3.**ZONE 2 / 3 EARLY SILAGE %NDF vs %NDFD - TRIAL AVERAGE****FIGURE 4.****ZONE 2 / 3 LATE SILAGE %NDF vs %NDFD - TRIAL AVERAGE**

** Highest Yielding Hybrid

* Not Significantly Different from Highest Yielding Hybrid

The area within the circle is >< one LSD from the trial average

FIGURE 5.**ZONE 4 SILAGE %NDF vs %NDFD - TRIAL AVERAGE****FIGURE 6.****ZONE 5 EARLY SILAGE %NDF vs %NDFD - TRIAL AVERAGE**

** Highest Yielding Hybrid

* Not Significantly Different from Highest Yielding Hybrid

The area within the circle is <> one LSD from the trial average

HYBRID INDEX FOR SILAGE TRIALS

The 108 hybrids submitted for silage testing by 25 seed companies (27 brand names) resulted in 130 individual entries in the 2005 Michigan Corn Performance Trials for silage. The map of Michigan shows each zone and locations where the trials were located (page 30). Entries in the southern zones were divided into two maturity groups (early and late) on the basis of the maturity ratings (RM) submitted by the companies. These results are arranged in separate tables that are designated by "E" or "L" along with the table number. Below is a listing of company names, brand names, hybrid numbers, RM, and the table designation for each hybrid.

Zone 1 - Tables 7E/7L		Zone 2 - Tables 8E/8L		Zone 4 - Table 9		Zone 5 - Table 10	
Branch		Huron - Zone 3		Alpena		Alger	
Lenawee		Ingham		Delta - Late		Delta - Early	
Wood (Ohio)		Kent		Osceola		Trial Average	
Trial Average		Trial Average		Trial Average			
MONSANTO			UAP NORTHEAST (continued)		MYCOGEN SEEDS (continued)		
ASGROW RX702YG	110	7E	DYNAGRO 54K11	96	8E	MYCOGEN TMF2N242	92 10
ASGROW RX715RR2	111	7L	DYNAGRO 54P72	99	8E	MYCOGEN TMF2N602	106 8L
ASGROW RX785RR2/YGCB	113	7L	DYNAGRO 55N37	103	8E	MYCOGEN TMF2T497	100 8E
			DYNAGRO 55P41	102	8E		
			DYNAGRO 56K44	106	8L	SYNGENTA SEEDS	
BALDRIDGE BIO-RESEARCH			DYNAGRO 56K77	108	8L	NK Brand N18-F2	84 10
BALDRIDGE BH375	85	9,10	DYNAGRO 57B47	111	8L	NK Brand N32-L9	93 9
BALDRIDGE BH516	103	8E	DYNAGRO 57F87	114	7L	NK Brand N33-H6	100 9
BALDRIDGE BH609	110	7E	DYNAGRO 57N13	112	7L	NK Brand N49-E3	105 8L
			DYNAGRO 58K56	116	7L	NK Brand N58-L8	106 8L
BAYSIDE SEEDS, LLC			DYNAGRO CX05614	114	7L	NK Brand N63-U9	102 8E
BAYSIDE Super 80	80	10				NK Brand N65-Y3	108 7E,8L
						NK Brand N82-J6	116 7L
BECK'S SUPERIOR HYBRIDS			GARST SEED COMPANY			PIONEER HI-BRED INTERNATIONAL	
BECK 6197	112	7L	GARST 8200YG1	119	7L	PIONEER 33A84	113 7L
BECK 7538Bt1	115	7L	GARST 8380IT	115	7L	PIONEER 33D63	114 7L
			GARST 8689IT	104	8L	PIONEER 34A86	108 7E,8L
BROWN SEED FARMS, INC.			GARST 8905RR	87	10	PIONEER 35D28	108 7E,8L
BROWN 6079	101	8E	GARST 8922YG1	91	9	PIONEER 36K67	102 7E,8E
BROWN 7044	109	8L				PIONEER 37A92	97 8E,9,10
			GOLDEN HARVEST SEEDS, INC.			PIONEER 37D02	97 8E,9
CAMPBELL SEED, INC.			GOLDEN HARVEST H-6775	91	9	PIONEER 37K84	99 8E,9
CAMPBELL 6990	110	7E	GOLDEN HARVEST H-8618Bt	108	8L	PIONEER 38W21	92 10
CAMPBELL 7110	111	7L	GOLDEN HARVEST H-8920	111	7L	PIONEER 38W22	92 9,10
			GOLDEN HARVEST H-9166	113	7L		
CORN BELT HYBRIDS			GREAT LAKES HYBRIDS			RENK SEED COMPANY	
CORN BELT C565	105	8L	GREAT LAKES 4256Bt	92	9	RENK RK232	85 10
			GREAT LAKES 4297BtRR	92	9		
DAIRYLAND SEED CO., INC.			GREAT LAKES 6148RR	111	8L	RUPP SEEDS, INC.	
DAIRYLAND Hi DF-3007	106	7E				RUPP XS1650	106 7E
DAIRYLAND Hi DF-3086	86	10				RUPP XS1904	113 7L
DAIRYLAND Hi DF-4200	101	8E	GRIES SEED FARM, INC.				
DAIRYLAND STEALTH-1503	100	8E	GRIES X5112	110	7E	SPANLGER SEEDTECH, INC.	
DAIRYLAND STEALTH-1598	98	8E				SPANGLER LFT14	80 10
DAIRYLAND STEALTH-1602	98	9	TRELAY SEED COMPANY			SPANGLER LFT17	87 10
DAIRYLAND STEALTH-1611	108	7E	HIGH CYCLE HC5B739	105	8L	SPANGLER LFT19R	87 10
DAIRYLAND STEALTH-1615	111	7L	HIGH CYCLE HC8B524	114	8L		
DAIRYLAND STEALTH-1705	105	9					
DAIRYLAND STEALTH-5007	103	8E	HYLAND SEEDS				
			HYLAND SEEDS HLS011	76	9,10	TRELAY SEED COMPANY	
MONSANTO			HYLAND SEEDS HLS021	82	9,10	TRELAY 7012	105 7E,8L
DEKALB DKC35-02 (RR2/YGCB)	85	10	HYLAND SEEDS HLS034	92	8E,9,10		
DEKALB DKC37-14 (RR2)	87	10	HYLAND SEEDS HLS041	93	8E,9	ROYSTER-CLARK, INC.	
DEKALB DKC50-20 (RR2/YGCB)	100	8E	HYLAND SEEDS HLS047	95	8E	VIGORO V51P42	110 7E
DEKALB DKC52-23 (RR2/YGCB)	102	7E,8E	HYLAND SEEDS HLS058	101	8E	VIGORO V5240	112 7L,8L
DEKALB DKC54-47 (RR2/YGPL)	104	7E,8L	HYLAND SEEDS HLS067	103	8E		
DEKALB DKC55-82 (RR2)	105	7E	HYLAND SEEDS HLSR42	93	8E,9	WELLMAN SEEDS, INC.	
DEKALB DKC57-30	107	7E	HYLAND SEEDS HLSR59	101	8E	WELLMAN W1820	115 7L
DEKALB DKC57-84 (YGCB)	107	7E,8L				WELLMAN W2615	115 7L
DEKALB DKC61-45 (RR2/YGCB)	111	7L	ICORN				
DEKALB DKC61-72 (RR2)	111	7L	ICORN 111.E3	111	7L	WOLF RIVER VALLEY SEEDS	
DEKALB DKC63-62 (RR2)	113	7L				WOLF RIVER VALLEY WRV2585LRR	85 10
UAP NORTHEAST			MYCOGEN SEEDS				
DYNAGRO 53F09	95	9	MYCOGEN F2357	95	9	WOLF RIVER VALLEY WRV9983	83 10
			MYCOGEN F24725	113	7L		

COMPANY INDEX

BRAND AGRIGOLD	CONTACT AgriGold Hybrids R.R. #1, Box 203 St. Francisville, IL 62460 www.agrigold.com	BRAND DYNAGRO	CONTACT UAP Northeast 240 S. Bridge Street DeWitt, MI 48820 www.uap.com	BRAND PARTNERS BRAND	CONTACT Partners Brand P.O. Box 218 Dansville, MI 48819 877-320-0474
ASGROW	Monsanto 800 N. Lindbergh Blvd. St. Louis, MO 63167 www.asgrow.com	GARST	Garst Seed Company 2369 330th Street Slater, IA 50244 www.garstseed.com	PIONEER	Pioneer Hi-Bred International 210 Westfield Dr. Archbold, OH 43502 www.pioneer.com
BALDRIDGE	Baldridge Bio-Research P.O. Box 99 Cherry Fork, Oh 45618 www.baldridgehybrids.com	GOLDEN HARVEST	Golden Harvest Seeds, Inc. RENK P.O.Box 248 Pekin, IL 61555 www.goldenharvestseeds.com		Renk Seed Company 6800 Wilburn Road Sun Prairie, WI 53590 www.renkeed.com
BAYSIDE	Bayside Seeds, LLC 259 Bowker Road Munger, MI 48747 www.baysideseeds.com	GREAT LAKES	Great Lakes Hybrids 9915 West M-21 Ovid, MI 48866 www.glh-seeds.com	RUPP	Rupp Seeds, Inc. 17919 Co. Rd. B Wauseon, OH 43567 www.ruppsseeds.com
BECK	Beck's Superior Hybrids 6767 E. 276th Street Atlanta, IN 46031 www.beckshybrids.com	GRIES	Gries Seed Farms, Inc. 2348 N. Fifth Street Freemont, OH 43420 www.griesseed.com	SEED CONSULTANTS	Seed Consultants, Inc. P.O. Box 370 Washington Court House, OH 43160 www.seedconsultants.com
BIO GENE	Bio Gene Seeds 5491 Tri-County Highway Sardinia, OH 45171 www.biogeneseeds.com	HIGH CYCLE	Trelay Seed Company 11623 Hwy 80 Livingston, WI 53554 www.trelay.com	SPANGLER	Spanler Seedtech, Inc. 803 West Racine Jefferson, WI 53549 www.spanlerseeds.com
BROWN	Brown Seed Farms, Inc. P.O. Box 7 Bay City, WI 54723 www.brownseed.com	HYLAND SEEDS	Hyland Seeds 2 Hyland Drive Blenheim, Ontario, Canada N0P 1A0 www.hIGHLANDSEEDS.COM	STEYER	Steyer Seeds 6159 North Court Road 33 Tiffin, OH 44883 419-992-4570
CAMPBELL	Campbell Seed, Inc. 1375 North 800 West Tipton, IN 46702 www.campbellseeds.com	ICORN	ICorn 792 North Peru Street Cicero, IN 46034 www.icorn.com	TRELAY	Trelay Seed Company 11623 Hwy 80 Livingston, WI 53554 www.trelay.com
CORN BELT	Corn Belt Hybrids P.O. Box 95 St. Marys, OH 45885 www.cornbelthybrids.com	JUNG	Jung Seed Genetics, Inc. UNITY 341 South High Street Randolph, WI 53956 www.jungseedgenetics.com		Unity Ag Direct, Inc. 107 Fallon St. Kentland, IN 47951 www.unityagdirect.com
CROPLAN	Croplan Genetics P.O. Box 64231 St. Paul, MN 55164 www.croplangenetics.com	LEGACY	Legacy Brand Hybrids, Inc. TRISLER 11384 Laberde Road Deerfield, MI 49238 517-206-3735		Trisler Seed Farms, Inc. 3274 East 800 North Road Fairmont, IL 61841 www.trisler.com
DAHLCO	Dahlco Seeds 14730 15th St. SW Cokato, MN 55321 www.dahlcoseeds.com	MAIZELEAF	Maizeleaf P.O. Box 218 Dansville, MI 48819 877-320-0474	VIGORO	Royster-Clark, Inc. 717 Robinson Rd. Washington Court House, OH 43160 www.roysterclark.com
DAIRYLAND STEALTH	Dairyland Seed Co., Inc. P.O. Box 958 West Bend, WI 53095 www.dairylandseed.com	MYCOGEN	Mycogen Seeds 9330 Zionsville Road Indianapolis, IN 46268 www.mycogen.com	WELLMAN	Wellman Seeds, Inc. 23778 Delphos - Jennings Rd. Delphos, OH 45833 www.wellmanseeds.com
DEKALB	Monsanto 800 N. Lindbergh Blvd. St. Louis, MO 63167 www.dekalb.com	NK Brand	Syngenta Seeds 12275 S. Sherman Lake Dr. Augusta, MI 49012 www.nk.com	WOLF RIVER VALLEY	Wolf River Valley Seeds N2976 Highway M White Lake, WI 54491 www.wolfrivervalleyseeds.com

MICHIGAN STATE UNIVERSITY EXTENSION

Michigan State University County Extension Offices

Alcona County 320 S. State Harrisville 48740-0800 989-724-6478	Calhoun County County Building Marshall 49068-1518 269-781-0784	Genesee County County Building #2 Flint 48504-2376 810-244-8500	Kent County 775 Ball Avenue, NE Grand Rapids 49503 616-336-3265	Monroe County 963 South Raisinville Rd. Monroe 48161-9754 734-240-3170	Sanilac County 37 Austin Street Sandusky 48471-1244 810-648-2515
Alger County 101 Court Street Munising 49862-1103 906-387-2530	Cass County 201 East State Street Cassopolis 49031-1352 269-445-8661	Gladwin County County Library Building Gladwin 48624-2025 989-426-7741	Lake County Route 3 Baldwin 49304-2235 231-745-2732	Montcalm County 211 W. Main St. Stanton 48888-0308 517-831-7500	Schoolcraft County Room 218 Manistique 49854-1485 906-341-3688
Allegan County Human Services Building Allegan 49010-9511 269-673-0370	Charlevoix County 319B North Lake Street Boyne City 49712-1101 231-582-6232	Gratiot County 214 East Center Street Ithaca 48847-1446 989-875-5233	Leelanau County 116 East Philip Street Lake Leelanau 49653 231-256-9888	Montmorency County Courthouse Annex Atlanta 49709-0415 989-785-8013	Shiawassee County 701 South Norton Corunna 48817-1209 989-743-2251
Alpena County 603 South 11th Avenue Alpena 49707-2645 989-354-9870	Cheboygan County County Building Cheboygan 49721-0070 231-627-8815	Hillsdale County 20 Care Drive Hillsdale 49242-5039 517-439-9301	Livingston County 820 East Grand River Av. Howell 48843-2432 517-546-3950	Muskegon County 635 Ottawa Street Muskegon 49442-1016 231-724-6361	St. Clair County Room 102 Port Huron 48060-4015 810-989-6935
Antrim County County Building Bellaire 49615-0427 231-533-8818	Chippewa County 300 Court Street Sault Ste. Marie 49783 906-635-6368	Houghton\Keweenaw 1500 Birch Street Hancock 49930-1062 906-482-5830	Luce County County Building, Room 26 Newberry 49868-1208 906-293-3203	Newaygo County 817 South Stewart Avenue Fremont 49412-9201 231-924-0500	St. Joseph County 612 E. Main St Centreville 49032 269-467-5511
Arenac County County Building Standish 48658-0745 989-846-4111	Clare County County Building Harrison 48625-0439 989-539-7805	Huron County 99 W. Soper Road Bad Axe 48413-8272 989-269-9949	Mackinac County Courthouse St. Ignace 49781-1495 906-643-7307	Ogemaw County 205 S. Eighth West Branch 48661-1207 989-345-0692	Tuscola County 362 Green Street Caro 48723-1910 989-672-3870
Baraga County Courthouse Annex 12 North 3rd Street L'Anse 49946-1002 906-524-6300	Clinton County County Courthouse St. Johns 48879-2347 989-224-5240	Ingham County 121 East Maple Street Mason 48854-0319 517-676-7207	Macomb County Verkuilen Building Clinton Township 48036 586-469-5180	Ontonagon County Courthouse Ontonagon 49953 906-884-4386	Van Buren County Suite A Paw Paw 49079-1077 269-657-7745
Barry County 220 West Court Street Hastings 49058-1824 269-945-1388	Crawford County County Building Grayling 49738-1743 989-344-3264	Iosco County P Box 599 Tawas City 48764-0599 989-362-3449	Marquette County 200 West Spring Street Marquette 49855-4630 906-226-4370	Osceola County 301 W. Upton Avenue Reed City 49677-0208 231-832-6139	Washtenaw County 705 N. Zeeb Rd. Ann Arbor 48107-8645 734-997-1678
Bay County 515 Center Avenue Bay City 48708-5124 989-895-4026	Delta County 2840 College Avenue Escanaba 49829-9591 906-786-3032	Iron County 2 South 6th Street Crystal Falls 49920-1400 906-875-6642	Mason County Suite 4 Scottville 49454-1221 231-757-4789	Oscoda County Courthouse Annex Mio 48647-0069 989-826-1160	Wayne County 640 Temple Street Detroit 48201-2558 313-833-3412
Benzie County Government Center Beulah 49617-0349 231-882-0025	Dickinson County Community Services Ctr. Iron Mountain 49801-2765 906-774-0363	Isabella County 200 North Main Street Mt. Pleasant 48858-2306 989-772-0911-302	Jackson County 1699 Lansing Avenue Jackson 49202-2296 517-788-4292	Mecosta County 14485 Northland Drive Big Rapids 49307-2368 231-592-0792	Otsego County 800 Livingston Boulevard Gaylord 49735-8321 989-731-0272
Berrien County 1737 Hillendale Road Benton Harbor 49022 269-944-4126	Eaton County Suite One Charlotte 48813-1047 517-543-2310	Kalamazoo County Room 302 Kalamazoo 49007-3777 269-383-8830	Menominee County S904 U.S. Highway 41 Stephenson 49887-0157 906-753-2209	Presque Isle County 151 East Huron Avenue Rogers City 49779-0110 989-734-2168	MSU - Bulletin Office 117 Central Services Bldg. Michigan State University East Lansing 48824 Phone for Copies:
Branch County Courthouse Annex 23 East Pearl Street Coldwater 49036-1990 517-279-4311	Emmet County 3434 Harbor-Petoskey Rd. Harbor Springs 49740 231-348-1770	Kalkaska County County Government Ctr. Kalkaska 49646-9436 231-258-3320	Midland County 220 West Ellsworth Str. Midland 48640-5194 989-832-6640	Roscommon County Courthouse Annex Roscommon 48653-0507 989-275-5043	Single Orders: 517-353-6740 Fax: 517-353-7168 For more information about MSU Extension refer to their website: www.msue.msu.edu
			Missaukee County 6180 West Sandborn Rd. Lake City 49651-9330 231-839-4667	Saginaw County One Tuscola Street Saginaw 48607 989-758-2500	

Oh How Times Have Changed

Harvest of hill plots and single row plots were done by hand in the 1930s, 40s and 50s.



Ford tractor mounted one row picker shellers harvested single row plots between 1959 and 1989.

At first, silage plots were all hand harvested. Ear and fodder weights were taken separately. This practice continued up through 1968.



This GEHL one row trailer chopper was adapted to harvest the fodder from 1969 through 1974.



This research corn sheller was used for both single and two row plots from 1985 to 1996.



This 3 point mounted New Holland 707 chopper was used from 1975 until 1999. Whole plants were now harvested at once for weight and sampling.




Since 1995 this Massy Ferguson plot combine has been used for harvest. The center 2 rows are harvested from four row plots.



In 2000, this two row forage harvester was built. It allows for the harvest of the center two rows of each plot. Samples are drawn right from the weight box for processing quality.



Early picker shellers used these 100 lb. milk scales and a weight bucket. Samples were collected in moisture proof envelopes for moisture analysis back in the lab.



Today weigh systems like this measure plot weight and determine moisture and test weight all at once in the field.

CONTRIBUTING AUTHORS:

Michael Allen, Professor
- *Department of Animal Science* -

Jeff Andresen, Extension Agricultural Meterologist
- *Department of Geography* -

THANK YOU TO OUR STUDENTS:

Anatoliy Kravchenko, Graduate Student

Terry Shultz, Graduate Student

Clayton Barancik, Student

Rachel McGuire, Student

Megan Pickler, Student

Deanne Sweeney, Student

Jim Williams, Student

- *Department of Crop and Soil Sciences* -

THANK YOU TO OUR FARM COOPERATORS:

Blaine Baker, Clayton

Dick Crawford, Montcalm Research Farm

Dave and Mel Cripe, Cassopolis

Richard Dennett, Buckley

Brian Graff, MSU Agronomy Farm

Benny Herioux, Bark River

Kyle Huff, Coldwater

Jorgensens Farm Elevator, Williamston

Robert E. Lee, Marion

Paul Naasz & Chris Kapp, Upper Peninsula Experiment Station
Oesch Farm, Alto

Robert and August Oshe, Custer

OSU NW Experiment Station, Hoytville, Ohio

Pleasant Acre Farm, Caledonia

Troy Sacket, Edmore

John Spero, Birch Run

Fred and Corby Werth, Alpena

Wil-le Farms, Bad Axe

Jason Woods, Britton

**MICHIGAN STATE
UNIVERSITY
EXTENSION**

MSU is an affirmative action/equal opportunity institution. Michigan State University Extension programs and materials are available to all without regard to race, color, national origin, gender, religion, age, disability, political beliefs, sexual orientation, marital status, or family status. Issued in furtherance of MSU Extension work, acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture. Arlen Leholm, director, MSU Extension, East Lansing, MI 48824. - This information is for educational purposes only. Reference to commercial products or trade names does not imply endorsement by MSU Extension or bias against those not mentioned. This bulletin becomes public property upon publication and may be reprinted verbatim as a separate or within another publication with credit to MSU. Reprinting cannot be used to advertise a commercial product or company.